



**THE ANDERSONS  
SAFETY DATA SHEET**

DATE PREPARED: 05/09/05

CURRENT AS OF: 10/22/18

**SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION**

PRODUCT CODE: APT187AL5.5, APT187AL5.40, APT187AL5

PRODUCT NAME: The Andersons Turf Products Fertilizer with Allectus Insecticide 18-0-5

PRODUCT USE: Fertilizer / Pesticide

MFR INFO: The Andersons Lawn Products  
PO Box 119  
Maumee, Ohio, USA 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

**SECTION 2: HAZARDS IDENTIFICATION**

HAZARD SYMBOLS / STATEMENTS:



**DANGER**

**TOXIC IF SWALLOWED  
CAUSES EYE IRRITATION  
CAUSES RESPIRATORY IRRITATION**

HAZARD CLASSIFICATIONS:

*ACUTE TOXICITY*

*EYE IRRITATION*

*SPECIFIC TARGET ORGAN TOXICITY*

*- REPEATED EXPOSURE*

CATEGORY

3

2B

2

INTERPRETATION

Toxic if swallowed

Causes eye irritation

Causes irritation to the respiratory tract

PRECAUTIONARY STATEMENTS:

- *DO NOT EAT, DRINK, OR SMOKE WHEN USING PRODUCT*
- *IF SWALLOWED, IMMEDIATELY CALL A POISON CENTER / PHYSICIAN*
- *KEEP OUT OF REACH OF CHILDREN*
- *READ LABEL BEFORE USE*
- *IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND*
- *CALL A POISON CENTER / PHYSICIAN IF UNWELL*
- *IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER*
- *IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE*
- *IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES – REMOVE CONTACT LENSES*
- *IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE*
- *WASH HANDS AFTER HANDLING*
- *USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS*
- *AVOID BREATHING DUST*
- *STORE CONTAINER TIGHTLY CLOSED, LOCKED UP*
- *DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS*

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Limestone	Dolomite	16389-88-1	45-50
Urea		57-13-6	20-25
Sulfur coated urea		Mixture	15-20
Potassium chloride	Potash	7447-40-7	5-10
Clay		Mixture	1-5

**SECTION 4: FIRST AID MEASURES**

IF INHALED:	Move victim to fresh air. Seek medical attention if irritation persists.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
IF SWALLOWED:	If victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

**SECTION 5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	Decomposition products may be toxic. Sulfur will burn when separated from molten urea.
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

SPILL / RELEASE PROCEDURES:	Collect spilled product and store to re-use. Contaminated product and/or environmental media should be recovered and disposed of properly. Bifenthin is highly toxic to fish and aquatic organisms. Keep out of water bodies.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies.
PROTECTIVE EQUIPMENT:	See Section 8

**SECTION 7: HANDLING AND STORAGE**

Store in a cool, dry, well ventilated area. Do not store above 120° F.

**SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

EXPOSURE LIMITS:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<u>HAZARDOUS COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Limestone	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Urea	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Potassium chloride	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Clay	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION:	NIOSH approved pesticide respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield recommended
SKIN PROTECTION:	Long sleeves, chemical-resistant (rubber) gloves recommended
VENTILATION:	Local exhaust ventilation recommended

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE AND ODOR:	Multi-colored granular mix, with slight ammonia / sulfur odor
pH:	Not available
MELTING POINT:	Not available
BOILING POINT:	Not applicable
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not applicable
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not applicable
VAPOR DENSITY:	Not applicable
SPECIFIC GRAVITY:	Not available
SOLUBILITY (IN WATER):	Partially soluble
PARTITION COEFFICIENT:	Not applicable
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available
ODOR THRESHOLD:	Not available
VISCOSITY:	Not available

**SECTION 10: STABILITY AND REACTIVITY**

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Excessive heat (greater than 200°F)
INCOMPATIBILITY:	Strong oxidizers, acids, hypochlorites
HAZARDOUS DECOMPOSITION PRODUCTS:	HCN, NO <sub>x</sub> , CO <sub>x</sub> , NH <sub>3</sub> , cyanuric acid, SO <sub>x</sub> , HCl, HF

**SECTION 11: TOXICOLOGICAL INFORMATION**

**HEALTH EFFECTS:** May be irritating to the nose and respiratory tract, and may cause sore throat, coughing and shortness of breath. Skin irritation may result from repeated or prolonged exposure. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage. Ingestion may result in nausea, vomiting, nose bleeds, tremors, and convulsions. The bifenthrin active ingredient is moderately toxic by the oral route and slightly toxic by the dermal route. Ingestion of large amounts of sulfur may lead to hydrogen sulfide poisoning due to bacterial conversion of sulfur in the colon.

**CARCINOGENICITY:** None of the ingredients are known / listed carcinogens. However, the product may contain trace amounts of crystalline silica, which is listed by IARC as a potential human carcinogen.

**INGREDIENT TOXICITY RANGES:**

ORAL: 175 mg/kg (bifenthrin) – 14,300 mg/kg (urea)  
DERMAL: > 2,000 mg/kg (bifenthrin, imidacloprid)  
INHALATION: 2.65 mg/L (4 hr) (imidacloprid)

**SECTION 12: ECOLOGICAL INFORMATION**

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product where possible.

**SECTION 14: TRANSPORT INFORMATION**

This product is not regulated as a transportation hazard.

**SECTION 15: REGULATORY INFORMATION**

SARA SECTION 311 / 312 HAZARD CATEGORY: ACUTE HAZARD

**SECTION 16: OTHER INFORMATION**

NFPA RATINGS: HEALTH 2  
FLAMMABILITY 0  
INSTABILITY 0

HMIS RATINGS: HEALTH 2  
FLAMMABILITY 0  
PHYSICAL HAZARD 0

ACTIVE INGREDIENT LEVEL (%): 0.125 as imidacloprid  
0.100 as bifenthrin

SDS ID NO: 5127

PREPARED BY: TS

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.