

WARRANTY AND LIMITATION OF DAMAGES

To the extent consistent with applicable law, **Suterra® LLC** warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use. To the extent consistent with applicable law, **Suterra LLC** neither makes nor authorizes any agent or representative to make any other warranty of fitness or of merchantability, guarantee or representation, express or implied, concerning this material. To the extent consistent with applicable law, **Suterra LLC's** maximum liability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law, the buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this material contrary to label instructions.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

FIRST AID

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. For emergency information on product, uses, and treatment, etc., call the National Pesticides Information Center at 1-800-858-7378, 6:30 am – 4:30 pm Pacific Time (PT), 7 days a week. Otherwise, call the Poison Control Center at 1-800-222-1222.

ENVIRONMENTAL HAZARDS

FOR TERRESTRIAL USE: Do not apply to water, or to areas where surface water is present or to intertidal areas below the high-water mark.



Celada™

VMB 180

A BIOCHEMICAL PESTICIDE FOR MATING DISRUPTION OF VINE MEALYBUG (*Planococcus ficus*)



ACTIVE INGREDIENT*:

Lavandulyl senecioate. 10.17%
Other Ingredients: 89.83%
Total: 100.00%

*Contains 180 mg a.i. per dispenser.
NET WEIGHT: 0.00390 lbs (1,770 mg)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for Precautionary Statements and First Aid.



MANUFACTURED FOR:
Suterra LLC
20950 NE Talus Place
Bend, Oregon, USA 97701
1-866-326-6737
FAX (541) 388-3705

EPA Registration No. 56336-82
EPA Establishment No. 85243-DEU-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Celada VMB 180 is a vapor releasing mating disruption product for the control of Vine Mealybug (*Planococcus ficus*) in grapes (wine, table, and raisin grapes) and any other crop where the pest may be present.

METHOD OF APPLICATION

Do not apply more than 150 grams a.i. per acre per year (833 dispensers/acre/year).

Authorized uses:

| Crop | Target Pest | Number of Applications | Rate of Application |
|-------------------------------------|--|------------------------|-------------------------|
| Wine grape Table grape Raisin | Vine Mealybug (<i>Planococcus ficus</i>) | 1 per year | 200 dispensers per acre |

Apply by hand. One application per year is sufficient. It is recommended to perform the application of **Celada VMB 180** before the beginning of the first flight to be disrupted (typically in spring). Apply the dispensers by hand to trellis wires, shoots, or branches avoiding direct exposure to the sun. Dispensers are best deployed near the trunk of the vines at cordon height. Distribute the dispensers throughout the vineyard to achieve the desired rate.

Celada VMB 180 is a mating disruption product. The product only affects adult males and will have no effect on females, eggs or immatures.

The use of **Celada VMB 180** should always take place in the context of an Integrated Pest Management strategy. The use of other pest control measures may be necessary and should be based on proper pest monitoring and field scouting.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store container in cool place until used. Reseal containers immediately after use. Store unused product in a refrigerator or freezer not used for food storage.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved disposal facility.

CONTAINER DISPOSAL: Plastic Containers: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Bag/Cardboard Box: Nonrefillable container. Do not reuse or refill this container. Dispose of empty bag/cardboard box in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.