

**LEXAR EZ**

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

---

**SECTION 1. IDENTIFICATION**

Product name : LEXAR EZ  
Design code : A17622H  
  
Product Registration number : 100-1414

**Manufacturer or supplier's details**

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)  
  
Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192  
  
E-mail address : sds.requests@syngenta.com  
Emergency telephone : 1 800 888 8372

**Recommended use of the chemical and restrictions on use**

Recommended use : Herbicide  
  
Restrictions on use : General Use Pesticide

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Specific target organ toxicity : Category 2 (Heart)  
- repeated exposure

**GHS label elements**

Hazard pictograms :



Signal Word : Warning  
  
Hazard Statements : H373 May cause damage to organs (Heart) through prolonged or repeated exposure.  
  
Precautionary Statements : **Prevention:**  
P260 Do not breathe mist or vapors.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste dis-

---

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

posal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
atrazine	1912-24-9	19
S-metolachlor	87392-12-9	19
propane-1,2-diol	57-55-6	>= 1 - < 5
mesotrione	104206-82-8	2.4364
nitric acid ammonium salt	6484-52-2	>= 1 - < 5
benoxacor	98730-04-2	>= 0.1 - < 1
copper(II) hydroxide	20427-59-2	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

- Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

atrazine	1912-24-9	TWA	2 mg/m <sup>3</sup>	Syngenta
		TWA	5 mg/m <sup>3</sup>	NIOSH REL
		TWA	5 mg/m <sup>3</sup>	OSHA P0
		TWA (Inhalable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
S-metolachlor	87392-12-9	TWA	5 mg/m <sup>3</sup>	Syngenta
propane-1,2-diol	57-55-6	TWA	10 mg/m <sup>3</sup>	US WEEL
mesotrione	104206-82-8	TWA	5 mg/m <sup>3</sup>	Syngenta
benoxacor	98730-04-2	TWA	1 mg/m <sup>3</sup>	Syngenta
copper(II) hydroxide	20427-59-2	TWA	1 mg/m <sup>3</sup> (Copper)	NIOSH REL

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated. The extent of these protection measures depends on the actual risks in use. Maintain air concentrations below occupational exposure standards. Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Hand protection**

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The breakthrough time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : No special protective equipment required.

**Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate:

**LEXAR EZ**

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

Protective measures : Impervious clothing  
: The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : olive green

Odor : No data available

Odor Threshold : No data available

pH : 4.5  
Concentration: 1 %w/v

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Method: method not specified  
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.1 g/cm<sup>3</sup>

Solubility(ies)

    Water solubility : No data available

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, kinematic : No data available

**LEXAR EZ**

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle size : No data available

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.71 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg  
Remarks: Based on data from similar materials

**Components:****atrazine:**

Acute oral toxicity : LD50 (Rat, male and female): 3,090 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**LEXAR EZ**

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

Acute dermal toxicity : LD50 (Rat, male and female): > 3,100 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**S-metolachlor:**

Acute oral toxicity : LD50 (Rat, male and female): 2,672 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.91 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**mesotrione:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.75 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**nitric acid ammonium salt:**

Acute oral toxicity : LD50 (Rat): 2,462 mg/kg

**benoxacor:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**copper(II) hydroxide:**

Acute oral toxicity : LD50 (Rat): 489 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.47 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

**LEXAR EZ**

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Components:****atrazine:**

Species : Rabbit  
Result : No skin irritation

**S-metolachlor:**

Species : Rabbit  
Result : No skin irritation

**mesotrione:**

Species : Rabbit  
Result : No skin irritation

**benoxacor:**

Species : Rabbit  
Result : No skin irritation

**copper(II) hydroxide:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**Components:****atrazine:**

Species : Rabbit  
Result : No eye irritation

**S-metolachlor:**

Species : Rabbit



**LEXAR EZ**

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

---

Result : No eye irritation

**mesotrione:**

Species : Rabbit  
Result : No eye irritation

**nitric acid ammonium salt:**

Result : Eye irritation

**benoxacor:**

Species : Rabbit  
Result : No eye irritation

**copper(II) hydroxide:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Respiratory or skin sensitization****Product:**

Species : Guinea pig  
Result : Did not cause sensitization on laboratory animals.  
Remarks : Based on data from similar materials

**Components:****atrazine:**

Test Type : Maximization Test  
Species : Guinea pig  
Result : The product is a skin sensitizer, sub-category 1A.

**S-metolachlor:**

Species : Guinea pig  
Result : The product is a skin sensitizer, sub-category 1B.

**mesotrione:**

Species : Guinea pig  
Result : Does not cause skin sensitization.

**benoxacor:**

Species : Guinea pig  
Result : May cause sensitization by skin contact.

**copper(II) hydroxide:**

Species : Guinea pig  
Result : Did not cause sensitization on laboratory animals.

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

### Germ cell mutagenicity

#### Components:

##### **atrazine:**

Germ cell mutagenicity - Assessment : Did not show mutagenic or teratogenic effects in animal experiments.

##### **S-metolachlor:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

##### **mesotrione:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

##### **benoxacor:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

##### **copper(II) hydroxide:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects., Information given is based on data obtained from similar substances.

### Carcinogenicity

#### Components:

##### **atrazine:**

Carcinogenicity - Assessment : This substance has been reported to cause tumors in certain animal species., These is no evidence that these findings are relevant to humans.

##### **S-metolachlor:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

##### **mesotrione:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

##### **benoxacor:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

##### **copper(II) hydroxide:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies., Information given is based on data obtained from similar substances.

#### **IARC**

Group 2A: Probably carcinogenic to humans  
nitric acid ammonium salt      6484-52-2  
(nitrate (ingested) under conditions that result in endogenous nitrosation)

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

on OSHA's list of regulated carcinogens.

**NTP**      No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

#### Components:

##### **atrazine:**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **S-metolachlor:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

##### **mesotrione:**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

##### **benoxacor:**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **copper(II) hydroxide:**

Reproductive toxicity - Assessment : No toxicity to reproduction, Information given is based on data obtained from similar substances.

### STOT-repeated exposure

#### Components:

##### **atrazine:**

Target Organs Assessment : Heart  
: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **S-metolachlor:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **mesotrione:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **benoxacor:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **copper(II) hydroxide:**

Assessment : The substance or mixture is not classified as specific target

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

organ toxicant, repeated exposure.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **atrazine:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 5.4 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.16 mg/l  
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.011 mg/l  
End point: Growth rate  
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : (Oncorhynchus mykiss (rainbow trout)): 0.06 mg/l  
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Americamysis): 0.26 mg/l  
Exposure time: 28 d
- NOEC (Daphnia magna Straus (Water flea)): 0.04 mg/l  
Exposure time: 21 d
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

##### **S-metolachlor:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.23 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 1.4 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l  
Exposure time: 96 h
- NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.016 mg/l  
End point: Growth rate  
Exposure time: 96 h
- EC50 (Lemna gibba (gibbous duckweed)): 0.023 mg/l  
Exposure time: 14 d

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

		NOEC ( <i>Lemna gibba</i> (gibbous duckweed)): 0.0076 mg/l Exposure time: 14 d
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 0.03 mg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC ( <i>Americamysis</i> ): 0.13 mg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	10
<b>mesotrione:</b>		
Toxicity to fish	:	LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): > 120 mg/l Exposure time: 96 h
		LC50 ( <i>Cyprinus carpio</i> (Carp)): > 97.1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 ( <i>Daphnia magna</i> (Water flea)): 900 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 ( <i>Raphidocelis subcapitata</i> (freshwater green alga)): 12 mg/l Exposure time: 96 h
		NOEC ( <i>Raphidocelis subcapitata</i> (freshwater green alga)): 0.75 mg/l End point: Growth rate Exposure time: 96 h
		ErC50 ( <i>Lemna gibba</i> (gibbous duckweed)): 0.0301 mg/l Exposure time: 7 d
		EC10 ( <i>Lemna gibba</i> (gibbous duckweed)): 0.00187 mg/l End point: Growth rate Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 12.5 mg/l Exposure time: 36 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC ( <i>Daphnia magna</i> (Water flea)): 180 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	10
<b>Ecotoxicology Assessment</b>		
Acute aquatic toxicity	:	Very toxic to aquatic life.

**benoxacor:**

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.9 mg/l  
Exposure time: 96 h
- LC50 (Ictalurus punctatus (channel catfish)): 1.4 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 17 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 13.5 mg/l  
Exposure time: 72 h
- EC10 (Desmodesmus subspicatus (green algae)): 0.22 mg/l  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.31 mg/l  
Exposure time: 32 d
- NOEC (Oncorhynchus mykiss (rainbow trout)): 0.016 mg/l  
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.354 mg/l  
Exposure time: 21 d
- copper(II) hydroxide:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.012 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.041 mg/l
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.034 mg/l  
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.023 mg/l  
Exposure time: 92 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.046 mg/l  
Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 10

### Persistence and degradability

#### Components:

##### atrazine:

- Biodegradability : Result: Not readily biodegradable.
- Stability in water : Remarks: Product is not persistent.

##### S-metolachlor:

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 53 - 147 d  
Remarks: Product is not persistent.

### mesotrione:

Stability in water : Degradation half life: > 30 d (25 °C)  
Remarks: Persistent in water.

### benoxacor:

Biodegradability : Result: Not readily biodegradable.

## Bioaccumulative potential

### Components:

#### atrazine:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 2.5 (77 °F / 25 °C)

#### S-metolachlor:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.05 (77 °F / 25 °C)

#### mesotrione:

Bioaccumulation : Remarks: Low bioaccumulation potential.

#### benoxacor:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 2.6 (77 °F / 25 °C)

## Mobility in soil

### Components:

#### atrazine:

Distribution among environmental compartments : Remarks: Highly mobile in soils

Stability in soil : Dissipation time: 38.5 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

#### S-metolachlor:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 12 - 46 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

### mesotrione:

Distribution among environmental compartments : Remarks: Highly mobile in soils  
 Stability in soil : Dissipation time: 6 - 105 d  
 Percentage dissipation: 50 % (DT50)  
 Remarks: Product is not persistent.

### benoxacor:

Distribution among environmental compartments : Remarks: Moderately mobile in soils  
 Stability in soil : Dissipation time: 0.9 - 5.3 d  
 Percentage dissipation: 50 % (DT50)  
 Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### atrazine:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### mesotrione:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### benoxacor:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
 Do not dispose of waste into sewer.  
 Where possible recycling is preferred to disposal or incineration.  
 If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
 Triple rinse containers.  
 Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations



## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

### UNRTDG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (S-METOLACHLOR, MESOTRIONE)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IATA-DGR

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (S-METOLACHLOR, MESOTRIONE)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes  
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (S-METOLACHLOR, MESOTRIONE)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes  
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

## LEXAR EZ

Version 0.0      Revision Date: 06/01/2023      SDS Number: S00057178553      This version replaces all previous versions.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### Caution

Harmful if swallowed.

Causes moderate eye irritation.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Avoid contact with eyes or clothing.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

atrazine	1912-24-9	>= 10 - < 20 %
nitric acid ammonium salt	6484-52-2	>= 1 - < 5 %

### California Prop. 65

WARNING: This product can expose you to chemicals including dioxosilane, naphthalene, which is/are known to the State of California to cause cancer, and atrazine, ethane-1,2-diol, toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16. OTHER INFORMATION


### Further information

## LEXAR EZ

Version  
0.0Revision Date:  
06/01/2023SDS Number:  
S00057178553

This version replaces all previous versions.

### NFPA 704:



### HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of

**LEXAR EZ**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
0.0	06/01/2023	S00057178553	

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/01/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8