

RESTRICTED USE PESTICIDE
DUE TO TOXICITY TO FISH, MAMMALS, AND AQUATIC ORGANISMS.
 FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR
 PERSONS UNDER THEIR DIRECT SUPERVISION, AND ONLY FOR THOSE USES
 COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

SUPPLEMENTAL LABELING

Syngenta Crop Protection, LLC
 P.O. Box 18300
 Greensboro, North Carolina 27419-8300

SCP 1592A-S2 0422

Not for sale, sale into, distribution and/or use in Nassau and Suffolk counties of New York State

Minecto® Pro

Insecticide/Miticide

ABAMECTIN	GROUP	6	INSECTICIDE
CYANTRANILIPROLE	GROUP	28	INSECTICIDE

This supplemental label expires on 04/07/2025 and must not be used or distributed after this date.

Active Ingredient:	
Cyantraniliprole*	12.70%
Abamectin **	2.68%
Other Ingredients:	84.62%
Total:	100.00%

Minecto Pro is formulated as a suspension concentrate and contains 1.13 lb cyantraniliprole and 0.24 lb abamectin per gallon.

*CAS No. 736994-63-1

**CAS No. 71751-41-2

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

EPA Reg. No. 100-1592

All applicable directions, restrictions and precautions on the EPA registered label are to be followed. Before using Minecto Pro as permitted according to this supplemental label, read and follow all applicable directions, restrictions, and precautions on the EPA registered label on or attached to the pesticide product container. This Supplemental Labeling contains revised use instructions and or restrictions that may be different from those that appear on the container label. This Supplemental Labeling must be in the possession of the user at the time of pesticide application. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE

ROTATIONAL CROP RESTRICTIONS

The following crops may be planted at the specified interval following application of Minecto Pro:

There is no plant back restriction for conversion of a treated field or for making a new or replacement planting into established orchards or fields of Bushberries (Crop Subgroup 13-07B); Caneberry (Crop Subgroup 13-07A); Coffee; Citrus (Crop Group 10-10); Pome Fruits (Crop Group 11-10); Stone Fruits (Crop Group 12); Low Growing Berries (Crop Subgroup 13-07G); or Tree Nuts (Crop Group 14-12).

Crop, Crop Group, or Subgroup	Plant-back Restriction (in Days) following Last Application of Minecto Pro
Brassica Leafy Greens (Crop Subgroup 4-16B)	0
Brassica Head and Stem Vegetables (Crop Group 5-16)	
Bulb Vegetables (Crop Group 3-07)	
Celtuce	
Corn (Field, Pop, Seed and Sweet)	
Cotton	
Cucurbit Vegetables (Crop Group 9)	
Florence Fennel	
Fruiting Vegetables (Crop Group 8-10)	
Leafy Greens (Crop Subgroup 4-16A)	
Leaf Petiole Vegetables (Crop Subgroup 22B)	
Leaves of Root and Tuber Vegetables (Crop Group 2)	
Legume Vegetables (Crop Groups 6 and 7)	

Low Growing Berries (Crop Subgroup 13-07H)	
Oilseeds (Crop Group 20)	
Peanuts	
Rice	
Root and Tuber Vegetables (Crop Subgroups 1B and 1C)	
Soybean	
Tobacco	
Cereal Grains (Crop Group 15), Except Corn and Rice	30
Forage, Fodder, and Straw of Cereal Grains (Crop Group 16), Except Corn and Rice	
Grass Forage, Fodder, and Hay (Crop Group 17)	
Non-grass Animal Feeds (forage, fodder, straw, and hay) (Crop Group 18)	
Sugar beets	
Sugarcane	
All other crops not listed	12 months

Minecto Pro® and the Syngenta logo are trademarks of a Syngenta Group Company.

©2022 Syngenta