Poly Control 2 MSDS DATE: revised 2/13/2015

# **SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT IDENTIFIER: Poly Control 2

PRODUCT USE: Industrial Uses

Washing and cleaning products

Industrial spraying

Wide dispersive outdoor use of processing aids in open systems

SUPPLIER DETAILS: Name: Brewer International, Incorporated

Address: PO Box 690037

Vero Beach, FL 32969

Phone: (800) 228-1833 Fax: (772) 778-2490

EMERGENCY PHONE: Chem Tel (800) 255-3924 available 24 hours

### **SECTION 2: HAZARDS IDENTIFICATION**

HAZARD CLASSIFICATION: This product is considered not hazardous under 29 CFR 1910.1200

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**INGREDIENT:** Nonionic Polymer Emulsion

CAS # WT%
Not Applicable 98

INGREDIENT: Hydrotreated Light Paraffin Distillate

<u>CAS #</u> <u>WT%</u> 64742-55-8 2

# **SECTION 4: FIRST AID MEASURES**

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. If skin irritation occurs, get medical attention.

IF SWALLOWED: Rinse mouth. Call a doctor if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

# **SECTION 5: FIRE-FIGHTING MEASURES**

#### FLASH POINT:

**F:** >350° **C:** >176.6°

SUITABLE EXTINGUISHING MEDIA: Water, Dry chemicals, foam, carbon dioxide, water spray or fog.

**UNSUITABLE EXTINGUISHING MEDIA: None** 

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: None

**SPECIAL PROTECTIVE ACTIONS FOR FIRE-FIGHTERS:** Evacuate the area promptly. Observe all precautions that apply to any fire where chemicals are stored. Wear suitable protective equipment.

MSDS DATE: revised 2/13/2015

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**PERSONAL PRECAUTIONS:** Keep unnecessary personnel away. **DO NOT** touch damaged containers or spilled material unless wearing appropriate protective gear. Keep people away from and upwind of spill/leak. Keep out of low areas. Ensure adequate ventilation. Ventilate closed spaces before entering them.

**ENVIRONMENTAL PRECAUTIONS:** Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers ditches and waterways.

**METHODS FOR CONTAINMENT: ELIMINATE** all ignition sources (no smoking, flares, sparks or flames in the immediate area). Stop the flow of the material and dike spill area when possible without exposure to unnecessary risk.

**METHODS FOR CLEANING UP: DO NOT** release this product into the environment. Use equipment rated for use around combustible materials. For large spills, absorb spilled liquid with suitable non-combustible absorbent material such as dirt or sand. For small spills, wipe up with suitable absorbent material such as cloth. Clean exposed surfaces thoroughly to remove any residual contamination. Never return spills in original containers for re-use. Dispose any contaminated absorbents appropriately. For waste disposal, see section 13 of this MSDS.

## **SECTION 7: HANDLING AND STORAGE**

**PRECAUTIONS FOR SAFE HANDLING:** Wash hands and exposed skin thoroughly after handling. **DO NOT** breathe vapors or spray. Use only out doors or in a well-ventilated area. Keep material away from heat, sparks, and flame. Use appropriate personal protective equipment. **DO NOT** get in eyes, on skin or on clothing. Avoid prolonged and repeated contact. **DO NOT** swallow. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. The container is hazardous when emptied and should be disposed of appropriately.

**STORAGE:** Store in a well-ventilated place with proper sprinkler/fire deterrent system. Keep container tightly closed. Store locked up. Freezing will affect the physical condition and may damage the material.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

INGREDIENT(S)	EXPOSURE LIMITS
Hydrotreated Light	OSHA PEL: 5.00 mg/m <sup>3</sup>
Paraffin Distillate	ACGIH TWA: 5.00 mg/m <sup>3</sup>
	ACGIH STEL: 10.00 mg/m <sup>3</sup>

PEL= Permissible Exposure Limits TWA= Time Weighted Average STEL= Short term Exposure Limit ACGIH= American Conference of Governmental Industrial Hygienists OSHA= Occupational Safety and Health Administration

**ENGINEERING CONTROLS:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Maintain air concentrations below occupational exposure limits. Use local exhaust when misting occurs. Natural ventilation is adequate in absence of mists. Keep away from sparks and flames.

MSDS DATE: revised 2/13/2015

**RESPIRATORY PROTECTION:** No personal respiratory protective equipment normally required. An approved respirator must be worn if airborne concentrations are above any recommended exposure limits. In misty atmospheres, use an approved respirator.

**EYE PROTECTION:** If material could be misted or splashed into eyes, wear safety glasses with side shields (or goggles). Eye wash fountain should be available.

**SKIN PROTECTION:** Impervious gloves are recommended.

**WORK HYGIENIC PRACTICES:** When using, do not eat, drink or smoke. Do not get in eyes. Do not get this material in contact with skin. Wash hands and face before breaks and immediately after handling the product. Launder contaminated clothing before reuse. Have eye wash and emergency shower facilities immediately available. Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE: White ranging to clear

**ODOR:** Low chemical odor

**ODOR THRESHOLD:** No data available

PHYSICAL STATE: Liquid

**pH**: 6-8 @ 5 g/l

FREEZING POINT: No data available

BOILING POINT: No data available

FLASH POINT: >350°F (176.6°C) estimated

EVAPORATION RATE (N-Butyl Acetate = 1): No data available

FLAMMABILITY (SOLID, GAS): No data available

**UPPER/LOWER FLAMMABILITY:** No data available

VAPOR PRESSURE (mmHg): < 0.01 estimated

@ 68°F (20.0°C)

VAPOR DENSITY (AIR = 1): No data available

SPECIFIC GRAVITY (H2O = 1): No data available

@ 68°F (20.0°C)

**SOLUBILITY IN WATER:** Yes

PARTITION COEFFICIENT (N-Octanol/Water): No data available

AUTO-IGNITION TEMPERATURE: No data available

**DECOMPOSITION TEMPERATURE:** No data available

VISCOSITY: No data available

**SECTION 10: STABILITY AND REACTIVITY** 

**REACTIVITY/POSSIBILITY OF HAZARDOUS REACTIONS:** Hazardous polymerization does not occur. Prevent oxidation by avoiding long-term exposure to air.

MSDS DATE: revised 2/13/2015

CHEMICAL STABILITY: Material is stable under normal conditions.

**CONDITIONS TO AVOID:** Keep away from heat, sparks, static discharge or flames.

**INCOMPATIBLE MATERIALS:** Strong acids and bases, including acidic clays; alkali metals; halogens; peroxides; vinyl chloride; and iodine pentafluoride.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: carbon oxides, nitrogen oxides

## **SECTION 11: TOXICOLOGICAL INFORMATION**

ACUTE TOXICITY: Product ingredients have been shown to have a low oral toxicity (LD<sub>50</sub>>5 g/kg) when tested on rats.

SKIN CORROSION/IRRITATION: Not expected

EYE DAMAGE/IRRITATION: Not expected

RESPIRATORY OR SKIN SENSITIZATION: The product is not expected to be sensitizing.

GERM CELL MUTAGENICITY: No data available

CARCINOGENICITY: No components present in excess of 0.1% by weight listed as carcinogens by OSHA, NTP, IARC or ACGIH.

REPRODUCTIVE TOXICITY: No data available

SPECIFIC TARGET ORGAN TOXICITY

SINGLE EXPOSURE: Not expected

**REPEATED EXPOSURE:** Not expected

**ASPIRATION HAZARD:** No data available

# **SECTION 12: ECOLOGICAL INFORMATION**

#### **ECOTOXICITY**

Fish: LC<sub>50</sub> > 100 mg/L, Danio rerio/96 hr

Algae:  $IC_{50} > 100$  mg/L, Scenedesmus subspicatus/72 hr Daphnia:  $EC_{50} > 100$  mg/L, Daphnia magna/48 hr

PERSISTENCE AND DEGRADABILITY: Not readily biodegradable (40% after 28 days).

**BIOACCUMULATIVE POTENTIAL:** This product is not expected to bioaccumulate.

MOBILITY IN SOIL: No data available

OTHER ADVERSE EFFECTS: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**SECTION 13: DISPOSAL CONSIDERATIONS** 

**WASTE DISPOSAL METHOD:** Incinerate or dispose of in accordance with Local, State, and Federal Regulations. Commercially clean containers prior to disposal. Oil soaked rags should be disposed of properly to prevent spontaneous combustion. Do not allow this material to drain into sewers/water supplies. For the safety of persons conducting disposal, please refer to the information in section 8.

MSDS DATE: revised 2/13/2015

### **SECTION 14: TRANSPORT INFORMATION**

DOT

Not regulated

**IATA** 

Not regulated

**IMDG** 

Not regulated

**TDG** 

Not regulated

**ENVIRONMENTAL HAZARDS:** The product is not a known marine pollutant as defined by 49 CFR part 171.8 or TDG regulations.

### **SECTION 15: REGULATORY INFORMATION**

**U.S. FEDERAL REGULATIONS:** This product is a Hazardous Chemical as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or exempt under 40 CFR 720.30.

CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT) reportable substances:

not regulated

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

**HAZARD CATEGORIES** 

IMMEDIATE HAZARD: No DELAYED HAZARD: No FIRE HAZARD: No PRESSURE HAZARD: No REACTIVE HAZARD: No

**313 REPORTABLE INGREDIENTS: No.** 

**302 EXTREMELY HAZARDOUS SUBSTANCE: No** 

**CALIFORNIA PROPOSITION 65:** The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product may contain trace amounts of chemical(s) known to the State of California to cause cancer: residual acrylamide.

**SECTION 16: OTHER INFORMATION** 

**NFPA RATINGS** 

HEALTH: 1 FIRE: 1

**REACTIVITY:** 0

DISCLAIMER: THE INFORMATION CONTAINED HEREIN IS BASED ON CURRENTLY AVAILABLE KNOWLEDGE AND EXPERIENCE AND IS BEING FURNISHED FOR INFORMATIONAL PURPOSES ONLY, UPON THE EXPRESS CONDITION THAT EACH USER SHALL MAKES ITS OWN ASSESSMENT OF APPROPRIATE USE AND APPROPRIATE SHIPPING, TRANSFER AND STORAGE OF THE MATERIAL. NO RESPONSIBILITY IS ACCEPTED THAT THE INFORMATION IN THIS MSDS IS SUFFICIENT OR CORRECT IN ALL CASES. USERS SHOULD CONSIDER THIS DATA ONLY AS A SUPPLEMENT TO OTHER INFORMATION OBTAINED BY THE USER. USERS SHOULD MAKE INDEPENDENT DETERMINATIONS OF SUITABILITY AND COMPLETENESS OF INFORMATION FROM ALL SOURCES TO ASSURE PROPER USE AND DISPOSAL OF THE MATERIAL, THE SAFETY AND HEALTH OF EMPLOYEES AND CUSTOMERS, AND THE PROTECTION OF THE ENVIRONMENT. THIS MSDS IS TO BE USED AS A GUIDELINE FOR SAFE WORK PRACTICES AND EMERGENCY RESPONSE. BREWER INTERNATIONAL, INCORPORATED MAKES NO WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THE VALIDITY OF THIS INFORMATION, THE INFORMATION SOURCES UPON WHICH THE SAME ARE BASED, OR THE RESULTS TO BE OBTAINED, AND EXPRESSLY DISCLAIMS LIABILITIES FOR DAMAGES OR INJURIES RESULTING FROM THE USE THEREOF.

MSDS DATE: revised 2/13/2015