

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

SECTION 1. IDENTIFICATION

Product name : CRUISERMAXX RICE
Design code : A17469G

Product Registration number : 100-1369

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide
Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity : Category 1A

Specific target organ toxicity : Category 2 (Bile duct)
- repeated exposure

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H350 May cause cancer.
H373 May cause damage to organs (Bile duct) through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
thiamethoxam (ISO)	153719-23-4*	26.37	-
propane-1,2,3-triol	56-81-5*	>= 5 - <= 10	TSC
metalaxyl-M (ISO)	70630-17-0*	1.65	-
azoxystrobin (ISO)	131860-33-8*	1.32	-
Lignosulfonic acid, ethoxylated, sodium salts	68611-14-3*	>= 0.1 - <= 1	TSC
fludioxonil (ISO)	131341-86-1*	0.28	-
kaolin	1332-58-7*	>= 0.1 - <= 1	TSC
triethylamine	121-44-8*	<= 0.1	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respira-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

- | | |
|---|--|
| In case of skin contact | :
tion.
Keep patient warm and at rest.
Call a physician or poison control center immediately.
Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | :
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required. |
| If swallowed | :
If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting. |
| Most important symptoms and effects, both acute and delayed | :
Nonspecific
No symptoms known or expected.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure. |
| Notes to physician | :
There is no specific antidote available.
Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|--|--|
| Suitable extinguishing media | :
Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray |
| Unsuitable extinguishing media | :
Do not use a solid water stream as it may scatter and spread fire. |
| Specific hazards during fire fighting | :
As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health. |
| Hazardous combustion products | :
Carbon oxides
Nitrogen oxides (NOx)
Chlorine compounds
Sulfur oxides
Fluorine compounds |
| Further information | :
Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray. |
| Special protective equipment for fire-fighters | :
Wear full protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
thiamethoxam (ISO)	153719-23-4	TWA	5 mg/m ³	Syngenta
propane-1,2,3-triol	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m ³	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m ³	OSHA P0
metalaxyl-M (ISO)	70630-17-0	TWA	5 mg/m ³	Syngenta
azoxystrobin (ISO)	131860-33-8	TWA	0.7 mg/m ³	Syngenta
fludioxonil (ISO)	131341-86-1	TWA	5 mg/m ³	Syngenta
		TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version 1.1 Revision Date: 09/08/2025 SDS Number: S1488445726 Date of last issue: -
Date of first issue: 06/28/2016

kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
triethylamine	121-44-8	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		TWA	25 ppm 100 mg/m3	OSHA Z-1
		STEL	15 ppm 60 mg/m3	OSHA P0
		TWA	10 ppm 40 mg/m3	OSHA P0

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.
Please observe the instructions regarding permeability and

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.16 g/cm³

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version 1.1	Revision Date: 09/08/2025	SDS Number: S1488445726	Date of last issue: - Date of first issue: 06/28/2016
----------------	------------------------------	----------------------------	--

Solubility(ies)
Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): 3,129 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 2.54 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Remarks: Based on data from similar materials

Components:

thiamethoxam (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 1,563 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.72 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

propane-1,2,3-triol:

Acute oral toxicity : LD50 (Rat, female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, female): > 5,000 mg/kg

metalaxyl-M (ISO):

Acute oral toxicity : LD50 (Rat, female): 375 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.29 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

azoxystrobin (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.698 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

fludioxonil (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

triethylamine:

Acute oral toxicity : Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): 7.22 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rat): 580 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Components:

thiamethoxam (ISO):

Species : Rabbit
Result : No skin irritation

propane-1,2,3-triol:

Species : Rabbit
Result : No skin irritation

metalaxyl-M (ISO):

Species : Rabbit
Result : No skin irritation

azoxystrobin (ISO):

Species : Rabbit

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

Result : No skin irritation

Lignosulfonic acid, ethoxylated, sodium salts:

Result : Irritating to skin.

fludioxonil (ISO):

Species : Rabbit
Result : No skin irritation

triethylamine:

Species : Rabbit
Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Components:

thiamethoxam (ISO):

Species : Rabbit
Result : No eye irritation

propane-1,2,3-triol:

Species : Rabbit
Result : No eye irritation

metalaxyl-M (ISO):

Species : Rabbit
Result : Risk of serious damage to eyes.

azoxystrobin (ISO):

Species : Rabbit
Result : No eye irritation

Lignosulfonic acid, ethoxylated, sodium salts:

Result : Eye irritation

fludioxonil (ISO):

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

triethylamine:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.
Remarks	:	Based on data from similar materials

Components:

thiamethoxam (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

propane-1,2,3-triol:

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

metalaxyl-M (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

azoxystrobin (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

fludioxonil (ISO):

Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

thiamethoxam (ISO):

Germ cell mutagenicity - Assessment	:	Animal testing did not show any mutagenic effects.
-------------------------------------	---	--

propane-1,2,3-triol:

Germ cell mutagenicity - Assessment	:	In vitro tests did not show mutagenic effects
-------------------------------------	---	---

metalaxyl-M (ISO):

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version 1.1	Revision Date: 09/08/2025	SDS Number: S1488445726	Date of last issue: - Date of first issue: 06/28/2016
----------------	------------------------------	----------------------------	--

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

azoxystrobin (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

fludioxonil (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

triethylamine:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

May cause cancer.

Components:

thiamethoxam (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

propane-1,2,3-triol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

metalaxyl-M (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

azoxystrobin (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

fludioxonil (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC	Group 1: Carcinogenic to humans kaolin (Silica dust, crystalline)	1332-58-7
-------------	---	-----------

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

NTP	Known to be human carcinogen kaolin (Silica, Crystalline (Respirable Size))	1332-58-7
------------	---	-----------

Reproductive toxicity

Not classified due to lack of data.

Components:

thiamethoxam (ISO):

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version 1.1	Revision Date: 09/08/2025	SDS Number: S1488445726	Date of last issue: - Date of first issue: 06/28/2016
----------------	------------------------------	----------------------------	--

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

propane-1,2,3-triol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

metalaxyl-M (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

azoxystrobin (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

fludioxonil (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

triethylamine:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT-single exposure

Not classified due to lack of data.

Components:

thiamethoxam (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Lignosulfonic acid, ethoxylated, sodium salts:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

triethylamine:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

May cause damage to organs (Bile duct) through prolonged or repeated exposure.

Components:

thiamethoxam (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

propane-1,2,3-triol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

metalaxyl-M (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

azoxystrobin (ISO):

Target Organs : Bile duct
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

fludioxonil (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

thiamethoxam (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

EC50 (Cloeon sp.): 0.014 mg/l
Exposure time: 48 h

EC50 (Chironomus riparius (harlequin fly)): 0.035 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 81.8 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 81.8 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 28 d
Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): > 20 mg/l
Exposure time: 88 d
Test Type: Early-life Stage

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 100 mg/l
Exposure time: 21 d
NOEC (Chironomus riparius (Midge larvae)): 0.01 mg/l
Exposure time: 30 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

metalaxyl-M (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 271 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 19.7 mg/l
End point: Growth rate
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 50 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

azoxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.28 mg/l
Exposure time: 48 h

EC50 (Americamysis): 0.055 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.109 mg/l
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.0303 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

- End point: Growth rate
Exposure time: 72 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l
Exposure time: 72 h
- NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l
Exposure time: 28 d
- EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l
Exposure time: 33 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.044 mg/l
Exposure time: 21 d
- NOEC (Americamysis): 0.00954 mg/l
Exposure time: 28 d
- Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3.2 mg/l
Exposure time: 6 h
- fludioxonil (ISO):**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l
Exposure time: 96 h
- LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.4 mg/l
Exposure time: 48 h
- EC50 (Americamysis): 0.27 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.259 mg/l
Exposure time: 96 h
- EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l
End point: Growth rate
Exposure time: 96 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l
Exposure time: 96 h
- NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l
End point: Growth rate
Exposure time: 96 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version 1.1	Revision Date: 09/08/2025	SDS Number: S1488445726	Date of last issue: - Date of first issue: 06/28/2016
----------------	------------------------------	----------------------------	--

icity)	Exposure time: 28 d
	EC10 (Pimephales promelas (fathead minnow)): 0.018 mg/l Exposure time: 116 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.035 mg/l Exposure time: 21 d
	NOEC (Americamysis): 0.018 mg/l Exposure time: 28 d
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h
triethylamine:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 36 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 9.8 mg/l Exposure time: 72 h

Persistence and degradability

Components:

thiamethoxam (ISO):

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life: 11 d Remarks: Product is not persistent.

metalaxyl-M (ISO):

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life: 22.4 - 47.5 d Remarks: Product is not persistent.

azoxystrobin (ISO):

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life: 224 d Remarks: Persistent in water.

fludioxonil (ISO):

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life: 450 - 700 d Remarks: Persistent in water.

triethylamine:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version 1.1	Revision Date: 09/08/2025	SDS Number: S1488445726	Date of last issue: - Date of first issue: 06/28/2016
----------------	------------------------------	----------------------------	--

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

thiamethoxam (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: -0.13 (77 °F / 25 °C)

metalaxyl-M (ISO):

Bioaccumulation : Remarks: Low bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 1.71 (77 °F / 25 °C)

azoxystrobin (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

fludioxonil (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (77 °F / 25 °C)

Mobility in soil

Components:

thiamethoxam (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 51 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

metalaxyl-M (ISO):

Distribution among environmental compartments : Remarks: Highly mobile in soils

Stability in soil : Dissipation time: < 50 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

azoxystrobin (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 81.3 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

fludioxonil (ISO):

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 14 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version 1.1	Revision Date: 09/08/2025	SDS Number: S1488445726	Date of last issue: - Date of first issue: 06/28/2016
----------------	------------------------------	----------------------------	--

Percentage dissipation: 50 % (DT50)

Remarks: Product is not persistent.

Other adverse effects

Components:

thiamethoxam (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

metalaxyl-M (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Remarks: Weight of evidence

Endocrine disrupting potential : Substance does not have endocrine disrupting properties.
Remarks: Weight of evidence

azoxystrobin (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Remarks: Weight of evidence

Endocrine disrupting potential : Substance does not have endocrine disrupting properties.
Remarks: Weight of evidence

fludioxonil (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).
Endocrine disrupting potential : Substance does not have endocrine disrupting properties.

triethylamine:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.

If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.
Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIAMETHOXAM, AZOXYSTROBIN)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (THIAMETHOXAM, AZOXYSTROBIN)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (THIAMETHOXAM, AZOXYSTROBIN)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Caution

Causes moderate eye irritation.

Harmful if swallowed.

Harmful if inhaled.

Harmful if absorbed through skin.

Do not breathe vapor.

Avoid breathing spray mist.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Carcinogenicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

WARNING: This product can expose you to chemicals including kaolin, which is/are known to the State of California to cause cancer, and methanol, toluene, ethanediol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Regulated Carcinogens

kaolin

1332-58-7

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE


Version
1.1

Revision Date:
09/08/2025

SDS Number:
S1488445726

Date of last issue: -
Date of first issue: 06/28/2016

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Syngenta	: Syngenta Occupational Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA P0 / STEL	: Short-term exposure limit
OSHA Z-1 / TWA	: 8-hour time weighted average
Syngenta / TWA	: Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Admin-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



CRUISERMAXX RICE

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	09/08/2025	S1488445726	Date of first issue: 06/28/2016

istration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/08/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN