



TIIRA

Section 24(c) Special Local Need Label

DIQUAT DIBROMIDE

GROUP

22

HERBICIDE

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF NEW YORK

Tribune®

For Control of Weeds in Aquatic Areas

**EPA Reg. No. 100-1390
EPA SLN No. NY-120007**

This labeling must accompany every container of Tribune (EPA Reg. No. 100-1390) sold in New York State, regardless of the intended use.

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and main EPA-registered label must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA-registered label.
- Failure to follow the directions for use and precautions on this label may result in poor pest control, crop injury, or illegal residues.

AQUATIC USE DIRECTIONS

The aquatic use directions on this labeling are the only aquatic uses allowed in New York State.

For application only to ponds, lakes, and drainage ditches where there is little or no outflow of water and which are totally under the control of the product's user. Do not use the treated water for animal consumption, spraying, irrigation, or domestic purposes for 14 days after treatment.

Do not treat water where depth is 3 feet or less. Where water is 3 feet or more deep use the following rates based on weeds present. Dilute all applications by mixing with water prior to treatment at a dilution of one part product per **50** parts or more, water. **Apply only by spray to surface of lake or pond.**

WEED SPECIES	USE RATE GALS/SURFACE ACRE	APPLICATIONS
Submerged Weeds (Infesting Still Ponds, Lakes, Ditches or Portions Thereof):		
Bladderwort (<i>Utricularia</i> spp.)	1-2	In mixed weed population use the high rate of application as indicated by weeds present
Coontail (<i>Ceratophyllum demersum</i>)	2	
Elodea (<i>Elodea</i> spp.)	2	
Naiad (<i>Najas</i> spp.)	1	
Pondweeds, (<i>Potamogeton</i> spp.) *		
*Except <i>P. robbinsii</i> ; also Richardson Pondweed (<i>P. richardsonii</i>) in Minnesota.	2	
Watermilfoil (<i>Myriophyllum spicatum</i>)	1-2	
Floating Weeds		
Pennywort (<i>Hydrocotyle umbellata</i>)	1/2 - 3/4	200 gals of water plus 1 pt of a 75% spreader (non-ionic) should be applied as an overall spray for the control of the weeds. The high rates of Tribune should be used for late season application.
Salvinia (<i>Salvinia rotundifolia</i>)	1/2 - 3/4	
Water Hyacinth (<i>Eichhornia rassipes</i>)	1/2 - 3/4	
Duckweed (<i>Lemna</i> spp and <i>Spirodela</i> spp)	1	For control, apply Tribune as an overall spray in 200 gals. of water plus 1 pt of a 75% spreader (non-ionic) per acre. Care should be taken to thoroughly cover all plants on water and limit application to damp marginal areas greater than 3 feet in depth. Reinfestation of Duckweed occurs readily from untreated areas. Retreatment with Tribune may be necessary to obtain season long control

WEED SPECIES	USE RATE GALS/SURFACE ACRE	APPLICATION
Marginal Weeds (Infesting the Edges and Other Portions of Ponds, Lakes, and Ditches)		
Cattails (<i>Typha</i> spp. only in areas of three feet in depth or more)	1	For top kill apply Tribune in 200 gals water plus 1 pt of a 75% spreader (non-ionic) for full coverage and thorough weed contact. Repeat treatment as necessary to control regrowth. For best results apply before flowering

Formula for Parts per Million (ppm) Recommendations

Gals to use = ppm recommended x acreage of water x average depth of water x 1.4. For example - 1/2 ppm recommendations; two acre pond; 4 feet average depth; $\frac{1}{2} \times 2 \times 4 \times 1.4 = 5.6$ gals required.

Restrictions: (1) Do not use Diquat for Algae control in N.Y. (2) Do not combine copper with Diquat in N.Y. (3) Do not apply by air in N.Y. (4) Do not use for control of waterlettuce in N.Y. (5) Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

©2026 Syngenta

Tribune® and the Syngenta logo are trademarks of a Syngenta Group Company.

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: NY1390061DA0626