

**FIFRA §2(ee) RECOMMENDATION
FOR USE IN FLORIDA ONLY**

**AERIAL APPLICATION FOR THE SUPPRESSION OF ASIAN CITRUS PSYLLID ON CITRUS AND
MIRIDS ON TROPICAL FRUIT**



Aza-Direct®
Botanical Insecticide

**FOR USE ON GREENHOUSE AND OUTDOOR FOOD CROPS,
ORNAMENTAL FLOWERS, TREES, SHRUBS AND PLANTS**

 **FOR ORGANIC PRODUCTION**

ACTIVE INGREDIENT:		% By Wt.
Azadirachtin		1.2%
OTHER INGREDIENTS		<u>98.8%</u>
	TOTAL	100.0%

Contains 0.0987 lb. azadirachtin per gallon.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- All applicable directions, restrictions, and precautions on the EPA registered label are to be followed.
- This labeling must be in the possession of the user at the time of pesticide application.
- This recommendation is made as permitted under FIFRA §2(ee) and has not been submitted to or approved by the EPA.

CROP	PEST	RATE PINTS/ACRE	COMMENTS
CITRUS TROPICAL FRUIT	Asian Citrus Psyllid Mirids	1 – 2	Apply by aerial application. Use a minimum of 2 gallons of water per acre. For best results apply during low insect populations and repeat applications at a minimum of 21 – 28 days.

- Apply at a maximum rate of 3.5 pints per acre
- Do not use less than 5 oz. per acre of Aza-Direct alone

2(ee): 11-03-03