

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

SECTION 1. IDENTIFICATION

Product name : ANNIHILATE™ LV INSECTICIDE

Product code : 000000035649

Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc
245 Freight St
Waterbury, CT
United States of America
06702
Telephone : +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet :
sds.request@arysta.com

1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300
For additional emergency telephone numbers see section 16 of the
Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Agriculture, For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 2

Acute toxicity (Inhalation) : Category 2

Acute aquatic toxicity : Category 1

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version 1.4 Revision Date: 10/27/2015 MSDS Number: 000000035649 Country: US
Language: EN

Chronic aquatic toxicity : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.
H300 + H330 Fatal if swallowed or if inhaled
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.
P284 Wear respiratory protection.
Response:
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P391 Collect spillage.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version 1.4 Revision Date: 10/27/2015 MSDS Number: 000000035649 Country: US
Language: EN

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
Chemical nature : Methomyl - 2.4 lb/gal

Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
cyclohexanone	108-94-1	>= 30 - < 50
methomyl	16752-77-5	>= 20 - < 30
methanol	67-56-1	>= 10 - < 20

SECTION 4. FIRST AID MEASURES

General advice : This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.
Get medical attention.

If inhaled : Move to fresh air.
If breathing has stopped, apply artificial respiration.
Call a physician or poison control centre immediately.

In case of skin contact : Remove contaminated clothing and shoes.
Wash off immediately with plenty of water for at least 15 minutes.
Call a POISON CENTER or doctor/ physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a POISON CENTER or doctor/ physician.

If swallowed : Call a physician or poison control centre immediately.
Have person sip a glass of water if able to swallow.
If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Symptoms may be delayed.
Fatal if swallowed.
Fatal if inhaled.

Notes to physician : Probable mucosal damage may contraindicate the use of gastric lavage.

ANTIDOTE: Atropine sulphate.
This product contains an organophosphate that inhibits cholinesterase.

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

ase. Treat symptomatically. If exposed, plasma and RBC cholinesterase tests may indicate significance of exposure. Atropine (by injection only) is the preferable antidote. Oximes (2-PAM/Contrathion) may be therapeutic if used early; however, they should be used only in conjunction with atropine. In case of severe acute poisoning, use an antidote immediately after establishing an open airway and respiration.

Methomyl poisoning produces effects associated with anticholinesterase activity, which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, and muscle tremors.

Administer repeated doses, 1.2 to 2.0 mg intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until patient recovers.

Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured. Do not use 2-PAM for exposure to this product. However, for exposure to combinations of this product and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropinesulfate treatment as prescribed. Do not use morphine.

Seek medical attention at once in all cases of suspected poisoning.

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|--|
| Suitable extinguishing media | : Carbon dioxide (CO ₂)
Dry chemical
Water spray
Foam |
| Unsuitable extinguishing media | : Water spray jet |
| Specific hazards during firefighting | : Burning produces noxious and toxic fumes.
Keep containers and surroundings cool with water spray. |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information | : Evacuate personnel to safe areas.
Stay upwind/ keep distance from source.
Avoid breathing vapours, mist or gas.
Prevent fire extinguishing water from contaminating surface water or the ground water system.
Fight fire with normal precautions from a reasonable distance. |
| Special protective equipment for firefighters | : Self-contained breathing apparatus (EN 133)
Wear suitable protective clothing, gloves and eye/face protection. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

-
- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Immediately evacuate personnel to safe areas.
Remove all sources of ignition.
Wear suitable protective clothing, gloves and eye/face protection.
Do not breathe vapours, mist or gas.
Avoid contact with skin and eyes.
Evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.
If product enters crevices and can not be removed, treat with a sodium hydroxide solution and allow standing 4 hours.
NOTE: Sodium hydroxide is caustic and causes burns. Do not get in eyes, on skin or clothing. |
| Environmental precautions | : Prevent leaks and prevent soil / water pollution caused by leaks.
Avoid release to the environment. |
| Methods and materials for containment and cleaning up | : Wear suitable protective equipment.
Avoid all breathing of vapors.
Avoid all contact with material.
Dam up.
Large spills should be collected mechanically (remove by pumping) for disposal.
Pump excess material into suitable container (metal drums, metal tank, or such).
Remove all sources of ignition.
Do not flush into surface water or sanitary sewer system.
Soak up with inert absorbent material.
Shovel into suitable container for disposal.

In accordance with local and national regulations. |
-

SECTION 7. HANDLING AND STORAGE

- | | |
|-----------------------------|---|
| Advice on safe handling | : Wear suitable protective equipment.
Keep container tightly closed.
Remove all sources of ignition.
Do not breathe vapour.
Do not get in eyes or mouth or on skin.
Do not eat, drink or smoke when using this product.
Wash outside of gloves before removing.
Wash thoroughly after handling.
Remove contaminated clothing and shoes. |
| Conditions for safe storage | : Keep in a dry, cool place.
Keep away from heat and sources of ignition.
Do not freeze.
Keep only in the original container.
Keep container tightly closed.
Protect from contamination. |

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDEVersion
1.4Revision Date:
10/27/2015MSDS Number:
000000035649Country: US
Language: EN**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
cyclohexanone	108-94-1	TWA	20 ppm	ACGIH
		STEL	50 ppm	ACGIH
		TWA	50 ppm 200 mg/m ³	OSHA Z-1
		TWA	25 ppm 100 mg/m ³	OSHA P0
		TWA	25 ppm 100 mg/m ³	NIOSH REL
methomyl	16752-77-5	TWA	2.5 mg/m ³	OSHA P0
		TWA	2.5 mg/m ³	NIOSH REL
		TWA (Inhalable fraction and vapor)	0.2 mg/m ³	ACGIH
methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 260 mg/m ³	OSHA Z-1
		TWA	200 ppm 260 mg/m ³	OSHA P0
		STEL	250 ppm 325 mg/m ³	OSHA P0
		TWA	200 ppm 260 mg/m ³	NIOSH REL
		ST	250 ppm 325 mg/m ³	NIOSH REL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
cyclohexanone	108-94-1	1,2-Cyclohexanediol	Urine	End of shift at end of work-week	80 mg/l	ACGIH BEI
		Cyclohexanol	Urine	End of shift (As soon as possible after exposure ceases)	8 mg/l	ACGIH BEI
methanol	67-56-1	Methanol	Urine	End of shift (As soon as	15 mg/l	ACGIH BEI

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version 1.4 Revision Date: 10/27/2015 MSDS Number: 000000035649 Country: US
Language: EN

				possible after exposure ceases)		
--	--	--	--	--	--	--

Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
Use NIOSH approved respiratory protection.

Hand protection

Remarks : Impervious gloves

Eye protection : Goggles
Face-shield
Safety glasses

Skin and body protection : Footwear protecting against chemicals
Long sleeved clothing
Recommended preventive skin protection

Hygiene measures : NOTE TO END-USERS: The employee protection recommendations on this SDS may differ from those on the product label. For normal use of this product, always refer to the personal protective equipment requirements on the product label.
Use only with adequate ventilation.
Wash hands before breaks and immediately after handling the product.
When using do not eat, drink or smoke.
Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothes. Remove personal protective equipment immediately after handling this product. Upon contact with skin, MDA may be formed due to exposure to moisture in the skin. Place contaminated clothing into suitable container (metal drums, metal tank, or such) and dispose of in accordance with local and national regulations. Change into uncontaminated clothing and shoes before leaving work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : yellow
Odour : mild, characteristic
Odour Threshold : No data available
pH : 4.5, (25 °C)
1% Solution
Melting point/range : Not applicable

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

Boiling point/boiling range	: No data available
Flash point	: 38.4 °C Method: closed cup
Evaporation rate	: No data available
Upper explosion limit	: 75 %(V)
Lower explosion limit	: 5 %(V)
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.055 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: completely soluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Self-Accelerating decomposition temperature (SADT)	: Method: No information available.

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	: Hazardous polymerisation does not occur.
Incompatible materials	: Do not mix with other chemicals.
Hazardous decomposition products	: Burning produces noxious and toxic fumes.

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male): 89 mg/kg
LD50 (Rat, female): 49 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.1 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Components:

methomyl:

Acute oral toxicity : LD50 (Rat): 32 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.258 mg/l
Exposure time: 4 h
Assessment: The component/mixture is low toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Components:

methomyl:

Species: Rabbit
Result: No skin irritation

Serious eye damage/eye irritation

Components:

methomyl:

Species: Rabbit
Result: slight irritation

Respiratory or skin sensitisation

Components:

methomyl:

Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Product:

Germ cell mutagenicity - : Not classified due to inconclusive data.

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

Assessment

Carcinogenicity

Product:

Carcinogenicity - Assessment : Not classified due to inconclusive data.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Reproductive toxicity - Assessment : Not classified due to inconclusive data.

STOT - single exposure

Product:

Remarks: No data available

STOT - repeated exposure

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

methomyl:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.72 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.0076 - 0.0317 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

Persistence and degradability

No data available

Bioaccumulative potential

Components:

cyclohexanone:

Partition coefficient: n-octanol/water : log Pow: 1.8

methanol:

Partition coefficient: n-octanol/water : log Pow: -0.7

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

UN/ID No. : UN 2991

Proper shipping name : CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE (Methomyl, Cyclohexanone)

Class : 6.1

Subsidiary risk : 3

Packing group : II

Labels : Toxic, Flammable Liquids

Packing instruction (cargo aircraft) : 662

Packing instruction (passenger aircraft) : 654

IMDG-Code

ANNIHILATE™ LV INSECTICIDE

UN number	: UN 2991
Proper shipping name	: CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE (Methomyl, Cyclohexanone)
Class	: 6.1
Subsidiary risk	: 3
Packing group	: II
Labels	: 6.1 (3)
EmS Code	: F-E, S-D
Marine pollutant	: yes

Not applicable for product as supplied.

49 CFR

UN/ID/NA number	: UN 2991
Proper shipping name	: CARBAMATE PESTICIDES, LIQUID, TOXIC, FLAMMABLE (Methomyl, Cyclohexanone)
Class	: 6.1
Subsidiary risk	: 3
Packing group	: II
Labels	: TOXIC, FLAMMABLE LIQUID
ERG Code	: 131
Marine pollutant	: yes(Methomyl)

EPCRA - Emergency Planning and Community Right-to-Know Act

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
methomyl	16752-77-5	100	345

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
methomyl	16752-77-5	100	345

SARA 302 : The following components are subject to reporting levels established by SARA Title III, Section 302:

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

methanol	67-56-1	10 %
----------	---------	------

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

methanol	67-56-1	10 %
----------	---------	------

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489):

cyclohexanone	108-94-1	34 %
methanol	67-56-1	10 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

methanol	67-56-1
----------	---------

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

DANGER

POISON. CONTAINS METHANOL. Methanol may cause blindness.

Fatal if swallowed. Corrosive. Causes irreversible eye damage. May be fatal if absorbed through skin.

Harmful if inhaled. Avoid breathing spray mist. Do not get in eyes, on skin, or on clothing.

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version	Revision Date:	MSDS Number:	Country: US
1.4	10/27/2015	000000035649	Language: EN

This pesticide is toxic to fish, aquatic invertebrates, and mammals. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean highwater mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

This chemical is known to leach through soil into ground-water under certain conditions as a result of label use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

This chemical can contaminate surface water through spray drift. Under some conditions, it may also have a high potential for runoff into surface water for several days to weeks after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface waters, frequently flooded areas, areas overlaying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas overlaying

Combustible. Do not use or store near heat or open flame. Keep container closed. Use with adequate ventilation.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Car-

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version
1.4

Revision Date:
10/27/2015


MSDS Number:
000000035649

Country: US
Language: EN

cinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Further information

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 10/27/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

Europe:	All European Countries	+44 (0) 1235 239 670 (NCEC)
Asia Pacific:	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401

SAFETY DATA SHEET

ANNIHILATE™ LV INSECTICIDE

Version
1.4

Revision Date:
10/27/2015

MSDS Number:
000000035649

Country: US
Language: EN

	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670