BREAL RUGE

SOLUBLE MICROGRANULES

JARANTEED ANALYSIS n (Fe)			
	2.0 % Water soluble Iron (Fe)		
(-)	6.0 % Water soluble Manganese (Mn) 6.0 %		
110 (211)	6.0 % Water soluble Zinc (Zn)		

Derived from: Iron Ligninsulfonate, Manganese Ligninsulfonate, Zinc Ligninsulfonate

BREXIL NUTRE (0-0-0 + Fe+Mn+Zn) is a micronutrient based product designed to treat and prevent micronutrient deficiencies in all crops. The ligninsulfonate (LSA) derived ligninpolycarboxylic acid (LPCA) in BREXIL NUTRE allows for increased availability of Iron, Manganese, and Zinc to the plant. BREXIL NUTRE is a microgranule product that is completely water soluble. BREXIL **NUTRE** is only recommended as a supplement to a well balanced fertilizer program.

For stock solutions, do not mix products based on Calcium. Conduct a jar mix test when combining with phosphate containing fertlizer solutions. DO NOT treat peaches, apricots and kiwis

after fruit has reached half of its expected size.			
FIELD APPLICATION INSTRUCTIONS, FOLIAR RATES			
CROP	RATE	Application Timing	
Vegetable crops Including but not limited to: pepper, eggplant, zucchini, melon, water melon, cucumber, tomato, cole crops, leafy vegetables	Maintenance: 16 oz/acre Deficiency Symptoms: 24-32 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear	
Fruit crops Including but not limited to: apples, cherries, citrus, pear, stone fruit, kiwi, raisin, table and wine grapes, berry crops such as blueberries, cranberries and strawberries, etc.	Maintenance: 16 oz/acre Deficiency Symptoms: Apples and pears: 32-40 oz/ acre; Stone fruit: 28-40 oz/acre; Citrus and grapes: 32-40 oz/acre; Berries: 24-32 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear	
Nut crops Including but not limited to: almond, pecan, pistachio, walnut,	Maintenance: 16 oz/acre Deficiency Symptoms: 28-40 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear	
Field crops Including but not limited to: corn, cotton, peanuts, potatoes, rice, soybeans, sorghum, sugar beets, sugar cane, wheat, etc.	Maintenance: 8 oz/acre Deficiency Symptoms: 16 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear	
Forage crops Including but not limited to: alfalfa, timothy, fescue, etc.	Maintenance: 8 oz/acre Deficiency Symptoms: 16 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear	
Ornamentals	Maintenance: 16 oz/acre Deficiency Symptoms: 24-32 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear	
Turf	1-3 oz/1000 sq ft	Apply every 14-21 days intervals until deficiency symptoms disappear	
Greenhouse	Not more than 10 oz/25 Gallons of water		
Low volume spray (25 GPA)	Not more than 16 oz/acre		

SPRAY VOLUMES The standard spray volume on horticultural crops is 50 gallons per acre For spray volumes 5-20 GPA, use no more than 1lb/acre For spray volumes less than 5 GPA, use no more than ½ lb/acre In Greenhouse applications, DO NOT apply more than 10 oz/25 gallons of spray

Keep the product sheltered from the sun and in a dry warehouse. Once open, completely use the contents of the bag.



NET WEIGHT 5Lb (2.3 kg)



BREAL RUTRE F1873

DIRECTIONS FOR MIXING

BREXIL NUTRE is a soluble product to be mixed with water. Select a water volume and corresponding rate of BREXIL NUTRE necessary to thoroughly spray/mist all fruits and foliage surfaces. Gradually add the recommended amount of product to a half-filled spray tank and mix, then add the balance of required water while continuing to agitate the solution.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat, or skin. Avoid contact with eyes, skin, and clothing.

CLEANING OF SPRAYER


Flush with clean water all parts of the sprayer including the pump, hoses and nozzles several times prior to and after the use

Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an officer of the seller is authorized to make any warranty, guarantee or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's control, the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of Valagro USA or the seller. All such risks shall be assumed by buyer.

Information regarding the contents and levels of metals in this product is available on the internet at:

http://www.aapfco.org/metals.htm

Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.



Produced and packed by VALAGRO S.p.A. Zona Ind.le - 66041 Atessa (CH) – ITALY- Tel. (+39) 0872 / 8811 Distributed and guaranteed by **Valagro USA Inc.** 19500 Hwy 249, suite 245 - Houston TX 77070 - Tel (281) 664 8700 - Fax (281) 664 8701 inhalation. Wear safety goggles and face shield. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. If in eyes: Rinse cautiously with water for several minutes. move contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. Do not reathe dust/fume/gas/mist/ vapors/spray. Get medical advice/attention if you feel unwell. Dispose of contents/container in accordance with local/regional/national/international regulations

As a general rule, in case of doubt or if symptoms persist, always call a doctor. Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty. Eye Contact: Rinse cautiously with water for several minutes holding the eyelids open. Remove contact lenses, if present and easy to Oc. Continue rinsing. Immediately call a poison center or physician. Ingestion: Rinse mouth with water. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person. Immediately call a doctor. Skin Contact: Remove all contaminated clothing. Rinse

Code: see code on the package Lot number: see print on package

NET WEIGHT 5Lb (2.3 kg)

with plenty of soap and water

NET WEIGHT 5 Lb (2.3 kg)



DO NOT SELL UNPACKED

VALAGRO S.p.A. Zona Ind.le - 66041 Atessa (Ch) - ITALY Valagro USA Inc.



