

LAUDIS® HERBICIDE

Version 4.1 / USA 102000017388

1/11 Revision Date: 05/27/2020 Print Date: 05/28/2020

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name	LAUDIS® HERBICIDE
Product code (UVP)	79112912
SDS Number	102000017388
EPA Registration No.	264-860

Relevant identified uses of the substance or mixture and uses advised against

Use	Herbicide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer CropScience LP 800 North Lindbergh Blvd. St. Louis, MO 63167 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-866-99BAYER (1-866-992-2937)

### **SECTION 2: HAZARDS IDENTIFICATION**

**Classification in accordance with regulation HCS 29CFR §1910.1200** Reproductive toxicity, Specific target organ toxicity - repeated exposure: Category 2 Acute toxicity(Oral): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

#### Hazard statements Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.



# LAUDIS® HERBICIDE

Version 4.1 / USA 102000017388

2/11 Revision Date: 05/27/2020 Print Date: 05/28/2020

Harmful if swallowed.

#### **Precautionary statements**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not breathe spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed or concerned: Get medical advice/ attention. IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell. Rinse mouth. Store locked up. Dispose of contents/container in accordance with local regulation.

#### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Tembotrione	335104-84-2	34.5
ethyl 5,5-diphenyl-2-isoxazoline-3-carboxylate	163520-33-0	17.2
Fatty alcohol ethoxylate	68131-39-5	1.0

#### **SECTION 4: FIRST AID MEASURES**

#### Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.



### LAUDIS® HERBICIDE

Version 4.1 / USA 102000017388

**3/11** Revision Date: 05/27/2020 Print Date: 05/28/2020

Most important symptoms and effects, both acute and delayed		
Symptoms To date no symptoms are known.		
Indication of any immediate medical attention and special treatment needed		
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.	

### **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media	
Suitable	Water spray, Foam, Carbon dioxide (CO2), Dry powder
Unsuitable	High volume water jet
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point Auto-ignition temperature	> 93.4 °C No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not applicable

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Isolate hazard area. Keep unauthorized people away. Avoid contact
	with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.



LAUDIS® HERBICIDE

Version	4.1	/	USA
10200001	7388		

**4/11** Revision Date: 05/27/2020 Print Date: 05/28/2020

Additional advice	Use personal protective equipment. Do not allow product to contact non-target plants. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

	-	
Advice on safe handling	Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation.	
Advice on protection against fire and explosion	Keep away from heat and sources of ignition.	
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.	
Conditions for safe storage, including any incompatibilities		
Requirements for storage areas and containers	Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.	

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Tembotrione	335104-84-2	0.15 mg/m3 (SK-SEN)		OES BCS*
ethyl 5,5-diphenyl-2- isoxazoline-3-carboxylate	163520-33-0	1 mg/m3 (SK-SEN)		OES BCS*

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

### Exposure controls

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection** 

When respirators are required, select NIOSH approved equipment

LAUDIS® HERBICIDE



Version 4.1 / USA 102000017388 5/11 Revision Date: 05/27/2020 Print Date: 05/28/2020

	based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Safety glasses with side-shields
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light yellow
Physical State	suspension
Odor	characteristic
Odour Threshold	No data available
рН	ca. 3.0 (10 %) (23 °C)
Viscosity, kinematic	No data available
Vapor Pressure	No data available
Vapor Density (Air = 1)	No data available
Density	1.22 g/cm³ (20 °C)
Evaporation rate	No data available
Boiling Point	No data available
Melting / Freezing Point	No data available
Water solubility	miscible
Minimum Ignition Energy	Not applicable
Decomposition temperature	Stable under normal conditions.
Self-accelarating decomposition temperature (SADT)	No data available
Partition coefficient: n- octanol/water	Not applicable
Viscosity	800 - 1,200 mPa.s (20 °C)
Flammability	No data available



Version 4.1 / USA 102000017388



6/11 Revision Date: 05/27/2020 Print Date: 05/28/2020

Flash point	> 93.4 °C
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not applicable
Particle size	No data available
Other information	Further safety related physical-chemical data are not known.

### SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

Exposure routes	Ingestion, Eye contact, Skin contact	
Immediate Effects Eye	Causes moderate eye irritation.	
Ingestion	Harmful if swallowed.	
Information on toxicological effects		
Acute oral toxicity	LD50 (female Rat) 1,750 mg/kg	
Acute inhalation toxicity	LC50 (Rat) > 2.1 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths	
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg	

## LAUDIS® HERBICIDE

Version 4.1/USA 102000017388

7/11 Revision Date: 05/27/2020 Print Date: 05/28/2020

Skin corrosion/irritation	Slight irritant effect - does not require labelling. (Rabbit)
Serious eye damage/eye irritation	Mild eye irritation. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig) OECD Test Guideline 406, Buehler test

#### Assessment STOT Specific target organ toxicity - single exposure

Tembotrione: Based on available data, the classification criteria are not met. Isoxadifen-ethyl: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Tembotrione caused specific target organ toxicity in experimental animal studies in the following organ(s): Eyes, Kidney, Liver.

Isoxadifen-ethyl did not cause specific target organ toxicity in experimental animal studies.

#### Assessment mutagenicity

Tembotrione was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Isoxadifen-ethyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Tembotrione caused an increased incidence of tumours in rats in the following organ(s): Cornea. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Isoxadifen-ethyl was not carcinogenic in lifetime feeding studies in rats and mice.

#### ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

#### Assessment toxicity to reproduction

Tembotrione did not cause reproductive toxicity in a two-generation study in rats. Isoxadifen-ethyl did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Tembotrione caused developmental toxicity only at dose levels toxic to the dams. Tembotrione caused a delayed ossification of foetuses, an increased incidence of variations. The developmental effects seen with Tembotrione are related to maternal toxicity.

Isoxadifen-ethyl did not cause developmental toxicity in rats and rabbits.

#### Aspiration hazard





## LAUDIS® HERBICIDE

Version 4.1 / USA 102000017388

8/11 Revision Date: 05/27/2020 Print Date: 05/28/2020

Based on available data, the classification criteria are not met.

#### **Further information**

Only acute toxicity studies have been performed on the formulated product. The non-acute information pertains to the active ingredient(s).

### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 5.41 mg/l Exposure time: 96 h
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 33.5 mg/l Exposure time: 48 h
Toxicity to aquatic plants	EC50 (Raphidocelis subcapitata (freshwater green alga)) 15.4 mg/l Growth rate; Exposure time: 72 h
Biodegradability	Tembotrione: Not rapidly biodegradable Isoxadifen-ethyl: Not rapidly biodegradable
Кос	Tembotrione: Koc: 66 Isoxadifen-ethyl: Koc: 2512
Bioaccumulation	Tembotrione: Does not bioaccumulate. Isoxadifen-ethyl: Does not bioaccumulate.
Mobility in soil	Tembotrione: Mobile in soils Isoxadifen-ethyl: Slightly mobile in soils
Additional ecological information	No other effects to be mentioned.
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift or runoff from treated areas may adversely affect non-target plants.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

#### Product

It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Never place unused product down any indoor or outdoor drain.

### LAUDIS® HERBICIDE



Version 4.1 / USA 102000017388 **9/11** Revision Date: 05/27/2020 Print Date: 05/28/2020

Contaminated packaging	Do not re-use empty containers. Triple rinse containers. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

### **SECTION 14: TRANSPORT INFORMATION**

49CFR	Not dangerous goods / not hazardous material		
IMDG UN number Class Packaging group Marine pollutant Proper shipping name	<b>3082</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEMBOTRIONE, ISOXADIFEN-ETHYL SOLUTION)		
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	<b>3082</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TEMBOTRIONE, ISOXADIFEN-ETHYL SOLUTION )		

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:

COMPOUNDS, TREE OR WEED KILLING, N.O.I. other than poison, HAVING A DENSITY OF 20 LBS OR GREATER PER CUBIC FOOT

### **SECTION 15: REGULATORY INFORMATION**

EPA Registration No. 264-860



LAUDIS® HERBICIDE

Version 4.1 / USA 102000017388

**10/11** Revision Date: 05/27/2020 Print Date: 05/28/2020

US Federal Regulations	
TSCA list	
Water	

ethyl 5,5-diphenyl-2-isoxazoline-3carboxylate 1,2-Propanediol Butoxypolyethylene-/propylene glycol Ethoxylated alcohols (C12-15)

57-55-6 9038-95-3 68131-39-5

163520-33-0

7732-18-5

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) Yes. Export notification needs to be made. SARA Title III - Section 302 - Notification and Information Not applicable. SARA Title III - Section 313 - Toxic Chemical Release Reporting None.

### US States Regulatory Reporting

#### CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

#### US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN, RI

None.

#### **EPA/FIFRA** Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:	Caution!
Hazard statements:	Harmful if swallowed. Causes moderate eye irritation.

#### **SECTION 16: OTHER INFORMATION**

#### Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances



### LAUDIS® HERBICIDE

Version 4.1 / USA 102000017388

11/11 Revision Date: 05/27/2020 Print Date: 05/28/2020

ELINCS IARC		otified chemical substance cy for Research on Canc		
ΙΑΤΑ	International Air Tr	International Air Transport Association		
IMDG	International Mariti	International Maritime Dangerous Goods		
N.O.S.	Not otherwise spec	cified		
NTP	US. National Toxic	US. National Toxicology Program (NTP) Report on Carcinogens		
OECD	Organization for E	Organization for Economic Co-operation and Development		
TDG	Transportation of [	Transportation of Dangerous Goods		
TWA	Time weighted ave	Time weighted average		
UN	United Nations	United Nations		
WHO	World health organisation			
NFPA 704 (National Fire Protection Association):				
Health - 1	Flammability - 1	Instability - 0	Others - none	
		System, based on the Physical Hazard - 0	Third Edition Ratings Guide) PPE -	
0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard				

Reason for Revision: Reviewed and updated for general editorial purposes.

#### Revision Date: 05/27/2020

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.