

1/12

AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Product code (UVP) 79292562

SDS Number 102000018530

EPA Registration No. 264-1057

Relevant identified uses of the substance or mixture and uses advised against

Use Seed treatment, Insecticide, Nematicide

Restrictions on useSee product label for restrictions.

Information on supplier

Supplier Bayer CropScience

2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days)

1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Skin sensitisation: Category 1 Eye irritation: Category 2B

Acute toxicity(Oral, Inhalation): Category 4

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

May cause an allergic skin reaction.

Causes eye irritation. Harmful if swallowed. Harmful if inhaled.



AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

Precautionary statements

Avoid breathing mist/ vapours.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

IF ON SKIN: Wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/ attention.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Dispose of contents/container in accordance with local regulation.

Hazards Not Otherwise Classified (HNOC)

This product contains an cholinesterase inhibitor.

No physical hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No. Concent	
Imidacloprid	138261-41-3	24.0
Thiodicarb	59669-26-0	24.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible.

Call a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a

physician or poison control center immediately.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control

center immediately.



AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Temporary blurred vision due to contraction of the pupils (miosis)

following contact with the eyes., Bradycardia, Low blood pressure, Salivation, Bronchial hypersecretion, Vomiting, Diarrhoea, Sweating, Muscular fasciculation, Spasm, Breathing difficulties, Respiratory paralysis, Somnolence, Coma, Respiratory failure, Hypothermia,

Convulsions, Nausea

Indication of any immediate medical attention and special treatment needed

Risks This product is a cholinesterase inhibitor carbamate.

Treatment The product inhibits cholinesterase resulting in stimulation of the

central nervous system, the parasympathetic nervous system, and the

somatic motor nerves.

The following antidote is generally accepted: atropine.

Do not use oximes such as 2-PAM unless organophosphate intoxication is suspected. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 24-48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically. Contraindications: derivatives of

morphine.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Foam, Carbon dioxide (CO2), Dry chemical

Unsuitable High volume water jet

Special hazards arising from the substance or

mixture

Advice for firefighters

Special protective Firefighters should wear NIOSH approved self-contained breathing

equipment for firefighters apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Dangerous gases are evolved in the event of a fire.

Flash point 95 °C

Auto-ignition temperature No data available

Lower explosion limit No data available



AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

Upper explosion limitNo data availableExplosivityNot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Collect and transfer the product

into a properly labelled and tightly closed container. Clean

contaminated floors and objects thoroughly, observing environmental

regulations.

Additional advice If the product is accidentally spilled, do not allow to enter soil,

waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain

exposure levels below the exposure limit through the use of general and

local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before

eating, drinking, chewing gum, using tobacco, using the toilet or

applying cosmetics.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Before removing gloves clean them with soap and water. Remove contaminated clothing immediately and dispose of safely. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children,

preferably in a locked storage area.



AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Thiodicarb	59669-26-0	0.8 mg/m3 (TWA)		OES BCS*

^{*}OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Follow manufacturer's instructions for cleaning/maintaining PPE. If

no such instructions for washables, use detergent and warm/tepid

water.

No data available

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance beige

Water solubility

Physical State suspension
Odor characteristic
Odour Threshold No data available

pH 4.9 - 6.1 (100 %) (23 °C)

Vapor PressureNo data availableVapor Density (Air = 1)No data availableDensity1.26 g/cm³ (20 °C)Evaporation rateNo data availableBoiling PointNo data availableMelting / Freezing PointNo data available



AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019 102000018530 Print Date: 09/21/2019

Minimum Ignition Energy Not applicable

Decomposition temperature

Not applicable

Partition coefficient: n-

octanol/water

No data available

Viscosity 625 - 925 mPa.s (25 °C)

480 - 730 mPa.s (20 °C) Velocity gradient 20 /s 300 - 525 mPa.s (20 °C) Velocity gradient 100 /s

Flash point 95 °C

Auto-ignition temperatureNo data availableLower explosion limitNo data availableUpper explosion limitNo data availableExplosivityNot applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition Not applicable

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Extremes of temperature and direct sunlight.

Incompatible materials No data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Inhalation, Ingestion, Eye contact, Skin contact

Immediate Effects

Eye Moderate eye irritation.

Skin Harmful if absorbed through skin. Prolonged or frequently repeated

skin contact may cause allergic reactions in some individuals.

Ingestion Harmful if swallowed.



7/12

AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female Rat) 1,750 mg/kg

Acute inhalation toxicity LC50 (Rat) 1.51 mg/l

Exposure time: 4 h

Determined in the form of liquid aerosol.

LC50 (Rat) > 2.53 mg/l Exposure time: 1 h

Determined in the form of liquid aerosol.

Acute dermal toxicity LD50 (Rabbit) > 2,000 mg/kg

Skin corrosion/irritation slight irritation (Rabbit)

Serious eye damage/eye

irritation

Mild eye irritation. (Rabbit)

Respiratory or skin

sensitisation

Skin: Sensitising (Guinea pig)

Assessment STOT Specific target organ toxicity - repeated exposure

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

Thiodicarb caused reversible cholinesterase inhibition without long term effects in animal studies.

Assessment mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Thiodicarb was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Thiodicarb caused at high dose levels an increased incidence of tumours in the following organ(s):

Testes, Liver. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic



AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity. Thiodicarb caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Thiodicarb is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Thiodicarb caused developmental toxicity only at dose levels toxic to the dams. Thiodicarb caused a reduced pup survival. The developmental effects seen with Thiodicarb are related to maternal toxicity.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).

The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Oncorhynchus mykiss (rainbow trout)) > 3.3 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient thiodicarb. LC50 (Cyprinodon variegatus (sheepshead minnow)) 0.53 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient thiodicarb.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

EC50 (Daphnia magna (Water flea)) 0.027 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient thiodicarb.

EC50 (Mysidopsis bahia (mysid shrimp)) 0.028 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient thiodicarb.

Toxicity to aquatic plants EC50 (Desmodesmus subspicatus (green algae)) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

IC50 (Raphidocelis subcapitata (freshwater green alga)) > 18 mg/l

Exposure time: 72 h

The value mentioned relates to the active ingredient thiodicarb.



AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

Biodegradability Imidacloprid:

Not rapidly biodegradable

Thiodicarb:

Not rapidly biodegradable

Koc Imidacloprid: Koc: 225

Thiodicarb: Koc: 418

Bioaccumulation Imidacloprid:

Does not bioaccumulate.

Thiodicarb: Bioconcentration factor (BCF) 6.3

Does not bioaccumulate.

Mobility in soil Imidacloprid: Moderately mobile in soils

Thiodicarb: Moderately mobile in soils

Environmental precautions Do not apply directly to water, to areas where surface water is present

or to intertidal areas below the mean high water mark.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Do not contaminate water, food, or feed by disposal.

Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste

disposal facility.

Follow advice on product label and/or leaflet.

Contaminated packaging Do not re-use empty containers.

Triple rinse containers.

Completely empty container into application equipment, then dispose of

empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities.

If burned, stay out of smoke.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number 3082
Class 9
Packaging group III



10/12

AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S.

(THIODICARB)

RQ Reportable Quantity is reached with 416 lb of product.

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIODICARB, IMIDACLOPRID SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(THIODICARB, IMIDACLOPRID SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN

POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1057

US Federal Regulations

TSCA list

Water 7732-18-5
Glycerine 56-81-5
Sodium lignosulphonate 8061-51-6
Polyethylene-polypropylene copolymer 9003-11-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not applicable.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Thiodicarb 59669-26-0 10000lbs Aluminium oxide 1344-28-1 1.0%

US States Regulatory Reporting

CA Prop65



11/12

AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

WARNING: This product contains a chemical known to the State of California to cause cancer. For more

information go to www.P65Warnings.ca.gov.

Thiodicarb 59669-26-0 Crystalline quartz (respirable) 14808-60-7

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

CT, IL, NJ Thiodicarb 59669-26-0 Glycerine MN, RI 56-81-5 Synthetic amorphous silica CA, MN 112926-00-8 Aluminium oxide CA, MN, NJ, RI 1344-28-1 1,2-Propanediol 57-55-6 MN, RI Nitroguanidine CT, NJ 556-88-7 Magnesium oxide CA, MN, RI 1309-48-4 Sodium hydroxide 1310-73-2 CA, CT, IL, MN, NJ, RI

Crystalline quartz (respirable) 14808-60-7 MN, RI

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.

Moderate eye irritation.

Avoid contact with skin, eyes and clothing.

Avoid inhalation of vapour or mist.

Prolonged or frequently repeated skin contact may cause allergic

reactions in some individuals.

Remove and wash contaminated clothing before re-use.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR Code of Federal Regulations, Title 49 ACGIH US. ACGIH Threshold Limit Values

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances IARC International Agency for Research on Cancer IATA International Air Transport Association



AERIS® SEED-APPLIED INSECTICIDE/NEMATICIDE

Version 4.0 / USA Revision Date: 09/20/2019
102000018530 Print Date: 09/21/2019

IMDG International Maritime Dangerous Goods

N.O.S. Not otherwise specified

NTP US. National Toxicology Program (NTP) Report on Carcinogens OECD Organization for Economic Co-operation and Development

TDG Transportation of Dangerous Goods

TWA Time weighted average

UN United Nations

WHO World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 8: Exposure Controls / Personal Protection. Reviewed and updated for general editorial purposes.

Revision Date: 09/20/2019

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.