Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

SECTION 1. IDENTIFICATION

Product identifier

Product name Anthem® MAXX Herbicide

Other means of identification

Product code 50000558

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity : Category 2

Specific target organ toxicity : Cate

- repeated exposure

Category 1

GHS label elements

Hazard pictograms

Signal Word : Danger

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Hazard Statements : H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated

exposure.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapors. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
Pyroxasulfone	447399-55-5	45.22
Fluthiacet-methyl	117337-19-6	1.38
propane-1,2-diol	57-55-6	>= 5 - <= 10

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with plenty of water for at least 15

minutes.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water as a precaution.

Anthem® MAXX Herbicide



Version **Revision Date:** SDS Number: Date of last issue: -

01/09/2023 50000558 Date of first issue: 05/26/2016 1.4

> Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed If symptoms persist, call a physician.

Give small amounts of water to drink.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated

exposure.

Notes to physician Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Carbon oxides Hydrogen fluoride

Fluorinated compounds Nitrogen oxides (NOx)

Sulfur oxides Sulphuric acid Hydrogen cyanide

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Anthem® MAXX Herbicide



Version **Revision Date:** SDS Number: Date of last issue: -

01/09/2023 50000558 Date of first issue: 05/26/2016 1.4

Prevent product from entering drains. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally re-

quired.

Hand protection

Material Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Wear suitable protective equipment.

Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper in-

structions.

Ensure that eye flushing systems and safety showers are

located close to the working place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : 6.08 (72.1 °F / 22.3 °C)

In a 1% aqueous dispersion

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : $> 212 \,^{\circ}\text{F} / > 100 \,^{\circ}\text{C}$

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Density : 10.02 lb/gal

Bulk density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 396.9 mm2/s (77 °F / 25 °C)

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.15 mg/l

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit

Assessment : Not classified as irritant

Result : slight irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation

Assessment : Not classified as irritant

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : Not a skin sensitizer.

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

Pyroxasulfone:

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Fluthiacet-methyl:

Genotoxicity in vivo : Remarks: In vivo tests did not show mutagenic effects

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assess-

ment

Limited evidence of carcinogenicity in animal studies

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Pyroxasulfone:

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Fluthiacet-methyl:

Reproductive toxicity - As-

sessment

Animal testing showed no reproductive toxicity.

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study

Species: Mouse

Application Route: Oral

Result: negative

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Effects on fetal development : Test Type: Embryo-fetal development

Species: Mouse Application Route: Oral

Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Fluthiacet-methyl:

Species : Rat, male and female NOAEL : 6.19 - 6.8 mg/kg LOAEL : 216 - 249 mg/kg

Application Route : Oral Exposure time : 90 d

propane-1,2-diol:

Species : Rat, male and female

NOAEL : 1,700 mg/kg

Application Route : Oral Exposure time : 2 Years

Species : Rat, male and female

NOAEL : 1,000 mg/kg
LOAEL : 160 mg/kg
Application Route : Inhalation
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Components:

Fluthiacet-methyl:

The substance does not have properties associated with aspiration hazard potential.

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Pyroxasulfone:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): > 202 mg/l

Exposure time: 96 h

LL50 (Lepomis macrochirus (Bluegill sunfish)): > 208 mg/l

Exposure time: 96 h

LL50 (Cyprinodon variegatus (sheepshead minnow)): > 3.3

mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 4.4 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (green algae): 0.000743 mg/l

Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0.005 mg/l

Exposure time: 7 d

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 2 mg/l

Exposure time: 28 d

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.9 mg/l

Exposure time: 21 d

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): > 997 mg/kg

Exposure time: 14 d

Toxicity to terrestrial organ-

isms

LD50 (Apis mellifera (bees)): > 100 μg/bee

Exposure time: 48 d Remarks: Contact

LOEC (Anas platyrhynchos (Mallard duck)): 60 mg/kg

End point: Reproduction Test

Fluthiacet-methyl:

Toxicity to fish : LC50 (Fish): 0.043 mg/l

Exposure time: 96 h

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Method: No information available.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Crustaceans): 2.3 mg/l

Exposure time: 48 h

Method: No information available.

Toxicity to algae/aquatic

plants

EC50 (algae): 0.00251 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 0.0027 mg/l Exposure time: 21 d

Method: No data available

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Crustaceans): 0.035 mg/l

Exposure time: 21 d

Method: No data available

propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100

mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chron-

ic toxicity)

NOEC: 13,020 mg/l Exposure time: 7 d

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Persistence and degradability

Components:

Pyroxasulfone:

Biodegradability : Result: Not readily biodegradable.

Fluthiacet-methyl:

Biodegradability : Result: Not readily biodegradable.

propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 23.6 %

Exposure time: 64 d

Method: OECD Test Guideline 306

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Bioaccumulative potential

Components:

Pyroxasulfone:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 2.39 (77 °F / 25 °C)

Fluthiacet-methyl:

Bioaccumulation : Remarks: Does not bioaccumulate.

propane-1,2-diol:

Partition coefficient: n-

octanol/water

log Pow: -1.07

Mobility in soil

Components:

Pyroxasulfone:

Distribution among environ-

mental compartments

Adsorption/Soil

Koc: 57 - 114 ml/g, log Koc: > 1.75 Remarks: Highly mobile in soils

Stability in soil

Fluthiacet-methyl:

Distribution among environ-

mental compartments

Remarks: Slightly mobile in soils

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

Anthem® MAXX Herbicide



Version **Revision Date:** SDS Number: Date of last issue: -

01/09/2023 50000558 Date of first issue: 05/26/2016 1.4

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging Empty remaining contents.

> Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Fluthiacet-methyl, Pyroxasulfone)

Class 9 Packing group Ш Labels 9

IATA-DGR

UN/ID No. UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Fluthiacet-methyl, Pyroxasulfone)

9 Class Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

964

ger aircraft)

Environmentally hazardous yes

IMDG-Code

UN number UN 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, Proper shipping name

N.O.S.

964

(Fluthiacet-methyl, Pyroxasulfone)

Class 9 Ш Packing group Labels 9 EmS Code F-A, S-F Marine pollutant yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(Fluthiacet-methyl, Pyroxasulfone)

Class

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

Packing group : III

Labels : CLASS 9 ERG Code : 171 Marine pollutant : no

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ Calculated product R0	
		(lbs)	(lbs)
ethylbenzene	100-41-4	100	100 (F003)

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Carcinogenicity
Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

propane-1,2-diol 57-55-6 >= 5 - < 10 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

ethylbenzene 100-41-4 >= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

ethylbenzene 100-41-4 >= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

water 7732-18-5
Pyroxasulfone 447399-55-5
propane-1,2-diol 57-55-6
Oxirane, methyl-, polymer with oxirane, monobutyl ether 9038-95-3

Maine Chemicals of High Concern

octamethylcyclotetrasiloxane 556-67-2

Vermont Chemicals of High Concern

ethylbenzene 100-41-4 octamethylcyclotetrasiloxane 556-67-2

Washington Chemicals of High Concern

ethylbenzene 100-41-4

California Prop. 65

WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

METHYL {2-CHLORO-4-FLUORO-5-[(EZ)-5,6,7,8-TETRAHYDRO-3-OXO-1H,3H-[1,3,4]THIADIAZOLO[3,4-A]PYRIDAZIN-1-YLIDENEAMIN]PHENYLTHIO}ACETATE

Pyroxasulfone

Smectite-group minerals

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dan-

Anthem® MAXX Herbicide



Version Revision Date: SDS Number: Date of last issue: -

1.4 01/09/2023 50000558 Date of first issue: 05/26/2016

gerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2023 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet