

SDS REVISIONS: Section 9 DATE OF ISSUE: 03/11/2019

TASK FORCE 3D SUPERSEDES: 03/08/2019

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name TASK FORCE 3D

Other means of identification

Product Code FRT-00238

**Document** 1000887640; 1000887642; 1000887644

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Foliar Nutrient.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

LOVELAND PRODUCTS, INC.

P.O. Box 1286

Greeley, CO 80632-1286

Emergency telephone number

Company Phone Number Emergency Telephone 1-888-LPI-CUST (574-2878)

Chemtrec 1-800-424-9300

Medical Emergencies: 1-866-944-8565

US regulations require reporting spills of this material that could reach any surface waters.

The toll-free phone number for the US Coast Guard National Response Center is

1-800-424-8802

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 1 Sub-category B - (H314)
Serious eye damage/eye irritation	Category 1 - (H318)
Respiratory sensitization	Category 1 - (H334)
Skin sensitization	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 1B - (H350)
Reproductive toxicity	Category 1B - (H360)

## Label elements



Signal word

**DANGER** 

Hazard statements H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction



TASK FORCE 3D SUPERSEDES: 03/08/2019

SDS REVISIONS: Section 9 DATE OF ISSUE: 03/11/2019

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H360 - May damage fertility or the unborn child

**Precautionary Statements -**

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P281 - Use personal protective equipment as required P271 - Use only outdoors or in a well-ventilated area P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling P284 - In case of inadequate ventilation wear respiratory protection

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

**Precautionary Statements -**

Response

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/physician P312 - Call a POISON CENTER or doctor/physician if you feel unwell P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

**Precautionary Statements -**

Storage

P405 - Store locked up

**Precautionary Statements -**

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable



**TASK FORCE 3D** 

SDS REVISIONS: Section 9 DATE OF ISSUE: 03/11/2019

SUPERSEDES: 03/08/2019

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# <u>Mixture</u>

Chemical Name	CAS No	Weight-%	GHS Classification	Trade Secret
Phosphoric acid	7664-38-2	3 - 7	Skin Corr. 1B (H314)	*
Potassium Hydroxide	1310-58-3	1 - 5	Acute Tox. 4 (H302) Skin Corr. 1A (H314)	*
Iron HEDTA	17084-02-5	1 - 5		*
EDTA Acid	60-00-4	1 - 5	Eye Irrit. 2 (H319)	*
Cobalt sulfate	10124-43-3	1 - 5	Acute Tox. 4 (H302) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 1B (H350i) Repr. 1B (H360F) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	*
Sodium Molybdate	10102-40-6	1 - 5	. ,	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

OSHA Hazard Communication 29 CFR 1910.1200



SDS REVISIONS: Section 9 DATE OF ISSUE: 03/11/2019 SUPERSEDES: 03/08/2019

TASK FORCE 3D

## 4. FIRST AID MEASURES

**Description of first aid measures** 

General advice Get medical attention if symptoms occur.

**Eye contact** Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical

attention. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a poison control center or doctor for treatment advice.

**Skin contact**Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

**Inhalation** Remove to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor

for treatment advice.

**Ingestion** Call a poison control center or doctor for treatment advice. Have person sip a glass of water

if able to swallow. Do NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person.

**Self-protection of the first aider**Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. Symptoms may be delayed. Have the product container or label with

you when calling a poison control center or doctor or going for treatment. You may also call

1-866-944-8565 for emergency medical treatment information.

**Note to physicians** No specific antidote. Treat symptomatically.

Antidotes No data available

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire, Use CO<sub>2</sub>, dry chemical, or foam

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



SDS REVISIONS: Section 9

DATE OF ISSUE: 03/11/2019

TASK FORCE 3D SUPERSEDES: 03/08/2019

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

**Environmental precautions**Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take

up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a cool, well-ventilated place. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents.



DATE OF ISSUE: 03/11/2019 SU

SUPERSEDES: 03/08/2019

TASK FORCE 3D

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** 

**Appropriate engineering controls** 

Engineering Controls Minimize exposure by partial enclosure of the operation or equipment and provide extract

ventilation at openings.

SDS REVISIONS: Section 9

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles. Face protection shield.

**Skin and body protection**Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory protection Dependent on job function. If vapors or dusts exceed acceptable levels, wear a

MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air

respirator if exposure concentrations are unknown.

**General Hygiene Considerations** When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.



TASK FORCE 3D SUPERSEDES: 03/08/2019

SDS REVISIONS: Section 9 DATE OF ISSUE: 03/11/2019

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear Aqueous solution

Color Blue green
Odor Slight ammonia
Odor threshold No data available

<u>Property</u> <u>Values (Remarks - Method)</u>

pH 6.3 (NEAT)

Melting point / freezing point No data available

Boiling point No data available

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability limit:

Lower flammability limit:

Vapor pressure

Vapor density

Specific Gravity

No data available
No data available
No data available
1.18 g/ml

Water solubility Soluble

Solubility in other solvents No data available Partition coefficient No data available **Autoignition temperature** No data available No data available **Decomposition temperature** Kinematic viscosity No data available No data available Dynamic viscosity No data available **Explosive properties** No data available **Oxidizing properties** 

#### Other Information

VOC Content (%) No data available Density 9.88lbs/gal

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.



# SAFETY DATA SHEET SDS REVISIONS: Section 9

DATE OF ISSUE: 03/11/2019

TASK FORCE 3D SUPERSEDES: 03/08/2019

10. STABILITY AND REACTIVITY

Reactivity

No data available

**Chemical stability** 

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

None under normal processing.

**Conditions to avoid** 

Exposure to air or moisture over prolonged periods.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

**Hazardous Decomposition Products** 

Thermal decomposition can lead to release of irritating and toxic gases and vapors.



TASK FORCE 3D SUPERSEDES: 03/08/2019

SDS REVISIONS: Section 9 DATE OF ISSUE: 03/11/2019

## 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity of the formulated product:

Chemical Name	Oral LD <sub>50</sub>	Dermal LD50	Inhalation LC50
Phosphoric acid	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³ (Rat) 1 h
Potassium Hydroxide	= 284 mg/kg (Rat)		
EDTA Acid	= 1700 mg/kg (Rat)		
Cobalt sulfate	= 424 mg/kg ( Rat )		

Chemical Name	Skin corrosion/irritation	Eye damage/irritation	Respiratory sensitization	Skin sensitization
Phosphoric acid 7664-38-2	Category 1			
Potassium Hydroxide 1310-58-3	Category 1			
EDTA Acid 60-00-4		Category 2		
Cobalt sulfate 10124-43-3			Category 1	Category 1

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Germ cell mutagenicity No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Cobalt sulfate	A3	Group 2B	Reasonably Anticipated	X
10124-43-3				
Sodium Molybdate	A3	=	-	-
10102-40-6				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. May cause adverse effects on the bone marrow and

blood-forming system. May cause adverse liver effects.

Target Organ Effects blood, Eye damage/irritation, Gastrointestinal tract (GI), kidney, liver, Respiratory system,

Skin.

**Aspiration hazard** No information available.

# Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin contact** No data available.

**Ingestion** No data available.



SDS REVISIONS: Section 9

DATE OF ISSUE: 03/11/2019

TASK FORCE 3D SUPERSEDES: 03/08/2019

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Phosphoric acid	-	LC50 3 - 3.5 mg/L 96 h Gambusia	EC50 4.6 mg/L 12 h Daphnia
7664-38-2		affinis	magna
Potassium Hydroxide	-	LC50 80 mg/L 96 h Gambusia	-
1310-58-3		affinis	
EDTA Acid	EC50 1.01 mg/L 72 h	LC50 34 - 62 mg/L 96 h Lepomis	EC50 113 mg/L 48 h Daphnia
60-00-4	Desmodesmus subspicatus	macrochirus LC50 44.2 - 76.5 mg/L	magna
		96 h Pimephales promelas	
Cobalt sulfate	EC50 0.4 - 72 mg/L 72 h	-	-
10124-43-3	Pseudokirchneriella subcapitata		

#### Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes**Wastes may be disposed of on site or at an approved waste disposal facility. Triple rinse (or

equivalent), adding rinse water to spray tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by appropriate authorities. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at http://www.acrecycle.org/.

Do not contaminate water, food or feed by storage or disposal.

Contaminated packaging Do not reuse container.

## 14. TRANSPORT INFORMATION

DOT

UN/ID no Not regulated Proper shipping name Not regulated

U.S. Surface Freight Classification: FERTILIZING COMPOUNDS (MANUFACTURED

FERTILIZERS), NOI, LIQUID (NMFC 68140, SUB 6; CLASS 70)



TASK FORCE 3D

SDS REVISIONS: Section 9 DATE OF ISSUE: 03/11/2019 SUPERSEDES: 03/08/2019

## 15. REGULATORY INFORMATION

NFPA Health hazards 3 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 3 Flammability 0 Physical hazards 0 Personal protection X

0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Severe

## **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Cobalt sulfate - 10124-43-3	0.1
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb	-	-	Х
Potassium Hydroxide 1310-58-3	1000 lb	-	-	Х
EDTA Acid 60-00-4	5000 lb	-	-	Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid	5000 lb	=	RQ 5000 lb final RQ
7664-38-2			RQ 2270 kg final RQ
Potassium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ
EDTA Acid	5000 lb	-	RQ 5000 lb final RQ
60-00-4			RQ 2270 kg final RQ

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Cobalt sulfate - 10124-43-3	Carcinogen

## U.S. EPA Label Information



SDS REVISIONS: Section 9

DATE OF ISSUE: 03/11/2019

TASK FORCE 3D SUPERSEDES: 03/08/2019

**16. OTHER INFORMATION** 

Prepared By Product Stewardship and Regulatory Affairs

Reviewed By Safety, Health and Environment

 Issue Date
 03/11/2019

 Revision Date
 03/11/2019

**Revision Note** 

1 SDS sections updated

TASK FORCE 3D is a registered trademark of Loveland Products, Inc.

#### **Disclaimer**

This safety data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.

**End of Safety Data Sheet**