

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

SECTION 1. IDENTIFICATION

Product name : INSPIRE
Design code : A7402T

Product Registration number : 100-1262

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Flammable liquids : Category 4
Eye irritation : Category 2A
Carcinogenicity : Category 2
Reproductive toxicity : Category 2
Aspiration hazard : Category 1

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Danger

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Hazard Statements : H227 Combustible liquid.
H304 May be fatal if swallowed and enters airways.
H319 Causes serious eye irritation.
H351 Suspected of causing cancer.
H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
hydrocarbons, C10-C13, aromatics, <1% naphthalene	-	>= 60 - <= 80	TSC
difenoconazole (ISO)	119446-68-3*	23.3427	-
calcium bis(dodecylbenzenesulphonate), branched	68953-96-8*	>= 3 - <= 7	TSC

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

alcohols, C16-18 and C18-unsatd., ethoxylated	68920-66-1*	$\geq 3 - \leq 7$	TSC
2-methylpropan-1-ol	78-83-1*	$\geq 1 - \leq 5$	TSC
naphthalene	91-20-3*	$\geq 0.1 - \leq 1$	TSC
toluene	108-88-3*	$\geq 0.1 - \leq 1$	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	: Take the victim into fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control center immediately.
In case of skin contact	: Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
Most important symptoms and effects, both acute and delayed	: Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Causes serious eye irritation. Suspected of causing cancer. Suspected of damaging the unborn child.
Notes to physician	: There is no specific antidote available. Treat symptomatically. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam
Unsuitable extinguishing	: Do not use a solid water stream as it may scatter and spread

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

media

fire.

Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.
Flash back possible over considerable distance.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Sulfur oxides

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Keep people away from and upwind of spill/leak.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Remove all sources of ignition.
Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
Use only in an area containing flame proof equipment.
Take precautionary measures against static discharges.
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

ventilated place.
Keep out of the reach of children.
Keep away from combustible material.
Keep in an area equipped with sprinklers.
Keep away from food, drink and animal feedingstuffs.
No smoking.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hydrocarbons, C10-C13, aromatics, <1% naphthalene	Not Assigned	TWA	8 ppm 50 mg/m ³	Supplier
difenoconazole (ISO)	119446-68-3	TWA	5 mg/m ³	Syngenta
2-methylpropan-1-ol	78-83-1	TWA	50 ppm	ACGIH
		TWA	50 ppm 150 mg/m ³	NIOSH REL
		TWA	100 ppm 300 mg/m ³	OSHA Z-1
		TWA	50 ppm 150 mg/m ³	OSHA P0
naphthalene	91-20-3	TWA	10 ppm	ACGIH
		TWA	10 ppm 50 mg/m ³	NIOSH REL
		ST	15 ppm 75 mg/m ³	NIOSH REL
		TWA	10 ppm 50 mg/m ³	OSHA Z-1
		TWA	10 ppm 50 mg/m ³	OSHA P0
		STEL	15 ppm 75 mg/m ³	OSHA P0
toluene	108-88-3	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m ³	NIOSH REL
		ST	150 ppm 560 mg/m ³	NIOSH REL
		TWA	200 ppm	OSHA Z-2
		CEIL	300 ppm	OSHA Z-2
		Peak	500 ppm (10 minutes)	OSHA Z-2
		TWA	100 ppm 375 mg/m ³	OSHA P0
		STEL	150 ppm 560 mg/m ³	OSHA P0

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
toluene	108-88-3	Toluene	In blood	Prior to	0.02 mg/l	ACGIH

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version 2.0 Revision Date: 09/08/2026 SDS Number: S1344540018 Date of last issue: -
Date of first issue: 08/02/2018

				last shift of work-week		BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g creatinine	ACGIH BEI

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

- gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Tightly fitting safety goggles
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Color : yellow to brown
- Odor : aromatic
- Odor Threshold : No data available
- pH : 5 - 9
Concentration: 1 %w/v
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : 147 °F / 64 °C
Method: Pensky-Martens closed cup
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1.071 g/cm ³ (68 °F / 20 °C)
Solubility(ies)		
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	869 °F / 465 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	26.0 mPa.s (68 °F / 20 °C)
		10.5 mPa.s (104 °F / 40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Surface tension	:	37.0 mN/m, 77 °F / 25 °C
Particle characteristics		
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50 (Rat, female): 3,129 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is minimally toxic after short term inhalation.
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg

Components:

difenoconazole (ISO):

Acute oral toxicity	:	LD50 (Rat, male and female): 1,453 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 3.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2,010 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

calcium bis(dodecylbenzenesulphonate), branched:

Acute dermal toxicity	:	LD50 (Rat, male and female): > 1,000 - 1,600 mg/kg
-----------------------	---	--

2-methylpropan-1-ol:

Acute oral toxicity	:	LD50 (Rat): 2,830 - 3,350 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 24.6 mg/l Exposure time: 4 h Test atmosphere: vapor Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): 2,460 mg/kg

naphthalene:

Acute oral toxicity	:	Assessment: The component/mixture is moderately toxic after single ingestion.
---------------------	---	---

toluene:

Acute oral toxicity	:	LD50 (Rat, male): 5,580 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male): 25.7 mg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Result : Repeated exposure may cause skin dryness or cracking.

Components:

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Result : Repeated exposure may cause skin dryness or cracking.

difenoconazole (ISO):

Species : Rabbit
Result : No skin irritation

calcium bis(dodecylbenzenesulphonate), branched:

Result : Irritating to skin.

alcohols, C16-18 and C18-unsatd., ethoxylated:

Result : Irritating to skin.

2-methylpropan-1-ol:

Result : Irritating to skin.

toluene:

Species : Rabbit
Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species : Rabbit
Result : Eye irritation

Components:

difenoconazole (ISO):

Species : Rabbit

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Result : Irritation to eyes, reversing within 7 days

calcium bis(dodecylbenzenesulphonate), branched:

Result : Risk of serious damage to eyes.

2-methylpropan-1-ol:

Result : Risk of serious damage to eyes.

toluene:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

No applicable information is available

Product:

Species : Guinea pig

Result : Does not cause skin sensitization.

Components:

difenoconazole (ISO):

Species : Guinea pig

Result : Does not cause skin sensitization.

2-methylpropan-1-ol:

Species : Guinea pig

Result : Does not cause skin sensitization.

Remarks : Information given is based on data obtained from similar substances.

toluene:

Species : Guinea pig

Result : Does not cause skin sensitization.

Germ cell mutagenicity

No applicable information is available

Components:

difenoconazole (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

toluene:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Suspected of causing cancer.

Components:

difenoconazole (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

naphthalene:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

toluene:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC

Group 2B: Possibly carcinogenic to humans

naphthalene

91-20-3

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

Reasonably anticipated to be a human carcinogen

naphthalene

91-20-3

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

difenoconazole (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

toluene:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

No applicable information is available

Components:

difenoconazole (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-methylpropan-1-ol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

irritation., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

toluene:

Routes of exposure : Inhalation
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure

No applicable information is available

Components:

difenoconazole (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

toluene:

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

May be fatal if swallowed and enters airways.

2-methylpropan-1-ol:

May be harmful if swallowed and enters airways.

toluene:

May be fatal if swallowed and enters airways.

Endocrine disrupting properties

Components:

difenoconazole (ISO):

Assessment : Does not have endocrine disrupting properties.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.3 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 4.4 mg/l
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0.22 mg/l
End point: Growth rate
Exposure time: 72 h

Components:

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l
Exposure time: 96 h
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.1 mg/l
Exposure time: 48 h
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae/aquatic plants : EL50 (Raphidocelis subcapitata (freshwater green alga)): 7.9 mg/l
End point: Growth rate
Exposure time: 72 h
Remarks: Information given is based on data obtained from similar substances.

NOELR (Raphidocelis subcapitata (freshwater green alga)): 0.22 mg/l
End point: Growth rate
Exposure time: 72 h
Remarks: Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

difenoconazole (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.77 mg/l
Exposure time: 48 h

EC50 (Americamysis): 0.15 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Toxicity to algae/aquatic plants	:	EC10 (Navicula pelliculosa (Freshwater diatom)): 0.0697 mg/l End point: Growth rate Exposure time: 72 h ErC50 (Desmodesmus subspicatus (green algae)): 0.0876 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 0.015 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	EC10 (Pimephales promelas (fathead minnow)): 0.01298 mg/l Exposure time: 34 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10 (Daphnia magna (Water flea)): 0.0078 mg/l Exposure time: 21 d EC10 (Americamysis): 0.00572 mg/l Exposure time: 28 d
Toxicity to microorganisms	:	EC50 (activated sludge): > 100 mg/l Exposure time: 3 h

calcium bis(dodecylbenzenesulphonate), branched:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

alcohols, C16-18 and C18-unsatd., ethoxylated:

Toxicity to fish	:	LC50 (Fish): estimated 1.26 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Invertebrates): 2.6 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 2.3 mg/l Exposure time: 72 h EC10 (algae): 0.33 mg/l End point: Biomass Exposure time: 72 h

2-methylpropan-1-ol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 1,100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l Exposure time: 72 h

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 21 d

naphthalene:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

toluene:

Toxicity to fish : LC50 (Oncorhynchus kisutch (coho salmon)): 5.5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 3.78 mg/l
Exposure time: 48 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus kisutch (coho salmon)): 1.39 mg/l
Exposure time: 40 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 0.74 mg/l
Exposure time: 7 d

Persistence and degradability

Components:

hydrocarbons, C10-C13, aromatics, <1% naphthalene:

Biodegradability : Result: Readily biodegradable.

difenoconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1 d
Remarks: Product is not persistent.

alcohols, C16-18 and C18-unsatd., ethoxylated:

Biodegradability : Result: rapidly biodegradable
Remarks: Based on data from similar materials

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

toluene:

Biodegradability : Result: Readily biodegradable.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Bioaccumulative potential

Components:

difenoconazole (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.4 (77 °F / 25 °C)

toluene:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

difenoconazole (ISO):

Distribution among environmental compartments : Remarks: Slightly mobile in soils

Stability in soil : Dissipation time: 122 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Components:

difenoconazole (ISO):

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

2-methylpropan-1-ol:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

naphthalene:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

toluene:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Endocrine disrupting properties

Components:

difenoconazole (ISO):

Assessment : Does not have endocrine disrupting properties.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. This product will not be classified as a RCRA characteristic hazardous waste when discarded. This product will not be classified as a RCRA characteristic hazardous waste when discarded.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIFENOCONAZOLE, SOLVENT NAPHTHA)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes
Remarks	: This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (DIFENOCONAZOLE, SOLVENT NAPHTHA)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passen-	: 964

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

ger aircraft)

Environmentally hazardous : yes

Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(DIFENOCONAZOLE, SOLVENT NAPHTHA)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : NA 1993

Proper shipping name : Compounds, weed killing, liquid
(ISOBUTANOL)

Class : 3

Packing group : III

Labels : FLAMMABLE LIQUID

ERG Code : 128

Marine pollutant : no

Remarks : Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

Causes substantial but temporary eye injury.

Do not get in eyes or on clothing.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Harmful if swallowed.

Avoid contact with skin, eyes or clothing.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
naphthalene	91-20-3	100	16460

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Carcinogenicity
Reproductive toxicity
Aspiration hazard
Serious eye damage or eye irritation

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

naphthalene	91-20-3	>= 0.1 - < 1 %
-------------	---------	----------------

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

2-methylpropan-1-ol	78-83-1	>= 1 - < 5 %
---------------------	---------	--------------

California Prop. 65

WARNING: This product can expose you to chemicals including naphthalene, phenanthrene, which is/are known to the State of California to cause cancer, and toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET


according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

NFPA 704:



HMIS® IV / CED:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-2	: USA. Occupational Exposure Limits (OSHA) - Table Z-2
Syngenta	: Syngenta Occupational Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / TWA	: 8-hour time weighted average
OSHA P0 / STEL	: Short-term exposure limit
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-2 / TWA	: 8-hour time weighted average
OSHA Z-2 / CEIL	: Acceptable ceiling concentration
OSHA Z-2 / Peak	: Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift
Syngenta / TWA	: Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



INSPIRE

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	09/08/2026	S1344540018	Date of first issue: 08/02/2018

Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/08/2026

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN