

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

### SECTION 1. IDENTIFICATION

Product name : Rancona®Sugarbeets

Product code : 400000001164

#### Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc  
245 Freight St  
Waterbury, CT  
United States of America  
06702  
Telephone : +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet :  
sds.request@arysta.com

#### 1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300  
For additional emergency telephone numbers see section 16 of the  
Safety Data Sheet.

#### Recommended use of the chemical and restrictions on use

Recommended use : Seed treatment

Restrictions on use : Agriculture, For professional users only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 2  
- repeated exposure

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

### GHS Label element

Hazard pictograms



Signal word

: Warning

Hazard statements

: H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Fungicide

### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-	125225-28-7	>= 30 - < 50
glycerol	56-81-5	>= 10 - < 20
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	>= 5 - < 10

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

- If inhaled : Move to fresh air.  
If not breathing, give artificial respiration.  
Call a POISON CENTER or doctor/ physician.
- In case of skin contact : Remove contaminated clothing and shoes.  
Wash off immediately with plenty of water for at least 15 minutes.  
Call a POISON CENTER or doctor/ physician.
- In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician or poison control centre immediately.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Symptoms may be delayed.  
Suspected of damaging fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - large fires  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
(on small fires)  
Dry chemical  
Water spray
- Unsuitable extinguishing media : Water spray jet
- Specific hazards during fire-fighting : No information available.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Use water spray to cool unopened containers.  
Standard procedure for chemical fires.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

# SAFETY DATA SHEET

## Rancona® Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Wear suitable protective clothing, gloves and eye/face protection.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.  
Keep in properly labelled containers.  
Dispose of rinse water as waste water.
- Environmental precautions : Do not allow material to contaminate ground water system.  
Do not allow uncontrolled discharge of product into the environment.
- Methods and materials for containment and cleaning up : Dam up.  
Large spills should be collected mechanically (remove by pumping) for disposal.  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Ventilate the area.
- In accordance with local and national regulations.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Handle and open container with care.  
Use only in area provided with appropriate exhaust ventilation.  
Wear personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.
- Conditions for safe storage : Keep in a dry, cool place.  
Do not freeze.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol	56-81-5	TWA (Total)	10 mg/m <sup>3</sup>	OSHA P0
		TWA (Respirable fraction)	5 mg/m <sup>3</sup>	OSHA P0
		TWA	10 mg/m <sup>3</sup>	ACGIH
		TWA (mist, respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (mist, total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m <sup>3</sup>	OSHA P0

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

		TWA (Mist - respirable fraction)	5 mg/m <sup>3</sup>	OSHA P0
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m <sup>3</sup>	ACGIH
		TWA	5 mg/m <sup>3</sup>	OSHA P0
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (Mist)	5 mg/m <sup>3</sup>	OSHA P0

### Hazardous components without workplace control parameters

Components	CAS-No.
Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-	125225-28-7

**Engineering measures** : Use mechanical ventilation for general area control.  
Maintain air concentrations below occupational exposure standards.  
Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protective equipment

Respiratory protection : Breathing apparatus needed only when aerosol or mist is formed.

Hand protection

Remarks : Chemical resistant protective gloves

Eye protection : Safety glasses with side-shields  
or  
Safety goggles

Skin and body protection : Long sleeved clothing  
Remove and wash contaminated clothing before re-use.

Hygiene measures : Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Keep working clothes separately.  
Wash contaminated clothing before reuse.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : beige

Odour : none

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

Odour Threshold : No data available

pH : 7 - 9

: No data available

: No data available

Flash point : Not combustible.

Evaporation rate : No data available

Upper explosion limit : Not applicable

Lower explosion limit : Not applicable

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.1 g/cm<sup>3</sup> (20 °C)

Solubility(ies)

Water solubility : soluble, dispersible

Solubility in other solvents : soluble  
Solvent: Methanol

insoluble  
Solvent: Hexane

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 200 - 300 mPa.s (20 °C)

Viscosity, kinematic : No data available

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

Surface tension : 51.6 mN/m, 90 %, saturated aqueous solution

Oxidizing potential : The substance or mixture is not classified as oxidizing.

# SAFETY DATA SHEET

## Rancona® Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.  
Stable under normal conditions.

Conditions to avoid : None known.

Incompatible materials : Strong acids and strong bases  
Strong oxidizing agents

Hazardous decomposition products : Burning produces noxious and toxic fumes.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact

Ingestion

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 Oral (Rat, male): 5,284 mg/kg  
GLP: yes

LD50 Oral (Rat, female): 3,666 mg/kg  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 2.59 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 Dermal (Rat): > 5,000 mg/kg  
GLP: yes

##### Components:

#### **Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Acute oral toxicity : LD50 (Rat, male): 1,338 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

LD50 (Rat, female): 888 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

GLP: yes

LD50 (Mouse, male): 537 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

LD50 (Mouse, female): 468 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.88 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

LC50 (Rat, male and female): > 3.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

### **glycerol:**

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): > 18,700 mg/kg

### **Skin corrosion/irritation**

#### **Product:**

Species: Rabbit  
Result: No skin irritation  
GLP: yes

#### **Components:**

**Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Species: Rabbit  
Exposure time: 4 h  
Result: No skin irritation  
GLP: yes

### **glycerol:**

Species: Rabbit  
Exposure time: 24 h  
Result: No skin irritation

### **Serious eye damage/eye irritation**

#### **Product:**



# SAFETY DATA SHEET

## Rancona® Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

Species: Rabbit  
Result: No eye irritation  
GLP: yes

### Components:

#### **Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Species: Rabbit  
Result: No eye irritation

#### **glycerol:**

Species: Rabbit  
Result: No eye irritation

### **Respiratory or skin sensitisation**

#### Product:

Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.  
GLP: yes

### Components:

#### **Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Species: Guinea pig  
Method: Magnusson-Kligmann-Test  
Result: Did not cause sensitisation on laboratory animals.  
GLP: yes

#### **glycerol:**

Test Type: Patch Test  
Species: Human  
Result: Patch test on human volunteers did not demonstrate sensitisation properties.

### **Germ cell mutagenicity**

#### Product:

Germ cell mutagenicity - Assessment : Based on available data, the classification criteria are not met.

### Components:

#### **Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: negative

: Test Type: In Vitro mammalian Cell Gene Mutation Test  
Metabolic activation: with and without metabolic activation  
Result: negative

: Test Type: Chromosome aberration test in vitro

# SAFETY DATA SHEET

## Rancona® Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Species: Mouse  
Cell type: Bone marrow  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

### **glycerol:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Rat (males)  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### **Product:**

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

#### **Components:**

#### **Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### **glycerol:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

#### **Distillates (petroleum), solvent-dewaxed heavy paraffinic:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

### **IARC**

Group 1: Carcinogenic to humans

Distillates (petroleum), solvent-dewaxed heavy paraffinic

64742-65-0

### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

# SAFETY DATA SHEET

## Rancona® Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

### **NTP**

Known to be human carcinogen

Distillates (petroleum), solvent-dewaxed heavy paraffinic

64742-65-0

### **Reproductive toxicity**

#### **Product:**

Reproductive toxicity - Assessment : Suspected of damaging fertility or the unborn child.

#### **Components:**

**Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Effects on fertility : Species: Rat  
Dose: 0, 30, 100 or 300 ppm  
General Toxicity F1: No observed adverse effect level: 9 - 10 mg/kg bw/day

#### **glycerol:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

### **STOT - single exposure**

#### **Product:**

Assessment: Based on available data, the classification criteria are not met.

### **STOT - repeated exposure**

#### **Product:**

Assessment: May cause damage to organs through prolonged or repeated exposure.

#### **Components:**

**Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Target Organs: Eyes

Assessment: May cause damage to organs through prolonged or repeated exposure.

#### **glycerol:**

Exposure routes: Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

**Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**

Species: Rat, female

NOAEL: 7 mg/kg

LOAEL: 33.2 mg/kg

Application Route: Oral

# SAFETY DATA SHEET

## Rancona® Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

Exposure time: 13 weeks  
Dose: 3.1, 7.0, 15.4 and 33.2 mg/kg  
GLP: yes  
Target Organs: Adrenal gland, thymus gland

Species: Rat, male  
NOAEL: 25.9 mg/kg  
LOAEL: 52.2 mg/kg  
Application Route: Oral  
Exposure time: 13 weeks  
Dose: 2.5, 5.8, 12.6, 25.9 and 52.2  
GLP: yes  
Target Organs: Adrenal gland, thymus gland

Species: Rat, male and female  
NOAEL: 10 mg/kg  
LOAEL: 40 mg/kg  
Application Route: Dermal  
Exposure time: 13 weeks  
Dose: 0, 2, 10 or 40 mg/kg bw/day  
GLP: yes

Species: Rat, male and female  
NOAEL: 30 mg/kg  
LOAEL: 100 mg/kg  
Application Route: Inhalation  
Exposure time: 28-day  
Dose: 0, 30, 100, 300 or 1000 mg/m<sup>3</sup>  
GLP: yes

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Product:

Toxicity to fish : Remarks: Information refers to the main component.

Toxicity to daphnia and other :  
aquatic invertebrates Remarks: Information refers to the main component.

Toxicity to algae :  
Remarks: Information refers to the main component.

##### Components:

##### Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.3 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.7 mg/l  
aquatic invertebrates Exposure time: 48 h

---

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.62 mg/l  
Exposure time: 72 h  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00044 mg/l  
Exposure time: 28 d  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0109 mg/l  
Exposure time: 21 d  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 100

**glycerol:**  
Toxicity to fish : LC50 (Carassius auratus (goldfish)): > 5,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 5,000 mg/l  
Exposure time: 48 h

### Persistence and degradability

#### **Product:**

Biodegradability : Remarks: Not readily biodegradable.

#### **Components:**

##### **glycerol:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Readily biodegradable  
Biodegradation: 92 %  
Exposure time: 30 d

### Bioaccumulative potential

#### **Product:**

Bioaccumulation : Remarks: No data available

#### **Components:**

**Cyclopentanol,2-[(4-chlorophenyl)methyl]-5-(1-methylethyl)-1-(1H-1,2,4-triazol-1-ylmethyl)-:**  
Partition coefficient: n-octanol/water : log Pow: 4.28 - 4.49

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

### glycerol:

Bioaccumulation : Bioconcentration factor (BCF): 3.16  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -1.76  
Method: calculated

log Pow: -2.6  
Method: calculated

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Waste must be classified and labelled prior to recycling or disposal.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of as special waste in compliance with local and national regulations.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Ipconazole)  
Class : 9

---

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

Packing group : III  
Labels : 9

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Ipconazole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(Ipconazole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,  
N.O.S.  
(Ipconazole)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(Ipconazole)  
Remarks : Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

---

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

# SAFETY DATA SHEET

## Rancona® Sugarbeets

Version 1.10      Revision Date: 10/16/2015      MSDS Number: 400000001164      Country: US  
Language: EN

---

This material does not contain any components with a section 304 EHS RQ.

- SSARA 311/312 Hazards** : Chronic Health Hazard
- SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489):

glycerol	56-81-5	10 %
----------	---------	------

### Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

**California Prop. 65**      WARNING! This product contains a chemical known to the State of California to cause cancer.

Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0
---	------------

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

### FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.



# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version            Revision Date:            MSDS Number:            Country: US  
1.10                10/16/2015                400000001164            Language: EN

---

### CAUTION

Harmful if swallowed.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. This fungicide may persist in soil and long-term use in the same field may result in an accumulation of active ingredient.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version  
1.10


Revision Date:  
10/16/2015

MSDS Number:  
400000001164

Country: US  
Language: EN

### Further information

#### NFPA:



#### HMIS III:

HEALTH	1*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 10/16/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

### Carechem24 International Worldwide Coverage

#### Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479

# SAFETY DATA SHEET

## Rancona®Sugarbeets

Version  
1.10

Revision Date:  
10/16/2015

MSDS Number:  
400000001164

Country: US  
Language: EN

---

	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 113 711 9144
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670