



Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. IDENTIFICATION

Product name : Resolve® SG

Manufacturer or supplier's details

COMPANY IDENTIFICATION

Manufacturer/importer : CORTEVA AGRISCIENCE LLC

9330 ZIONSVILLE RD

INDIANAPOLIS, IN, 46268-1053

UNITED STATES

Customer Information

Number

: 1-800-258-3033

E-mail address : customerinformation@corteva.com

Emergency telephone : INFOTRAC (CONTRACT 84224).

800-992-5994 or 317-337-6009

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Do not use product for anything outside of the above specified

uses.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

™ ® Trademarks of Corteva Agriscience and its affiliated companies.





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Components

Chemical name	CAS-No.	Concentration (% w/w)
Rimsulfuron	122931-48-0	25
Sucrose	57-50-1	>= 3 - < 10
Lignin, Alkali, Reaction Products with	105859-97-0	>= 3 - < 10
Disodium Sulfite and Formaldehyde		
Balance	Not Assigned	> 50

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container or label with you when calling a

poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Di-

rections for Use.

Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection

Agency (EPA), or by state Regulatory Agencies.

If inhaled : No specific intervention is indicated as the compound is not

likely to be hazardous.

Consult a physician if necessary.

In case of skin contact : Take off all contaminated clothing immediately.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Hold eye open and rinse slowly and gently with water for 15-

20 minutes.

Remove contact lenses, if present, after the first 5 minutes,

then continue rinsing eye.

Call a poison control center or doctor for treatment advice.

If swallowed : No specific intervention is indicated as the compound is not

likely to be hazardous.

Consult a physician if necessary.

Most important symptoms and effects, both acute and

In case of eye contact

delayed

No cases of human intoxication are known and the symptoms

of experimental intoxication are not known.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Unsuitable extinguishing

media

Dry chemical

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health. Applying foam will release significant amounts of hydrogen

gas that can be trapped under the foam blanket.

Hazardous combustion prod: During a fire, smoke may contain the original material in addi-





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

ucts tion to combustion products of varying composition which may

be toxic and/or irritating.

Specific extinguishing meth- : Do not allow exti

ods

Do not allow extinguishing medium to contact container contents. Most fire extinguishing media will cause hydrogen evolution, and once the fire is put out, may accumulate in poorly ventilated or confined areas and result in flash fire or explosion if ignited.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Further information : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment : Wear

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essarv.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Avoid dust formation.

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities.

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in.

Pick up and arrange disposal without creating dust.

Recovered material should be stored in a vented container. The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-

pressurization of the container.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

See Section 13, Disposal Considerations, for additional infor-

mation.

SECTION 7. HANDLING AND STORAGE





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Take care to prevent spills, waste and minimize release to the

environment.

Use appropriate safety equipment. For additional information,

refer to Section 8, Exposure Controls and Personal Protection.

Conditions for safe storage : Store in a closed container.

Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Strong oxidizing agents

Packaging material : Unsuitable material: None known.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Sucrose	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1

Engineering measures : Ensure adequate ventilation.

Information presented in Section 8 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection

Agency (EPA), or by state Regulatory

Personal protective equipment

Respiratory protection : Where there is potential for airborne exposures in excess of

applicable limits, wear approved respiratory protection with

dust/mist cartridge.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of

preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materi-

als include: Natural rubber ("latex"). Neoprene. Ni-

trile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

protection, dexterity, thermal protection), potential body reac-

tions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Wear protective eyewear to prevent contact with this sub-

stance.

Skin and body protection : Applicators and other handlers must wear:

Long sleeved shirt and long pants

Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater

than or equal to 14 mils Shoes plus socks

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil,

or water, is: Coveralls

Chemical resistant gloves made of any waterproof material, such as polyvinyl chloride, nitrile rubber, or butyl rubber

Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining

PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from

other laundry.

Hygiene measures : Wash hands thoroughly with soap and water after handling

and before eating, drinking, chewing gum, using tobacco, or

using the toilet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Color : light brown

Odor : slight

Odor Threshold : not determined

pH : 6.7

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Flammability (solid, gas) : The product is not flammable.

Self-ignition : $> 752 \, ^{\circ}\text{F} / > 400 \, ^{\circ}\text{C}$

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable





Version **Revision Date:** SDS Number: Date of last issue: -

04/04/2022 800080000404 Date of first issue: 04/04/2022 1.0

Vapor pressure Not applicable

Relative vapor density Not applicable

Relative density No data available

No data available Density

Bulk density 617 kg/m3

Solubility(ies)

Water solubility dispersible

Autoignition temperature No data available

Self-Accelerating decomposi-

tion temperature (SADT)

Viscosity

Viscosity, dynamic Not applicable

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard.

Chemical stability No decomposition if stored and applied as directed.

Stable under normal conditions.

GLP: No information available.

Possibility of hazardous reac-

tions

Stable under recommended storage conditions.

No hazards to be specially mentioned.

None known.

Conditions to avoid : None known. Incompatible materials

Hazardous decomposition

products

: None.

: Decomposition products depend upon temperature, air supply

and the presence of other materials.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

LD50 (Rat, male and female): > 5,000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

Components:

Rimsulfuron:



Resolve® SG

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : LC50 (Rat): > 205.4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: Directive 67/548/EEC, Annex V, B.2. Symptoms: No deaths occurred at this concentration. Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: Directive 67/548/EEC, Annex V, B.3. Symptoms: No deaths occurred at this concentration.

Assessment: The substance or mixture has no acute dermal

toxicity

Sucrose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Skin corrosion/irritation

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Components:

Rimsulfuron:

Species : Rabbit

Method : Directive 67/548/EEC, Annex V, B.4.

Result : No skin irritation

Sucrose:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Product:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Components:

Rimsulfuron:

Species : Rabbit



Resolve® SG

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Result : No eye irritation

Method : Directive 67/548/EEC, Annex V, B.5.

Sucrose:

Species : Rabbit

Result : No eye irritation

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde:

Species : Rabbit Result : Eye irritation

Respiratory or skin sensitization

Product:

Test Type : Local lymph node assay (LLNA)

Species : Mouse

Assessment : Does not cause skin sensitization.

Method : OECD Test Guideline 429

Components:

Rimsulfuron:

Test Type : Maximization Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Components:

Rimsulfuron:

Germ cell mutagenicity -

Assessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects., Animal testing did not show any mutagenic

effects.

Sucrose:

Germ cell mutagenicity -

Assessment

In vitro genetic toxicity studies were inconclusive., Animal

genetic toxicity studies were inconclusive

Carcinogenicity

Components:

Rimsulfuron:

Carcinogenicity - Assess- : Did not cause cancer in laboratory animals.

ment

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is



Resolve® SG

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

Rimsulfuron:

Reproductive toxicity - As-

sessment

In animal studies, did not interfere with reproduction.

Development effects were not observed in laboratory animals.

STOT-single exposure

Product:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

Components:

Rimsulfuron:

Assessment : Available data are inadequate to determine single exposure

specific target organ toxicity.

Sucrose:

Assessment : Evaluation of available data suggests that this material is not

an STOT-SE toxicant.

Repeated dose toxicity

Components:

Rimsulfuron:

Remarks : In animals, effects have been reported on the following or-

gans:

Liver

Aspiration toxicity

Product:

Based on physical properties, not likely to be an aspiration hazard.

Components:

Rimsulfuron:

Based on physical properties, not likely to be an aspiration hazard.





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 496 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 413 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

ErC50 (Lemna gibba (duckweed)): 0.00357 mg/l

Exposure time: 7 d

Method: OECD Test Guideline 201

GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Components:

Rimsulfuron:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 390 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia): > 360 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): 1.2

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.8

mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

GLP: yes

EC50 (Lemna gibba (duckweed)): 0.023 mg/l

End point: Frond

Resolve® SG



Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

EC50 (Lemna gibba (duckweed)): 0.017 mg/l

End point: Biomass Exposure time: 14 d

Method: US EPA Test Guideline OPP 122-2 & 123-2

GLP: yes

ErC50 (Anabaena flos-aquae (cyanobacteria)): 5.2 mg/l

Exposure time: 96 h

Method: US EPA Test Guideline OPPTS 850.5400

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 110 mg/l

Exposure time: 90 d

Test Type: Early Life-Stage

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.82 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 202

GLP: yes

Toxicity to soil dwelling or-

ganisms

LC50 (Eisenia fetida (earthworms)): 1,000 mg/kg

Method: OECD Test Guideline 207

GLP: yes

Toxicity to terrestrial organ-

isms

oral LD50 (Colinus virginianus (Bobwhite quail)): > 2,250

ma/kc

Method: US EPA Test Guideline OPP 71-1

GLP: yes

oral LD50 (Anas platyrhynchos (Mallard duck)): > 2,000 mg/kg

Method: US EPA Test Guideline OPP 71-1

GLP: yes

dietary LC50 (Colinus virginianus (Bobwhite quail)): > 5,620

mg/kg

Exposure time: 8 d

Method: OECD Test Guideline 205

dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5,620

mg/kg

Exposure time: 8 d

Method: OECD Test Guideline 205

contact LD50 (Apis mellifera (bees)): $> 100 \mu g/b$

Method: OEPP/EPPO Test Guideline 170

GLP: yes

oral LD50 (Apis mellifera (bees)): > 1000 mg/b Method: OEPP/EPPO Test Guideline 170





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Sucrose:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 72 h Test Type: static test

Method: Method Not Specified.

Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Components:

Rimsulfuron:

Biodegradability : Result: Not readily biodegradable.

Sucrose:

ThOD : 1.12 kg/kg

Photodegradation : Test Type: Half-life (indirect photolysis)

Sensitizer: OH radicals

Concentration: 1,500,000 1/cm3 Rate constant: 1.1479E-10 cm3/s

Method: Estimated.

Bioaccumulative potential

Components:

Rimsulfuron:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

Remarks: No relevant data found.

Sucrose:

Bioaccumulation : Bioconcentration factor (BCF): 3

Method: Estimated.

Partition coefficient: n-

octanol/water

: Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

Potential for mobility in soil is very high (Koc between 0 and

50).

log Pow: -3.7 - -3.67 Method: Estimated.





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Remarks: Bioconcentration potential is low (BCF < 100 or Log

Pow < 3).

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde:

Partition coefficient: n-

octanol/water

Remarks: No relevant data found.

Balance:

Partition coefficient: n-

octanol/water

Remarks: No relevant data found.

Mobility in soil

Product:

Distribution among environ-

mental compartments

Remarks: Potentially mobile, but the leaching potential is miti-

gated by rapiddegradation.

Components:

Sucrose:

Distribution among environ-

mental compartments

Koc: 3.16

Method: Estimated.

Remarks: Potential for mobility in soil is very high (Koc be-

tween 0 and 50).

Balance:

Distribution among environ-

mental compartments

Remarks: No relevant data found.

Other adverse effects

Components:

Rimsulfuron:

Results of PBT and vPvB

assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Sucrose:

Results of PBT and vPvB

assessment

: This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Lignin, Alkali, Reaction Products with Disodium Sulfite and Formaldehyde:

Results of PBT and vPvB

assessment

This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

Balance:

Results of PBT and vPvB

assessment

This substance has not been assessed for persistence, bioac-

cumulation and toxicity (PBT).

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list

of substances that deplete the ozone layer.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : If wastes and/or containers cannot be disposed of according

to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regu-

lations.

If the material as supplied becomes a waste, follow all appli-

cable regional, national and local laws.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Rimsulfuron)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Rimsulfuron)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 956

aircraft)

Packing instruction (passen-

ger aircraft)

956





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

IMDG-Code

UN number : UN 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

(Rimsulfuron)

Class : 9
Packing group : III
Labels : 9
EmS Code : 5-4

EmS Code : F-A, S-F Marine pollutant : yes

Remarks : Stowage category A

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Disodium hydrogen phosphate 7558-79-4 Sucrose 57-50-1

The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.





Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

No substances are subject to TSCA 12(b) export notification requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 352-748

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

SECTION 16. OTHER INFORMATION

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and



Resolve® SG

Version Revision Date: SDS Number: Date of last issue: -

1.0 04/04/2022 800080000404 Date of first issue: 04/04/2022

Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/04/2022

Product code: GF-3866

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN