

# Product Bulletin



Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## 2(ee) Recommendation

Use information in accordance with Section 2(ee) of FIFRA

### FONTELIS® FUNGICIDE

EPA REG. No. 352-834

## FOR SUPPRESSION OF PINK ROOT DISEASE OF ONIONS IN THE STATE OF TEXAS

**FOR USE AND DISTRIBUTION IN THE STATE OF TEXAS ONLY**

**This 2(ee) recommendation expires on December 31, 2026.**

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

#### **Suppression of Pink Root**

##### **Disease Pre-Plant Application**

##### **Timing:**

For the suppression of Pink Root disease, apply Fontelis® at 24 fl oz per acre as a broadcast or band spray over the seedbed prior to planting and incorporate to a depth of 1-2 inches using mechanical incorporation equipment or incorporate using overhead irrigation by applying at least 0.5 inch of irrigation water.

##### **Post-Plant Timing:**

For best results, apply Fontelis at 24 fl oz per acre after planting before seedling onions are beyond the 3 leaf stage. Because Pink Root is a soil borne disease, it is important to protect seedling plants before they become heavily infected. Treatments made after the 3 leaf stage may not be as effective as the Pre-Plant application timing. Post-plant application can be made as a broadcast or banded spray and incorporated via overhead irrigation using at least 0.5 acre inches of water or via overhead chemigation (0.25 -0.5 inches water/ac).

**IMPORTANT NOTICE**

**BEFORE BUYING OR USING CORTEVA PRODUCT(S) COVERED BY THIS BULLETIN, READ THIS BULLETIN, AND THE LABELS FOR ALL PRODUCTS REFERENCED IN THIS BULLETIN, IN THEIR ENTIRETY, AND FOLLOW ALL APPLICABLE DIRECTIONS, RESTRICTIONS AND PRECAUTIONS.**

**It is a violation of Federal law to use this or any other pesticide product in a manner inconsistent with its labeling. This Bulletin contains supplemental instructions for use of the referenced Corteva product. Follow these instructions carefully. This Bulletin must be in the possession of the User at the time of application. Read the Limitation of Warranty and Liability on the Section 3 Federal product label before buying or using the Corteva product(s) covered by this Bulletin. Corteva will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated by Corteva on the Section 3 label, or other labels, or this Bulletin. User assumes all risks associated with any such nonspecified use. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. Otherwise, use by Buyer or any other User constitutes acceptance of the terms of the Limitation of Warranty and Liability of the Section 3 Federal product label.**

<sup>TM</sup>® Trademarks of Corteva Agriscience and its affiliated companies

R613-025

Approved: 12/07/23

Replaces R613-003