

Product Bulletin

Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Radiant[®] SC

EPA Reg. No. 62719-545

2(ee) Recommendation[†]

For Distribution and Use Only in the State of Texas

This product bulletin expires December 31, 2026, and must not be used or distributed after this date.

Early Season Suppression of Thrips in Peanuts

ATTENTION

† This recommendation is made as permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions, and limitations on the product label attached to the container for this product.

Directions for Use

Read the label affixed to the container for Radiant[®] SC before applying. Carefully follow all precautionary statements and applicable use directions.

Except as specified in this product bulletin, use of Radiant SC is subject to all use precautions and limitation imposed by the label affixed to the container of Radiant SC.

Apply 1.5 to 3 fl oz of Radiant SC per acre to provide early season suppression of thrips in peanuts. For heavier infestations, use a higher rate in the rate range.

Using Radiant SC is not a replacement for insecticide seed treatments or in-furrow insecticide applications at planting. Early season, foliar applications of Radiant SC to suppress thrips in peanuts should only be made to fields that have already received an insecticide seed treatment or in-furrow insecticide application for thrips control.

Use of an adjuvant may increase the level of thrips control.

®™ Trademarks of Corteva Agriscience and its affiliated companies

R358-047

Approved: 02/22/2024

Replaces R358-036