

UltraLock™

By WINFIELD

Adjuvant

DRIFT CONTROL AGENT and DEPOSITION AID

PRINCIPAL FUNCTIONING AGENTS:

KEEP OUT OF REACH OF CHILDREN



WARNING

Causes serious eve irritation.

Wash face, hands, and any exposed skin thoroughly after handling. Wear eye/face protection.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **In case of medical emergency, call toll free 1-877-424-7452.**

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. **STORAGE:** Store in original container only and keep sealed. Store in closed storage areas. **DO NOT FREEZE. DISPOSAL:** Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. Contact your state and local ACRC recycler or visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

FOR CHEMICAL EMERGENCY: Spill, leak, fire, exposure, or accident, call CHEMTREC 1-800-424-9300.

GENERAL INFORMATION

ULTRALOCK is a spray adjuvant designed to maximize pesticide performance by reducing fine droplets and improving deposition of the spray application onto the intended target. ULTRALOCK is versatile and works with a wide range of spray nozzles, including those classified as extremely coarse and ultra-coarse. ULTRALOCK should be used together with proper spray equipment selection, set-up, and use, including boom height, nozzle type, size, and pressure.

DIRECTIONS FOR USE SHAKE WELL BEFORE USE

Prior to use, read and follow all directions on this label and on the label of the tank mix partner(s). The tank mix partner(s) label for specific usages and restrictions has precedence over the DIRECTIONS FOR USE referred to on this label.

ULTRALOCK must be thoroughly mixed before use.

GENERAL RECOMMENDED USE RATE:

Rate of ULTRALOCK	Spray Solution Gallons per Acre (GPA)
4-6 oz/acre	5 to 25 GPA
8-10 oz/acre	25 to 50 GPA
10 oz/acre	>50 GPA

USE RATE AS A DRA WITH ENGENIA®:

TO COLUMN TO THE PART OF THE P	
Rate of ULTRALOCK	Spray Solution Gallons per Acre (GPA)
4 oz/acre	15 to 25 GPA

USE RATE AS A DRA WITH XTENDIMAX® and TAVIUM®:

Rate of ULTRALOCK	Spray Solution Gallons per Acre (GPA)
6 oz/acre	15 to 25 GPA

The higher rate of ULTRALOCK within the range listed in the above table, is recommended for when using higher rates of pressure or increased GPA of the spray solution.

MIXING:

Before mixing pesticides with ULTRALOCK, conduct a jar test to determine tank mix compatibility.

Add ULTRALOCK after pesticides or other adjuvants are added but prior to complete filling of the spray tank.

MAINTAIN AGITATION AT ALL TIMES UNTIL THE CONTENTS OF THE TANK ARE SPRAYED OUT

NOTICE OF WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. This warranty does not extend to the storage, handling or use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to Seller, and Buyer assumes the risk of any such storage, handling or use. Seller shall not be responsible for incidental or consequential damages, if any, resulting from a breach of warranty.

UltraLock™ is a trademark of Winfield Solutions, LLC.
Engenia® is a registered trademark of BASF Corporation.
XtendiMax® is a registered trademark of Bayer Group.
Tavium® is a registered trademark of Syngenta Crop Protection, LLC.