

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION

Product Name: TECH-FLO ZETA ZINC 22%

Synonyms: None

Product Use: Agricultural nutrient product used to improve plant health.

Product Restrictions: Not for human or animal consumption.

Manufacturer Name: Nutrient Technologies, Inc.

Address: 1092 E. Kamm Ave., Dinuba, CA 93618

General Phone Number: (559) 595-8090

Transportation Emergency #: CHEMTREC: 800-424-9300

SECTION 2 - HAZARD(S) IDENTIFICATION





Signal word: Warning

GHS Class: Eye Irritant, Category 2, Skin Irritant, Category 5,

Aquatic toxicity (Acute/Chronic), Category 1/2

Hazard Statements: Causes eye and skin irritation

Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention: Wear protective clothing, gloves, eye, and face protection.

Response: Wash hands thoroughly after handling.

Disposal: Dispose of unused contents, container and other wastes in accordance with local,

state, and federal regulations.

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

ComponentCAS NumberWeight%Proprietary blend of plant nutrients100%

and inert ingredients including: zinc oxysulfate

SECTION 4 – FIRST AID MEASURES

Eye contact: Immediately flush opened eyes with plenty of water for 15-20 minutes. Get medical

attention if irritation persists.

Skin Contact: Immediately wash skin with soap and water. Get medical attention if irritation

persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. Seek

immediate medical attention

Ingestion: If swallowed, do not induce vomiting. Call a physician or poison control center.

Never give anything by mouth to an unconscious person.

SECTION 5 - FIRE FIGHTING MEASURES

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog when fighting

fires involving this product.

Specific hazards arising

from the chemical

If heated containers may burst from increased pressure. This material is toxic to

aquatic life, contain fire fighting water runoff from water ways.

Protective Equipment: As in any fire, wear self-contained breathing apparatus (SCBA), MSHA/NIOSH

approved, and full protective gear.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions: Evacuate area and keep unnecessary and unprotected personnel from entering spill

area. Do not walk through spilled material. Put on appropriate personal protective

equipment (section 8).

Environmental Precautions: Avoid runof

Avoid runoff into waterways, drains and sewers.

Methods for containment: C

Contain spills with an inert absorbent material such as soil or sand. Prevent

spreading by diking or other means.

Methods for cleanup: Clean up spills immediately and place in suitable container for disposal. Provide

ventilation. After removal, flush spill area with soap and water.

SECTION 7 – HANDLING and STORAGE

Precautions for handling: Use with adequate ventilation. Avoid breathing vapor and contact with eyes, skin

and clothing.

Precautions for storage: Store in a cool, dry, well-ventilated area away from heat, combustible and

incompatible materials. Keep container tightly closed when not in use.

SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

Occupational exposure limits
None established

Appropriate engineering

Personal protective

controls

equipment

Use appropriate engineering control such as enclosures, exhaust ventilation, or other means to control airborne levels below the recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Wear splash-proof goggles, chemical resistant gloves. Protective equipment equipment for the face and body should be selected based on the task being

performed; avoid product contact with skin and clothing.

SECTION 9 – PHYSICAL and CHEMICAL PROPERTIES

Odor/appearance: Viscous gray-white liquid, indeterminate odor

Odor threshold: Not determined Boiling point: 100 °C (212 °F) Melting point: Not applicable

Flash point: None.

Product: TECH-FLO ZETA ZINC 22% Nutrient Technologies, Inc. Revision: 5/30/15 Page 2 of 4

Flammability: Not applicable

Density: 1.440 g/cm3 (12.0 lbs/gal)

Solubility: Not determined Vapor Density: Not Applicable Vapor Pressure: Not Applicable Evaporation rate: Not Applicable

pH: 6-8

Viscosity: 1000-2000cps
Partition coefficient: Not Applicable

(n-octanol/water)

SECTION 10 - STABILITY and REACTIVITY

Chemical stability: Stable under normal temperatures and pressures

Hazardous Polymerization: Not reported.

Conditions to avoid: Heat, flames, incompatible materials, and freezing temperatures (below 0 °C/32 °F).

Incompatible materials: Oxidizing agents. Strong acids and alkalis.

SECTION 11 – TOXICOLOGICAL INFORMATION

Acute Toxicity (Oral LD50): No LD50 available. May be harmful if swallowed

Acute Toxicity (Dermal LD50): No LD50 available. May irritate the skin.

Acute Toxicity Inhalation LC50: No LC50 available. May be harmful if inhaled

Likely routes of exposure

Skin irritation: May irritate the skin Eye irritation: May irritate the eyes.

Skin sensitization: Not tested

Carcinogenic: Not listed by IARC, NTP, or OSHA.

Chronic effects: None known. Other hazards: None known.

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: No ecotoxicity data was found for this product. Environmental fate: No environmental information found for this product.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste disposal: Dispose of in accordance with local, state and federal regulations. Arrange disposal in

accordance to the EPA and/or state and local guidelines. Empty containers may retain

product residues.

SECTION 14 - TRANSPORT INFORMATION

Product: TECH-FLO ZETA ZINC 22%

UN transport shipping name: Not restricted as dangerous good.

Transport hazard class:

UN Identification number:

None
Packing group:

None

IATA Shipping name: Not restricted as dangerous good.

SECTION 15 – REGULATORY INFORMATION

Proprietary ingredients TSCA Inventory status – listed

SARA 313 This material does not contain any chemical components with known CAS

numbers that exceed the threshold reporting levels established by SARA

Title III, Section 313.

SECTION 16 – ADDITIONAL INFORMATION

HMIS rating: Health hazard: 1

Fire hazard: 1
Reactivity: 0
Other: x

SDS revision date: May 30, 2015