Product Bulletin



Corteva Agriscience LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Radiant® SC EPA Reg. No. 62719-545

2(ee) Recommendation[†]

For Distribution and Use Only Within the State of Texas

Expiration date December 31, 2026

Control of Spotted Wing Drosophila on Fruiting Vegetables (Crop Group 8-10)¹ and Okra

ATTENTION

- † This recommendation is made as permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA.
- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions, and limitations on the product label attached to the container for this product.

Directions for Use

Refer to product label for Radiant® SC for General Use Precautions, Mixing Directions and Application Directions.

Radiant SC can be used as part of an integrated program to manage spotted wing drosophila. This use is limited to ground application.

Apply 6 to 10 fl oz of Radiant SC per acre to fruiting vegetables and okra for control of spotted wing drosophila. Use a higher rate in the rate range for moderate to severe infestations and/or larger plant volume. Begin applications at first signs of adult activity. Due to the occurrence of multiple generations in a growing season, repeated applications may be required. Follow resistance management recommendations on the product label.

Consult your Corteva Agriscience representative, extension service specialist, certified crop advisor or your state agricultural experiment station for any additional local use recommendations for your area. Refer to specific crop sections of the product label for additional information and restrictions.

™®Trademarks of Corteva Agriscience and its affiliated companies

R358-045

Approved: 08/23/2023 Replaces R358-023