



# ITERA

## Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF FLORIDA

**Reglone® Desiccant**

**For Weed Control in Row Middles of Tomatoes, Eggplant, and Green Peppers.**

**EPA Reg. No. 100-1061  
EPA SLN No. FL-000010**

**Active Ingredient:**

Diquat dibromide [6, 7 -dihydrodipyrido (1,2-a:2' ,1'-c) pyrazinediium dibromide].....37.3%

**Other Ingredients:**.....62.7%

**Total:** 100.0%

Reglone Dessicant is formulated as a soluble liquid containing 2 lb diquat cation per gal as 3.73 lb salt per gal.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

### **DIRECTIONS FOR USE**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN label and main EPA-registered label must be in the possession of the user at the time of pesticide application.
- Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on this SLN label and the main EPA-registered label.
- Reglone Desiccant can be applied as a post-directed application to the row middles either prior to transplanting or as a post-directed hooded spray application to the tomato, eggplant and green pepper row middles when the transplants are well established.

### **For Control of Nightshade and Parthenium spp:**

- Apply 1 quart of Reglone Desiccant in 20 to 50 gallons of water per treated acre when weeds are 2 to 4 inches in height. Do not exceed 25 psi. spray pressure. A maximum of two applications can be made during the growing season. Weed control will decrease when treatment is made beyond the 4 inch stage of growth. Always add 2 pints of a 75% nonionic spreader per 100 gallons of spray mix. Reglone Desiccant can be tanked mixed with Gramoxone for this use for the crops listed on the Gramoxone label.

**RESTRICTIONS:**

- Do not allow spray to contact crop foliage or treat under conditions which will cause spray drift, as phytotoxicity to crop plants will result. Do not apply when wind speed exceeds 5 mph.
- Do not use dirty or muddy water for Reglone Desiccant dilution as Reglone Desiccant will be inactivated.
- Do not apply later than 30 days before harvest.

**Do not apply this product for this use through any type of irrigation system.**

---

©2022 Syngenta

Reglone® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant:  
Syngenta Crop Protection, LLC  
P. O. Box 18300  
Greensboro, NC 27419-8300

Label Code: FL1061060AA1111