

PRODUCT BULLETIN
2(ee) Recommendation

**THIS PRODUCT BULLETIN CONTAINS NEW OR ADDITIONAL
DIRECTIONS FOR USE
WHICH ARE RECOMMENDED BY INNVICTIS CROP CARE LLC
UNDER FIFRA SECTION 2(ee)**



EPA Reg. No. 89167-89-89391

FIFRA Section 2(ee) Recommendation: This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or accepted by the U.S. Environmental Protection Agency. It is a violation of federal law to use this product in a manner inconsistent with its label. This product bulletin must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

**FOR DISTRIBUTION AND USE ONLY WITHIN STATES VAUNT AND
TANK MIX PRODUCTS ARE CURRENTLY REGISTERED**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product inconsistent with its labeling.

Addition of Late Blight (*Phytophthora infestans*) as a Pest Controlled on Potato

Pest	Rate	Application Instructions
Late blight (<i>Phytophthora infestans</i>)	6.4 oz/A (0.1 lb ai)	A tank mix with a labeled rate of mancozeb <u>or</u> Eluvium (chlorothalonil) product is required. Begin preventative applications when conditions are favorable for disease. Apply on a 14 day schedule and alternate with an effective non-Group 4 fungicide. Use in conjunction with other management practices such as crop rotation and resistant varieties.
VAUNT RESTRICTIONS <ul style="list-style-type: none">• DO NOT use the “dribble” application method.• DO NOT exceed 1.36 pt/A (0.34 lb ai) per year for soil applications and 1.6 pt/A (0.4 lb ai) per year for foliar applications.• DO NOT apply within 14 days of harvest (PHI=14 days).		

Always refer to the complete product labels for full use directions and precautionary language.

Distributed By:
INNVICTIS CROP CARE, LLC
1880 Fall River Drive, Suite 100
Loveland, CO 80538

050323