according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Revision Date: SDS Number: Date of last issue: 04/26/2021 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

SECTION 1. IDENTIFICATION

Product name : MAXIM 480FS

Design code : A9459C

Product Registration number : 100-1630

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC

Address : Post Office Box 18300 Greensboro NC 27419

United States of America (USA)

Telephone : 1 800 334 9481 Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com

Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

Other hazards

None known.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
fludioxonil (ISO)	131341-86-1*	39.3765	-
propane-1,2,3-triol	56-81-5*	>= 7 - <= 13	TSC

^{*} Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Date of last issue: 04/26/2021 Revision Date: SDS Number: 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

SECTION 4. FIRST AID MEASURES

General advice Have the product container, label or Safety Data Sheet with

you when calling the emergency number, a poison control

center or physician, or going for treatment.

If inhaled Take the victim into fresh air.

If breathing is irregular or stopped, administer artificial respira-

tion.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

Take off all contaminated clothing immediately. In case of skin contact

> Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

> for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

If swallowed If swallowed, seek medical advice immediately and show this

container or label.

Do NOT induce vomiting.

No symptoms known or expected.

There is no specific antidote available.

Most important symptoms

and effects, both acute and

Notes to physician

delayed

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Nonspecific

Extinguishing media - large fires

Alcohol-resistant foam

or

Water spray

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during fire

fighting

As the product contains combustible organic ingredients, fire

will produce dense black smoke containing hazardous prod-

ucts of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Fluorine compounds

Further information Do not allow run-off from fire fighting to enter drains or water

Cool closed containers exposed to fire with water spray.

according to the OSHA Hazard Communication Standard



MAXIM 480FS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/26/2021

 2.1
 12/17/2025
 S00034169652
 Date of first issue: 12/11/2018

Special protective equipment :

for fire-fighters

Wear full protective clothing and self-contained breathing ap-

paratus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emer-

gency procedures

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

Clean contaminated surface thoroughly. Clean with detergents. Avoid solvents.

Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke.

For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
fludioxonil (ISO)	131341-86-1	TWA	5 mg/m3	Syngenta
		TWA (Inhal-	1 mg/m3	ACGIH
		able particu-		
		late matter)		
propane-1,2,3-triol	56-81-5	TWA (mist,	5 mg/m3	OSHA Z-1
		respirable		
		fraction)		
		TWA (mist,	15 mg/m3	OSHA Z-1
		total dust)		
		TWA (Mist -	10 mg/m3	OSHA P0
		total dust)		
		TWA (Mist -	5 mg/m3	OSHA P0

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Revision Date: SDS Number: Date of last issue: 04/26/2021 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

respirable fraction)

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS

CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical

protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the

actual risks in use.

Maintain air concentrations below occupational exposure

standards.

Where necessary, seek additional occupational hygiene ad-

vice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection

Remarks : No special protective equipment required. Eye protection : No special protective equipment required. Skin and body protection : No special protective equipment required.

Select skin and body protection based on the physical job

requirements.

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment.

When selecting personal protective equipment, seek appro-

priate professional advice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : off-white to gray

Odor : No data available

Odor Threshold : No data available

pH : 5-9

Concentration: 1 %w/v

Melting point/freezing point : No data available

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Revision Date: SDS Number: Date of last issue: 04/26/2021 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

Initial boiling point and boiling :

range

No data available

Flash point : Method: Pensky-Martens closed cup

does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.219 g/cm3 (77 °F / 25 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : 887 °F / 475 °C

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 61 - 154 mPa.s (104 °F / 40 °C)

82 - 191 mPa.s (68 °F / 20 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : $31.0 \text{ mN/m}, 68 \degree \text{F} / 20 \degree \text{C}$

Particle characteristics

Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable. Chemical stability : Stable under normal conditions.

according to the OSHA Hazard Communication Standard



MAXIM 480FS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/26/2021

 2.1
 12/17/2025
 S00034169652
 Date of first issue: 12/11/2018

Possibility of hazardous reac- :

tions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed. Incompatible materials : None known.

incompatible materials . None know

Hazardous decomposition

products

: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion Inhalation Skin contact Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.64 mg/l

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

Components:

fludioxonil (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

propane-1,2,3-triol:

Acute oral toxicity : LD50 (Rat, female): > 4,000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC50 (Rat, male): > 2.75 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Assessment: The substance or mixture has no acute inhala-

tion toxicity

according to the OSHA Hazard Communication Standard



MAXIM 480FS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/26/2021

 2.1
 12/17/2025
 S00034169652
 Date of first issue: 12/11/2018

Acute dermal toxicity : LD50 (Rat, female): > 5,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No skin irritation

Components:

fludioxonil (ISO):

Species : Rabbit

Result : No skin irritation

propane-1,2,3-triol:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Components:

fludioxonil (ISO):

Species : Rabbit

Result : No eye irritation

propane-1,2,3-triol:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Species : Guinea pig

Result : Does not cause skin sensitization.

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version **Revision Date:** Date of last issue: 04/26/2021 SDS Number: 12/17/2025 S00034169652 Date of first issue: 12/11/2018 2.1

Components:

fludioxonil (ISO):

Species Guinea pig

Result Does not cause skin sensitization.

propane-1,2,3-triol:

Species Guinea pig

Result Not a skin sensitizer.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

fludioxonil (ISO):

Germ cell mutagenicity -

Animal testing did not show any mutagenic effects.

Assessment

propane-1,2,3-triol:

Germ cell mutagenicity -

: In vitro tests did not show mutagenic effects

Assessment

Carcinogenicity

Not classified due to lack of data.

Components:

fludioxonil (ISO):

Carcinogenicity - Assess-

No evidence of carcinogenicity in animal studies.

No evidence of carcinogenicity in animal studies.

ment

propane-1,2,3-triol:

Carcinogenicity - Assess-

ment

Reproductive toxicity

Not classified due to lack of data.

Components:

fludioxonil (ISO):

Reproductive toxicity - As-

No toxicity to reproduction

sessment

propane-1,2,3-triol:

Reproductive toxicity - As-

No toxicity to reproduction, No effects on or via lactation

sessment

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Date of last issue: 04/26/2021 Revision Date: SDS Number: 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

Components:

fludioxonil (ISO):

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

propane-1,2,3-triol:

Assessment The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish LC50 (Danio rerio (zebra fish)): 1.13 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 50.25 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.82 mg/l

Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)):

0.01 mg/l

End point: Growth rate Exposure time: 72 h

Components:

fludioxonil (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.4 mg/l

Exposure time: 48 h

EC50 (Americamysis): 0.27 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

ErC50 (Raphidocelis subcapitata (freshwater green alga)):

0.259 mg/l

Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Revision Date: SDS Number: Date of last issue: 04/26/2021 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

0.077 mg/l

End point: Growth rate Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l

Exposure time: 96 h

NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l

End point: Growth rate Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l

Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.018 mg/l

Exposure time: 116 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.035 mg/l

Exposure time: 21 d

NOEC (Americamysis): 0.018 mg/l

Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Persistence and degradability

Components:

fludioxonil (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 450 - 700 d

Remarks: Persistent in water.

Bioaccumulative potential

Components:

fludioxonil (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-

octanol/water

log Pow: 4.12 (77 °F / 25 °C)

Mobility in soil

Components:

fludioxonil (ISO):

Distribution among environ-

mental compartments

Stability in soil : Dissipation time: 14 d

Percentage dissipation: 50 % (DT50) Remarks: Product is not persistent.

10 / 14

Remarks: immobile

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Revision Date: SDS Number: Date of last issue: 04/26/2021 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

Other adverse effects

Components:

fludioxonil (ISO):

Results of PBT and vPvB

assessment

Endocrine disrupting poten-

tial

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance does not have endocrine disrupting properties.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incinera-

tion.

If recycling is not practicable, dispose of in compliance with

local regulations.

This product will not be classified as a RCRA characteristic

hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.

Triple rinse containers.

Empty containers should be taken to an approved waste han-

dling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL, 2-BROMO-2-NITROPROPANE-1,3-DIOL)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

Remarks : This product can be subject to exemptions when packaged in

single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(FLUDIOXONIL, 2-BROMO-2-NITROPROPANE-1,3-DIOL)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Date of last issue: 04/26/2021 Revision Date: SDS Number: 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

aircraft)

Packing instruction (passen-

ger aircraft)

964

Environmentally hazardous

yes

Remarks This product can be subject to exemptions when packaged in

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

IMDG-Code

UN number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(FLUDIOXONIL, 2-BROMO-2-NITROPROPANE-1,3-DIOL)

Class 9 Packing group Ш Labels 9 EmS Code F-A, S-F yes Marine pollutant

This product can be subject to exemptions when packaged in Remarks

> single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a

net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Shipment by ground under DOT is non-regulated; however it Remarks

may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: Caution

Harmful if swallowed.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

according to the OSHA Hazard Communication Standard



MAXIM 480FS

Version Revision Date: SDS Number: Date of last issue: 04/26/2021 2.1 12/17/2025 S00034169652 Date of first issue: 12/11/2018

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards


SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

Syngenta : Syngenta Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration asso-

according to the OSHA Hazard Communication Standard



MAXIM 480FS

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04/26/2021

 2.1
 12/17/2025
 S00034169652
 Date of first issue: 12/11/2018

ciated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 12/17/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN