ACETO DIQUAT 2L AG HERBICIDE

This is supplemental labeling for canola.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The labeling must be in possession of the user at the time of application.

Read the label affixed to the container for ACETO DIQUAT 2L AG HERBICIDE before applying.

Read the entire label before using this product. Use only according to label instructions.

Read "WARRANTY DISCLAIMER" and "LIMITATION OF LIABILITY" before buying or using. If terms are not acceptable, return product at once unopened.

Use of ACETO DIQUAT 2L AG HERBICIDE according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for ACETO DIQUAT 2L AG HERBICIDE.

See product label for complete Directions for Use, Precautions, Restrictions, First Aid, Storage and Disposal.

EPA Reg. No. 2749-530

Aceto Agricultural Chemicals Corporation 4 Tri Harbor Court Port Washington, NY 11050

SPECIFIC USE DIRECTIONS

The following table indicates use pattern, rates, minimum spray volumes, and pre-harvest interval for specific uses.

Стор	Use Pattern	Aceto Diquat 2L AG Herbicide Rate Per Acre	Precautions, Restrictions and Comments
Canola	Pre-harvest desiccation broadcast	1 ½ - 2 pts.	 Apply a minimum of 15 gallons of spray per acre by ground. Apply a minimum of 5 gallons of spray per acre by air. Minimum post-harvest interval (PHI) is 7 days. Harvest must be completed no more than 10 days after application.