

<b>RIMSULFURON</b>	<b>GROUP</b>	<b>2</b>	<b>HERBICIDE</b>
<b>THIFENSULFURON-METHYL</b>	<b>GROUP</b>	<b>2</b>	<b>HERBICIDE</b>

# FIFRA Section 24(c) Special Local Need Label



**Corteva Agriscience LLC 9330 Zionsville Road Indianapolis, IN 46268-1054 USA**

## Leadoff

EPA Reg. No. 352-853

EPA SLN No. LA 16-0002

For Distribution and Use Only in the State of Louisiana

### RICE ROTATION INTERVAL

**Expiration date:** This label expires and must not be distributed or used in accordance with this SLN registration after March 4, 2026.

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read this SLN and the label affixed to the container for this product before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of this product according to this FIFRA 24(c) Special Local Need labeling is subject to all use precautions and limitations imposed by the label affixed to the container for this product.
- Corteva Agriscience will not be responsible for losses or damages resulting from the use of this product in any manner not specifically directed by Corteva Agriscience. User assumes all risks associated with such non-directed use.

#### Directions for Use

Refer to product labeling for Use Precautions and Restrictions, Mixing and Application instructions.

The following rotational intervals must be observed:

<b>CROP</b>	<b>MAXIMUM USE RATE</b>	<b>INTERVAL</b>	<b>INTERVAL Soil pH ≤ 6.5</b>
Rice	1.5 OZ/A	10 months	60 days
	2.0 OZ/A	10 months	90 days

#### Precautions

- Planting rice fewer than 60-days following an application of Leadoff herbicide at 1.5 oz per acre or 90-days following an application at 2.0 oz per acre may result in unacceptable crop response and reduction in yield.
- Temporary leaf yellowing and/or retardation of rice growth may occur following application of Leadoff herbicide.
- These effects will be most evident 1-2 weeks after planting rice. Under favorable growing conditions, the crop will quickly recover. Planting a CLEARFIELD variety of rice may reduce initial crop response.

™©Trademarks of Corteva Agriscience and its affiliated companies

R627-002

Approved: 05/31/2023

Replaces R628-011