

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

SECTION 1. IDENTIFICATION

Product name : ALTO 100SL FUNGICIDE
Design code : A9898A

Product Registration number : 100-1226

Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC
Address : Post Office Box 18300
Greensboro NC 27419
United States of America (USA)

Telephone : 1 800 334 9481
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com
Emergency telephone : 1 800 888 8372

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : General Use Pesticide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Reproductive toxicity : Category 1B

Specific target organ toxicity : Category 2 (Liver)
- repeated exposure

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360D May damage the unborn child.
H373 May cause damage to organs (Liver) through prolonged or

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

repeated exposure.

Precautionary Statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist or vapors.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-	25322-68-3*	>= 65 - <= 85	TSC
cyproconazole (ISO)	94361-06-5*	8.9286	-
N-methyl-2-pyrrolidone	872-50-4*	>= 5 - <= 10	TSC
2-(2-nonylphenoxy)ethanol; phosphoric acid	51811-79-1*	>= 3 - <= 7	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Take the victim into fresh air.
If breathing is irregular or stopped, administer artificial respiration.

Keep patient warm and at rest.

Call a physician or poison control center immediately.

In case of skin contact : Take off all contaminated clothing immediately.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : Nonspecific
No symptoms known or expected.
May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure.

Notes to physician : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Chlorine compounds
Oxides of phosphorus

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures : Refer to protective measures listed in sections 7 and 8.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version 1.2 Revision Date: 06/15/2026 SDS Number: S00033594904 Date of last issue: 08/05/2015
Date of first issue: 08/05/2015

gency procedures

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-	25322-68-3	TWA (aerosol)	10 mg/m ³	US WEEL
cyproconazole (ISO)	94361-06-5	TWA	0.4 mg/m ³	Syngenta
N-methyl-2-pyrrolidone	872-50-4	TWA	40 mg/m ³	Supplier
		TWA	15 ppm 60 mg/m ³	US WEEL
		STEL	30 ppm 120 mg/m ³	US WEEL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after	100 mg/l	ACGIH BEI

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

				exposure ceases)		
--	--	--	--	------------------	--	--

Engineering measures : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow to brown

Odor : weak

Odor Threshold : No data available

pH : 3.8
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 268 °F / 131 °C
(1,013 hPa)
Method: DIN EN 22719

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.12 g/cm³ (77 °F / 25 °C)

Solubility(ies)
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : 617 °F / 325 °C

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : 104 mPa.s (68 °F / 20 °C)
40.3 mPa.s (104 °F / 40 °C)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 32.3 mN/m, 0.500 %, 68 °F / 20 °C

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5,000 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:

cyproconazole (ISO):

Acute oral toxicity : LD50 (Rat, male): 350 mg/kg

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.03 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

N-methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 8,000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

cyproconazole (ISO):

Species : Rabbit
Result : No skin irritation

N-methyl-2-pyrrolidone:

Species : Rabbit
Result : Irritating to skin.

2-(2-nonylphenoxy)ethanol; phosphoric acid:

Result : Irritating to skin.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

Components:

cyproconazole (ISO):

Species : Rabbit
Result : No eye irritation

N-methyl-2-pyrrolidone:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

2-(2-nonylphenoxy)ethanol; phosphoric acid:

Result : Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Not classified due to lack of data.

Product:

Species : Guinea pig
Result : Does not cause skin sensitization.

Components:

cyproconazole (ISO):

Species : Guinea pig
Result : Does not cause skin sensitization.

N-methyl-2-pyrrolidone:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

cyproconazole (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

N-methyl-2-pyrrolidone:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Not classified due to lack of data.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

Components:

cyproconazole (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

N-methyl-2-pyrrolidone:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

May damage the unborn child.

Components:

cyproconazole (ISO):

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

N-methyl-2-pyrrolidone:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified due to lack of data.

Components:

N-methyl-2-pyrrolidone:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT-repeated exposure

May cause damage to organs (Liver) through prolonged or repeated exposure.

Components:

cyproconazole (ISO):

Target Organs : Liver
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

N-methyl-2-pyrrolidone:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Remarks : Not classified due to data which are conclusive although insufficient for classification.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 64.5 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 141 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 59 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 10 mg/l
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l
End point: Growth rate
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.6 mg/l
Exposure time: 21 d

Components:

ciproconazole (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 19 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.077 mg/l
Exposure time: 96 h

NOEC (Desmodesmus subspicatus (green algae)): 0.021 mg/l
Exposure time: 96 h

ErC50 (Lemna gibba (gibbous duckweed)): > 0.2 mg/l
Exposure time: 7 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

NOEC (Lemna gibba (gibbous duckweed)): 0.025 mg/l
End point: Growth rate
Exposure time: 7 d

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.305 mg/l
Exposure time: 93 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.023 mg/l
Exposure time: 21 d

N-methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 24 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l
Exposure time: 21 d

2-(2-nonylphenoxy)ethanol; phosphoric acid:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 12.7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 19.5 mg/l
Exposure time: 48 h

Persistence and degradability

Components:

poly(oxy-1,2-ethanediyl), alpha-hydro-omega-hydroxy-

Biodegradability : Result: Readily biodegradable.

cyproconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 5 d (20 °C)
Remarks: Product is not persistent.

N-methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.

2-(2-nonylphenoxy)ethanol; phosphoric acid:

Biodegradability : Result: Biodegradable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

Bioaccumulative potential

Components:

cyproconazole (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

N-methyl-2-pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.46 (77 °F / 25 °C)

Mobility in soil

Components:

cyproconazole (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Dissipation time: 100 - 124 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

Other adverse effects

Components:

cyproconazole (ISO):

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

Endocrine disrupting potential : Does not have endocrine disrupting properties.

N-methyl-2-pyrrolidone:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
This product will not be classified as a RCRA characteristic hazardous waste when discarded.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYPROCONAZOLE)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (CYPROCONAZOLE)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYPROCONAZOLE)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

49 CFR

Not regulated as a dangerous good

Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Harmful if swallowed.

Harmful if inhaled.

Harmful if absorbed through skin.

Avoid contact with skin, eyes or clothing.

Causes moderate eye irritation.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Remove and wash contaminated clothing before re-use.

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

N-methyl-2-pyrrolidone	872-50-4	>= 5 - < 10 %
------------------------	----------	---------------

California Prop. 65

WARNING: This product can expose you to chemicals including N-methyl-2-pyrrolidone, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard




ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA
US WEEL / STEL	:	Short-Term TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC_x - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



ALTO 100SL FUNGICIDE

Version	Revision Date:	SDS Number:	Date of last issue: 08/05/2015
1.2	06/15/2026	S00033594904	Date of first issue: 08/05/2015

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06/15/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN