

# SAFETY DATA SHEET



## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

---

### SECTION 1. IDENTIFICATION

Product name : DPX-YT669 250FS Seed Treatment

#### Manufacturer or supplier's details

#### COMPANY IDENTIFICATION

**Manufacturer/importer** : CORTEVA AGRISCIENCE LLC  
9330 ZIONSVILLE RD  
INDIANAPOLIS, IN, 46268-1053  
UNITED STATES

**Customer Information Number** : 1-800-258-3033

**E-mail address** : customerinformation@corteva.com

**Emergency telephone** : INFOTRAC (CONTRACT 84224).  
800-992-5994 or 317-337-6009

#### Recommended use of the chemical and restrictions on use

Recommended use : End use fungicide product

Restrictions on use : Do not use product for anything outside of the above specified uses.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

™ ® Trademarks of Corteva Agriscience and its affiliated companies.

# SAFETY DATA SHEET



## DPX-YT669 250FS Seed Treatment

Version 1.0      Revision Date: 07/05/2022      SDS Number: 800080000806      Date of last issue: -  
Date of first issue: 07/05/2022

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Picoxystrobin	117428-22-5	22.5
Propanediol	57-55-6	$\geq 3 - < 10$
Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt	68425-94-5	$\geq 1 - < 3$
Balance	Not Assigned	$> 60$

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Information presented in Section 4 conforms to the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory Agencies. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies involving this product, call toll free 1-888-226-8832. See Label for Additional Precautions and Directions for Use.
- If inhaled : Move to fresh air.  
If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.  
Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off all contaminated clothing immediately.  
Rinse skin immediately with plenty of water for 15-20 minutes.  
Call a poison control center or doctor for treatment advice.
- In case of eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
Call a poison control center or doctor for treatment advice.
- If swallowed : Call a poison control center or doctor for treatment advice.  
Have person sip a glass of water if able to swallow.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Do not give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : No cases of human intoxication are known and the symptoms of experimental intoxication are not known.
- Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam
- Unsuitable extinguishing : None known.

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

- media  
Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health. Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
- Combustion products may include and are not limited to:  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation.  
Use personal protective equipment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.  
Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.  
Prevent from entering into soil, ditches, sewers, underwater.  
See Section 12, Ecological Information.
- Methods and materials for containment and cleaning up : Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.  
For large spills, provide dyking or other appropriate containment to keep material from spreading.  
Recovered material should be stored in a vented container.

## DPX-YT669 250FS Seed Treatment

Version 1.0      Revision Date: 07/05/2022      SDS Number: 800080000806      Date of last issue: -  
Date of first issue: 07/05/2022

The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.

Keep in suitable, closed containers for disposal.

Wipe up with absorbent material (e.g. cloth, fleece).

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

See Section 13, Disposal Considerations, for additional information.

## SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use with local exhaust ventilation.
- Advice on safe handling : Avoid formation of aerosol.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Do not breathe vapors/dust.  
Do not smoke.  
Handle in accordance with good industrial hygiene and safety practice.  
Smoking, eating and drinking should be prohibited in the application area.  
Do not breathe vapors or spray mist.  
Do not get in eyes.  
Avoid contact with skin and eyes.  
Avoid prolonged or repeated contact with skin.  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.  
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- Conditions for safe storage : Store in a closed container.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep in properly labeled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propanediol	57-55-6	TWA	10 mg/m3	US WEEL

- Engineering measures** : Ensure adequate ventilation, especially in confined areas.  
Use sufficient ventilation to keep employee exposure below recommended limits.

Information presented in Section 8 conforms to the require-

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

ments of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard of 2012. See Section 15 for applicable information conforming to the requirements of the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as required by the US Environmental Protection Agency (EPA), or by state Regulatory

**Personal protective equipment**

Respiratory protection : Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge.

Hand protection

Remarks : Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Polyvinyl chloride ("PVC" or "vinyl"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Eye protection : Wear protective eyewear to prevent contact with this substance.

Skin and body protection : Applicators and other handlers must wear:  
 Long sleeved shirt and long pants  
 Shoes plus socks  
 Applicators and other handlers of the diluted material must wear: shirt, pants, socks and shoes.  
 PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:  
 Long sleeved shirt and long pants  
 Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.  
 Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.

Hygiene measures : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.  
 Remove clothing/PPE immediately if material gets inside.  
 Wash thoroughly and put on clean clothing.  
 Remove personal protective equipment immediately after handling this product.  
 Wash the outside of gloves before removing.  
 As soon as possible, wash thoroughly and change into clean clothing.

# SAFETY DATA SHEET



## DPX-YT669 250FS Seed Treatment

Version 1.0      Revision Date: 07/05/2022      SDS Number: 800080000806      Date of last issue: -  
Date of first issue: 07/05/2022

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : off-white

Odor : not significant

Odor Threshold : not determined

pH : 6.1 - 8.4

Melting point/range : Not applicable

Freezing point : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.11 g/cm<sup>3</sup> (70 °F / 21 °C)

Solubility(ies)  
Water solubility : Miscible

Autoignition temperature : 860 °F / 460 °C

Viscosity  
Viscosity, dynamic : 80 mPa.s (77 °F / 25 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

Chemical stability	:	No decomposition if stored and applied as directed. Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned. None known.
Conditions to avoid	:	None known.
Incompatible materials	:	Strong acids Strong bases
Hazardous decomposition products	:	Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Nitrogen oxides (NOx) Carbon oxides

## SECTION 11. TOXICOLOGICAL INFORMATION

**Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: Directive 67/548/EEC, Annex V, B.1.

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

**Components:****Picoxystrobin:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male): > 2.12 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The particle size (MMAD) of unmilled picoxystrobin technical material is ~228 µm, with less than 3.3% of material <4 µm, indicating unmilled picoxystrobin is not respirable and that the study results with milled technical material are not relevant to picoxystrobin in the supply chain.  
Material milled to a particle size of 3.4 - 4.1 µm MMAD

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

**Propanediol:**

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): 317.042 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Mist may cause irritation of upper respiratory tract (nose and throat).

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Symptoms: No deaths occurred at this concentration.  
Assessment: The substance or mixture has no acute dermal toxicity

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Acute oral toxicity : LD50 (Rat): > 4,500 mg/kg

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Method : Directive 67/548/EEC, Annex V, B.4.  
Result : No skin irritation

**Components:****Picoxystrobin:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Propanediol:**

Species : Rabbit  
Result : No skin irritation

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation



## DPX-YT669 250FS Seed Treatment

Version 1.0      Revision Date: 07/05/2022      SDS Number: 800080000806      Date of last issue: -  
Date of first issue: 07/05/2022

---

**Components:****Picoxystrobin:**

Species : Rabbit  
Result : Mild eye irritation  
Method : OECD Test Guideline 405

**Propanediol:**

Species : Rabbit  
Result : No eye irritation

**Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Species : Rabbit  
Result : Eye irritation

**Respiratory or skin sensitization****Product:**

Species : Guinea pig  
Method : Directive 67/548/EEC, Annex V, B.6.  
Result : Does not cause skin sensitization.

**Components:****Picoxystrobin:**

Test Type : Maximization Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

**Propanediol:**

Species : human  
Assessment : Does not cause skin sensitization.

**Germ cell mutagenicity****Components:****Picoxystrobin:**

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Propanediol:**

Germ cell mutagenicity - Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

**Carcinogenicity****Components:****Picoxystrobin:**

Carcinogenicity - Assessment : The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

**Propanediol:**

Carcinogenicity – Assessment : Did not cause cancer in laboratory animals.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Components:****Picoxystrobin:**

Reproductive toxicity - Assessment : No toxicity to reproduction  
Animal testing did not show any effects on fetal development.

**Propanediol:**

Reproductive toxicity - Assessment : In animal studies, did not interfere with reproduction., In animal studies, did not interfere with fertility.  
Did not cause birth defects or any other fetal effects in laboratory animals.

**STOT-single exposure****Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Components:****Picoxystrobin:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Propanediol:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Assessment : Available data are inadequate to determine single exposure specific target organ toxicity.

**STOT-repeated exposure****Components:****Picoxystrobin:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Components:****Propanediol:**

Remarks : In rare cases, repeated excessive exposure to propylene glycol may cause central nervous system effects.

**Aspiration toxicity****Product:**

Based on physical properties, not likely to be an aspiration hazard.

**Components:****Picoxystrobin:**

Based on physical properties, not likely to be an aspiration hazard.

**Propanediol:**

Based on physical properties, not likely to be an aspiration hazard.

**Alkyl-naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Based on physical properties, not likely to be an aspiration hazard.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.24 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Material is highly toxic to fish on an acute basis (LC50 between 0.1 and 1.0 mg/L).

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.086 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.18 mg/l  
Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to terrestrial organisms : oral LD50 (Apis mellifera (bees)): > 0.2 mg/kg  
Method: OEPP/EPPO Test Guideline 170  
GLP: yes

contact LD50 (Apis mellifera (bees)): > 0.2 mg/kg  
Method: OEPP/EPPO Test Guideline 170  
GLP: yes

**Components:****Picoxystrobin:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.065 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: Static  
Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.075 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: Static  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.024 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: Static  
Method: OECD Test Guideline 202

EC50 (eastern oyster (Crassostrea virginica)): 0.0057 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: US EPA Test Guideline OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0.0063 mg/l  
End point: Growth rate  
Exposure time: 96 h  
Test Type: Static

EyC50 (Lemna minor (duckweed)): 0.023 mg/l  
Exposure time: 7 d  
Test Type: Static

NOEC (Lemna minor (duckweed)): 0.049 mg/l

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

	Exposure time: 7 d
	Test Type: Static
	EbC50 (Pseudokirchneriella subcapitata (green algae)): 0.26 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 100
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.01 mg/l
	Exposure time: 28 d
	Test Type: flow-through
	Method: OECD Test Guideline 204
	GLP: yes
	NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.021 mg/l
	Exposure time: 33 d
	Test Type: flow-through
	NOEC (Pimephales promelas (fathead minnow)): 0.040 mg/l
	Exposure time: 32 d
	Test Type: flow-through
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.008 mg/l
	Exposure time: 21 d
	Method: OECD Test Guideline 202
	GLP: yes
	NOEC (Americamysis bahia (mysid shrimp)): 0.0036 mg/l
	Exposure time: 28 d
	Test Type: flow-through test
	Method: OECD Test Guideline 202
	GLP: yes
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): 6.7 mg/kg
	Method: OECD Test Guideline 207
	GLP: yes
Toxicity to terrestrial organisms	: LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
	Method: US EPA Test Guideline OPP 71-1
	dietary LC50 (Colinus virginianus (Bobwhite quail)): > 5,200 mg/kg
	Exposure time: 5 d
	Method: OECD Test Guideline 205
	GLP: yes
	dietary LC50 (Anas platyrhynchos (Mallard duck)): > 5,200 mg/kg
	Exposure time: 5 d
	Method: OECD Test Guideline 205

## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

GLP: yes

contact LD50 (*Apis mellifera* (bees)): > 200 µg/bee  
 Exposure time: 48 h  
 Method: OEPP/EPPO Test Guideline 170

oral LD50 (*Apis mellifera* (bees)): > 200 µg/bee  
 Exposure time: 48 h  
 Method: OEPP/EPPO Test Guideline 170

**Propanediol:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 40,613 mg/l  
 Exposure time: 96 h  
 Test Type: static test  
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Ceriodaphnia dubia* (water flea)): 18,340 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 19,000 mg/l  
 End point: Growth rate inhibition  
 Exposure time: 96 h  
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Ceriodaphnia dubia* (water flea)): 13,020 mg/l  
 End point: number of offspring  
 Exposure time: 7 d  
 Test Type: semi-static test

Toxicity to microorganisms : NOEC (*Pseudomonas putida*): > 20,000 mg/l  
 Exposure time: 18 h

**Persistence and degradability****Components:****Picoxystrobin:**

Biodegradability : Result: Not readily biodegradable.

**Propanediol:**

Biodegradability : aerobic  
 Result: Readily biodegradable.  
 Biodegradation: 81 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301F or Equivalent  
 Remarks: 10-day Window: Pass

Biodegradation: 96 %  
 Exposure time: 64 d  
 Method: OECD Test Guideline 306 or Equivalent

# SAFETY DATA SHEET



## DPX-YT669 250FS Seed Treatment

Version 1.0      Revision Date: 07/05/2022      SDS Number: 800080000806      Date of last issue: -  
Date of first issue: 07/05/2022

---

Remarks: 10-day Window: Not applicable

Biochemical Oxygen Demand (BOD) : 69.000 %  
Incubation time: 5 d  
  
70.000 %  
Incubation time: 10 d  
  
86.000 %  
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 1.53 kg/kg  
ThOD : 1.68 kg/kg

Photodegradation : Rate constant: 1.28E-11 cm<sup>3</sup>/s  
Method: Estimated.

### Bioaccumulative potential

#### Components:

##### **Picoxystrobin:**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 290  
Exposure time: 28 d  
Temperature: 72 °F / 22 °C  
Concentration: 0.05 mg/l

Partition coefficient: n-octanol/water : log Pow: 3.68 (68 °F / 20 °C)

##### **Propanediol:**

Bioaccumulation : Bioconcentration factor (BCF): 0.09  
Method: Estimated.

Partition coefficient: n-octanol/water : log Pow: -1.07  
Method: Measured  
Remarks: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

##### **Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Partition coefficient: n-octanol/water : Remarks: No data available for this product.

##### **Balance:**

Partition coefficient: n-octanol/water : Remarks: No relevant data found.

### Mobility in soil

#### Components:

##### **Picoxystrobin:**

Distribution among environ- : Koc: 898

# SAFETY DATA SHEET



## DPX-YT669 250FS Seed Treatment

Version 1.0      Revision Date: 07/05/2022      SDS Number: 800080000806      Date of last issue: -  
Date of first issue: 07/05/2022

---

mental compartments      Remarks: Under actual use conditions the product has a low potential of mobility in soil.

### **Propanediol:**

Distribution among environmental compartments      :      Koc: < 1  
Method: Estimated.  
Remarks: Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.  
Potential for mobility in soil is very high (Koc between 0 and 50).

### **Balance:**

Distribution among environmental compartments      :      Remarks: No relevant data found.

### **Other adverse effects**

### **Product:**

Results of PBT and vPvB assessment      :      This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

### **Components:**

#### **Picoxystrobin:**

Results of PBT and vPvB assessment      :      This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### **Propanediol:**

Results of PBT and vPvB assessment      :      This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

Ozone-Depletion Potential      :      Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### **Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:**

Results of PBT and vPvB assessment      :      This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential      :      Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### **Balance:**

Results of PBT and vPvB assessment      :      This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

Ozone-Depletion Potential      :      Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.



## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (Picoxystrobin)  
 Class : 9  
 Packing group : III  
 Labels : 9

**IATA-DGR**

UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 (Picoxystrobin)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964

**IMDG-Code**

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (Picoxystrobin)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes  
 Remarks : Stowage category A

# SAFETY DATA SHEET



## DPX-YT669 250FS Seed Treatment

Version 1.0      Revision Date: 07/05/2022      SDS Number: 800080000806      Date of last issue: -  
Date of first issue: 07/05/2022

---

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### 49 CFR

Not regulated as a dangerous good

### Further information

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA Special provision A197, and ADR/RID special provision 375.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Propanediol

57-55-6

#### California Prop. 65

WARNING: This product can expose you to chemicals including Quartz, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The ingredients of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number : 352-888

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for

# SAFETY DATA SHEET



## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

### CAUTION

Causes moderate eye irritation.  
Harmful if swallowed.  
Harmful if absorbed through skin.  
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

## SECTION 16. OTHER INFORMATION

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

### Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET



## DPX-YT669 250FS Seed Treatment

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	07/05/2022	800080000806	Date of first issue: 07/05/2022

---

Revision Date : 07/05/2022

Product code: GF-4169

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN