

Nichino America, Inc.
ET® Herbicide/Defoliant
Safety Data Sheet

1. IDENTIFICATION

Product Name: ET Herbicide/Defoliant
General Use: Herbicide/Defoliant
Product Description: Emulsifiable Concentrate
EPA Reg. No.: 71711-7

Manufacturer
Main Headquarters: Nihon Nohyaku Co., Ltd., Kyobashi OM Building, 19-8
Kyobashi 1-chome, Chuo-ku, Tokyo 104-8386 JAPAN

US Connection: Nichino America Inc.
4550 Linden Hill Road, Suite 501
Wilmington, Delaware 19808
Phone: 302-636-9001
Fax: 302-636-9122

**Emergency and Health and
Safety Inquiries:** (800) 348-5832 (24-hours)
In case of fire or spills: (800) 424-9300 (24-hours)
In case of international shipments: (703) 527-3887 (24-hours)

2. HAZARD(S) IDENTIFICATION

Classified according to OSHA 29 CFR 1910.1200 HCS

Classification:

Flammable Liquid	Category 4
Acute Toxicity (Inhalation):	Category 4
Skin Irritation	Category 2
Eye Irritation	Category 1
Carcinogenicity	Category 2
Reproductive Toxicity	Category 1B
Aspiration Hazard	Category 1

Signal Word: **DANGER**



Hazard Statements:

Combustible liquid
May be fatal if swallowed and enters airways
Harmful if inhaled
Causes skin irritation
Causes serious eye damage
Suspected of causing cancer
May damage fertility or the unborn child

Precautionary Statements:

Prevention:

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Use only outdoors or in a well-ventilated area.
Keep away from flames and hot surfaces. No smoking.
Avoid breathing mists, vapors, and/or spray.
Wear protective gloves/protective clothing/eye protection/face protection.
Wash thoroughly after handling.

Response:

In case of FIRE: Use appropriate media to extinguish.
If ON SKIN: Wash with plenty of water.
Specific treatment, see supplemental first aid information.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison control center or doctor/physician.
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
Do NOT induce vomiting.
If INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
If exposed or concerned: Get medical advice/attention.

Storage:

Store in a well-ventilated place. Keep cool.
Store locked up.

Disposal:

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Percentage
Pyraflufen-ethyl CAS Name: Acetic acid, [2-chloro-5-[4-chloro-5-(difluoromethoxy)-1-methyl-1 <i>H</i> -pyrazol-3-yl]-4-fluorophenoxy]-, ethyl ester	129630-19-9	2.5%
Calcium dodecylbenzenesulfonate	26264-06-2	4 - 8%
N-methyl-2-pyrrolidone	872-50-4	9 – 12%
*Other ingredients:		77.5 – 84.5%

*Specific chemical identity and percentage of composition withheld as a trade secret.

4. FIRST AID MEASURES

Eye Contact	Immediately hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial

respiration, preferably mouth-to-mouth, if possible.
Call a poison control center or doctor for further
treatment advice.

**Most important
symptoms and
effects, both acute
and delayed:**

Refer to Section 11 – Toxicology Information.

Note to Physician:

Contains petroleum distillates – vomiting may cause
aspiration pneumonia. Probable mucosal damage
may contraindicate the use of gastric lavage..

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	Water, foam, carbon dioxide, or dry powder.
Unsuitable extinguishing media:	No information available.
Special protective equipment and precautions for fire-fighters:	Firefighters should wear full protective clothing and self-contained breathing apparatus. Spray containers with water to keep cool. Avoid runoff from extinguishing media such as water, foam, and dry chemicals into ponds, rivers, and lakes due to danger of toxicity to aquatic organisms.
Specific hazards arising from the chemical (e.g. nature of any hazardous combustion products):	Combustion or thermal decomposition will evolve toxic oxides of carbon and nitrogen (HCl, HF, CO ₂ , CO, NO _x).

6. ACCIDENTAL RELEASE MEASURES

General and Disposal: Use proper protective equipment to minimize personal exposure (see Section 8). Take all necessary action to prevent and to remedy the effects of the spill. Ensure that the disposal is in compliance with federal or local disposal regulations (see Section 13). Notify the appropriate authorities immediately (see Section 15 for any applicable Reportable Quantity (RQ)). Report to authorities if water enters watercourse or sewer.

Land Spill or Leak:

Liquid spills on the floor or other impervious surfaces should be contained or diked and then absorbed with sawdust, sand, bentonite, or other absorbent clay. Collect contaminated absorbent, and place it in a properly labeled metal drum with lid. Thoroughly scrub the floor or other impervious surface with a strong industrial type detergent and rinse with water.

Liquid spills that soak into the ground should be dug up and placed in metal drums. When a large spill or leakage is found, wear protective clothing and respirator to avoid exposure.

Avoid contaminated absorbents or water flow into ponds, rivers, and lakes, due to the danger of acute toxicity to aquatic organisms.

7. HANDLING AND STORAGE

Handling Precautions:

- Open container with care.
- Use adequate ventilation.
- Avoid handling near an open flame or heat source or ignition source.
- Do not contaminate water by cleaning of equipment or disposal of waste.
- Avoid contact with skin, eyes, or clothing.
- Do not eat, drink, smoke, or chew gum or tobacco while handling this product and until hands and face are thoroughly washed with soap and water.
- Do not use the toilet before thoroughly washing hands.
- Remove contaminated clothing immediately and wash thoroughly before reuse.

Storage Precautions:

- Do not contaminate water, food, or feed.
- Store in original container and keep closed.
- Store in a cool, dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls

(Local exhaust): Ventilation may be necessary under certain confined conditions. If practical, use ventilation at the sources of air contamination. Control airborne contaminants below the exposure guidelines (see below for any applicable OSHA / ACGIH exposure limits).

Personal Protective Equipment (PPE):

Eye/Face Protection: Wear protective eyewear when there is significant potential for eye contact.

Skin Protection: Wear long-sleeved shirt, long pants, socks, shoes, and chemical-resistant gloves (such as nitrile or butyl) to prevent skin contact. Wash contaminated skin promptly with soap and water. Launder contaminated clothing and protective equipment.

Respiratory Protection: Ensure good ventilation. Avoid breathing mist or vapor. If ventilation is inadequate, use approved respiratory protection equipment when airborne exposure limits are exceeded.

Exposure Limits: None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Brownish yellow mobile liquid
Physical state:	Liquid
Odor:	Similar to paraffin or naphthalene.
Odor threshold:	No information available
pH:	7.78 at 22°C
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available.
Flash point	89.0°C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/Lower flammability or explosive limits	N/A No shock sensitivity to explosion No thermal sensitivity to explosion
Vapor pressure	1.04×10^{-6} Pa at 25°C (technical active ingredient)
Vapor density	No data available
Relative density	1.016 g/cm ³ at 20°C
Solubility(ies)	No data available for ET TGA1: Water solubility 0.0706 mg/L (20°C)
Partition coefficient (n-octanol/water)	No data available on ET TGA1: $\log P_{ow} = 3.49$
Auto ignition temperature	None observed up to 89.0°C

Decomposition temperature	No data available
Viscosity	5.34 mm ² /s at 25 °C

TGAI = Technical Grade Active Ingredient

10. STABILITY AND REACTIVITY

Reactivity	Non-reactive
Chemical stability	Stable under normal conditions
Possibility of hazardous reactions	None known
Conditions to avoid	Combustion and thermal decomposition that may result in hazardous combustion products listed below and in Section 5.
Incompatible materials	None known
Hazardous decomposition products	Combustion or thermal decomposition will evolve toxic oxides of carbon and nitrogen (HCl, HF, CO ₂ , CO, NO _x).

11. TOXICOLOGICAL INFORMATION

The following data were developed using ET:

Acute Studies:

Oral LD₅₀ (rat):	Male: >5000 mg/kg Female: >3712 mg/kg
Dermal LD₅₀ (rat):	>2000 mg/kg (male / female)
Inhalation LC₅₀ (rat):	>2.03 mg/L, 4 hrs (male / female)
Eye irritation (rabbit):	Corrosive/severe irritant
Skin irritation (rabbit):	Moderate irritant
Skin sensitization (guinea pig):	Not a sensitizer

Aspiration hazard - If swallowed, may be aspirated and cause lung damage.

The following data were developed using pyraflufen-ethyl technical:

Subchronic and Chronic Effects:

A 90-day rat feeding study was conducted at dose levels up to 15,000 ppm pyraflufen-ethyl. Liver and kidney effects were observed at the highest dose. The no observed effect level (NOEL) in this study was considered to be 1,000 ppm (~90 mg/kg body weight/day). In a 90-day oral toxicity study in dogs,

pyraflufen-ethyl was administered at dose levels up to 1,000 mg/kg body weight/day. No effects in body weight or organ weight, clinical chemistry, hematology, histopathology, or gross pathology were observed. In long term studies, no effects were observed in dogs exposed for one year to a maximum dose of 1,000 mg/kg body weight/day. In a two year rat chronic study, liver and kidney effects were observed at 2,000 ppm. The NOEL was 400 ppm (~20mg/kg body weight/day).

Cancer Effects:

Pyraflufen-ethyl was tested in lifetime studies in rats and mice. There was no evidence of carcinogenicity in the rat at doses as high as 10,000 ppm (~470 mg/kg body weight/day). In the mouse study, the incidence of hepatocellular adenomas was increased in mice receiving 5,000 ppm (~ 524 - 547 mg/kg body weight/day), a dose level considered to be in excess of a MTD (maximum tolerated dose). Based on the combined incidence of male mouse hepatocellular adenomas, carcinomas, and/or hepatoblastomas, the EPA has classified pyraflufen-ethyl as "Likely to be Carcinogenic to Humans". The EPA classification of pyraflufen-ethyl represents potential hazard without consideration of exposure information. Pyraflufen-ethyl is not classified as a carcinogen by NTP, OSHA, or IARC.

Teratogenicity (Birth Defects):

There is no evidence of developmental toxicity.

Reproductive Effects:

There is no evidence of reproductive toxicity.

Neurotoxicity:

There was no evidence of neurotoxicity after oral exposure in acute or subchronic studies.

Immunotoxicity:

Suppression of the humoral immune response was measured in male rats exposed to 12,000 ppm of pyraflufen-ethyl (equivalent to ~ 943 mg/kg body weight/day) in a 28-day feeding study, the same dose at which systemic toxicity was evident. No humoral immune suppression was observed in female rats at any dose level.

Mutagenicity (Genetic Effects):

There is no evidence of mutagenicity nor genotoxicity.

Toxicity of other components:

Solvent naphtha (petroleum), heavy aromatic

If swallowed, may be aspirated and cause lung damage.

N-methyl-2-pyrrolidone

Clear evidence of adverse effects on sexual function and fertility, and/or development, based on animal experiments.

12. ECOLOGICAL INFORMATION

Ecological data were developed using pyraflufen-ethyl technical.

Environmental Precautions:

Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Do not contaminate water when disposing of equipment washwaters.

13. DISPOSAL CONSIDERATIONS

General Disposal:

Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Any disposal practice must be in compliance with all federal, state/provincial, and local laws and regulations. State (provincial) and local requirements for waste disposal may be more restrictive or otherwise different from federal laws and regulations. Chemical additions, processing, storage or otherwise altering this material may make the waste disposal information presented in this MSDS incomplete, inaccurate, or otherwise inappropriate. Waste characterization and disposal compliance are the responsibility solely of the party generating the waste or deciding to discard or dispose of the material.

Refer to appropriate federal (RCRA: 40 CFR.261), state/provincial, or local requirements for proper classification information. For regulatory information on the ingredient components, see Section 15.

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or

Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State or local authorities, by burning. If burned, stay out of smoke.

14. TRANSPORT INFORMATION

Liquid transport:

DOT:	Non-bulk (≤ 119 gallons or 450L): Not regulated Bulk (>119 gallons or 450L): NA 1993, Combustible liquid, n.o.s. (petroleum distillate mixture), Comb liq, PG III
IATA	UN 3082, Environmentally hazardous substance, liquid, n.o.s, (pyraflufen-ethyl), Class 9, PG III.
IMDG	UN 3082, Environmentally hazardous substance, liquid, n.o.s, (pyraflufen-ethyl), Class 9, PG III, Marine Pollutant, EmS: F-A; S-F.

ET Herbicide/Defoliant is not regulated for transport under DOT in non-bulk containers.

15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER

Corrosive. Causes irreversible eye damage.

Harmful if swallowed.
Harmful if absorbed through skin.
This product is toxic to fish and aquatic invertebrates.

U.S. Federal Regulatory Information:

EPA Registration Number: 71711-7

TSCA Inventory: Registered pesticide; exempt from TSCA

SARA Title III Notification and Information:

Section 302 (EHS) Ingredients: None

Section 304 (EHS)

or CERCLA Ingredients (RQ):

Name	CAS #	Final Reportable Quantity
Calcium dodecylbenzenesulfonate	26264-06-2	1,000 lbs

Section 313 Ingredients:

N-methyl-2-pyrrolidone (CAS No. 872-50-4)

U.S. State Regulatory Information:

U.S. State Right-to-Know (RTK) Ingredients:

- N-methyl-2-pyrrolidone (CAS No. 872-50-4)

California Proposition 65 List:



WARNING: This product can expose you to chemicals including N-methyl-2-pyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

16. OTHER INFORMATION

HMIS® Hazard Rating:

Health: 3*

Flammability: 2

Physical Hazard.: 0

*indicates both acute and chronic health hazard

NFPA Hazard Rating:

Health: 3

Flammability: 2

Instability: 0

Special Hazards: None

Prepared by: Regulatory Affairs

Date: 10/14/2019

Reason for Editing: **Updated California Proposition 65 List**

Disclaimer of Expressed and Implied Warranties:

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with FIFRA label instructions.