MagMax

Guaranteed Analysis:

Magnesium (Mg) 6.0% 6.0% Chelated Magnesium

Derived from magnesium oxide chelated with PolyAldoCarbosate.

A Magnesium True Solution with PAC* Chelation Technology

For use as a fertilizer in foliar and fertigation applications to supplement magnesium levels on agricultural crops.

*PAC refers to NutriAg's "PolyAldoCarbosate" Technology

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

Directions for Use (Use only as Directed):

- Avoid foliar application in poor drying conditions such as very high humidity, heavy dew set or continually rainy weather.
- Do not foliar apply when ambient temperatures are expected to exceed 85°F before application completely dries on foliage.
- Aerial application and ground sprays minimum of 5 gallons of water/acre; Dilute sprays minimum of 30 gallons of water/acre.
- Exercise caution when applying to any crop during bloom, as many factors can affect fruit set and final fruit quality.
- MagMax is compatible with most agricultural chemicals and nutrients. Should be applied in conjunction with tissue and/or soil analysis.
- Consult a NutriAg representative for application timing and necessity of its use.

Suggested Application Rates:

Сгор	Foliar Rates**	Fertigation Rates**
Forage Crops: Alfalfa, Clover, Hay Crops		The number and
Field Crops: Cereals, Corn, Cotton, Sorghum, Sugar cane		frequency of
Legumes: Dry bean, Lentil, Peanut, Pea, Soybean		applications determine
Root Vegetables (including, but not limited to): Beet, Carrot, Garlic, Parsnip, Radish,		application rates.
Rutabaga, Sugar Beet, Sweet Potato, Turnip		5FF
Leafy Vegetables (including but not limited to): Bok Choy, Celery, Chard, Cilantro, Cole Crops,		Apply no more than
Lettuce, Parsley, Spinach		1 gallon/acre/
Other Vegetables: Artichoke, Asparagus, Cucurbits, Eggplant, Okra, Onions (bunching, bulbing),	1-3 quarts/acre/	application.
Peppers, Rhubarb, Snap bean, Sweet Corn, Tomato	application	арріісаціон.
Berry Crops: Blueberry, Caneberry, Cranberry, Elderberry, Gooseberry, Strawberry		A
Tree Fruit (including but not limited to): Apple, Apricot, Avocado, Cherry, Nectarine, Olive,		Apply no more than
Peach, Pear, Persimmon, Plum, Pomegranate, Prune, Quince		8 gallons/season.
Other Fruit: Citrus (all), Fig, Kiwi, Melons		
Nut Trees (including but not limited to): Almond, Filbert, Hazelnut, Pecan, Pistachio, Walnut		Always apply toward the end of an irrigation
Grapes: Currant, Raisin, Table, Wine		•
Other Crops: Herbs, Hops, Mint, Potato, Safflower, Spearmint, Stevia, Sunflower		cycle.

**Application rates vary according to specific crop requirements, management objectives, soil nutrient availability and/or environmental conditions. Lower rates are recommended for general crop maintenance or when applying multiple times per season; higher rates are recommended when applying a minimum number of applications to crops that require repeat applications, or where more severe deficiency is present. Higher volumes of water should be used for higher rates of fertilizer. For application timing charts, please consult a product manual. Consult your NutriAg representative for specific crop recommendations.

Warranty Statement: Sellers guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on this condition. NutriAg warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product such as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of NutriAg. NutriAg will not be liable for consequential, special or indirect damages resulting from the use of or handling of this product. All such risks shall be assumed by the buyer.

CAUTION: The use of this fertilizing material on any crops other than those recommended may result in serious injury to the crops.

Caution: KEEP OUT OF REACH OF CHILDREN.

Net Contents:

2x2.5 Gal. (2x9.46 L)

Net Weight:

51.54 lbs. (23.38 kg)

Net Weight/Gallon:

10.31 lbs. (4.68 kg)

Batch No.: xxxxxx

