

# SPRAYBOR

## Sodium Borate (Water Soluble)

### GUARANTEED ANALYSIS:

Boron (B) 16.5%

Derived from sodium borate.

**WARNING** - This fertilizer contains boron (a lesser plant nutrient), and should be used only as recommended. It may prove harmful when misused. Both high rates and high concentrations of boron can cause shoot dieback and even tree death. This fertilizer carries added borax and is intended for use only on the crops suggested. Its use on any other crops or under conditions other than those recommended may result in serious injury to the crops.

AVOID PROLONGED INHALATION OR PROLONGED SKIN CONTACT. NOT FOR FOOD OR DRUG USE. READ ALL INSTRUCTIONS RELATING TO THE PRODUCT BEFORE USE.

### FOR CORRECTION OF BORON DEFICIENCIES

**NOTE:** Spraybor should be used on the basis of a soil and/or tissue analysis. Do not apply unless a deficiency or low Boron level is known to exist and is confirmed by visual symptoms or tissue analysis. Use diluted sprays and as low a rate as possible.

**DIRECTIONS FOR USE:** For use in balanced fertilizer programs for those crops requiring boron, e.g. Apples, Alfalfa, Corn, Flowers, Grapes, Onions, Potatoes, Sunflowers and Cole Crops.

### SUGGESTED FOLIAR APPLICATION RATE:

Crop	Dosage Rate / Acre	Remarks
Apples and Pears;	2 - 5 lbs.	Apply in sufficient water to achieve good and thorough coverage. Usually 100 - 200 gallons of water per acre, depending on planting density and tree size. Use the higher rates to correct a known boron deficiency. Do not apply over 5 lbs. per acre per year.
Alfalfa	2 - 6 lbs.	Apply as maintenance overall spray treatment 10 days after cutting. Use the lower rate for sandy soils and the higher rate for clay soils.
Cole Crops, Cabbage, Cauliflower Broccoli, and Vegetable Seed production	0.5 - 3 lbs	Commence spraying when young plants are approximately 3 inches high. Repeat after 10 - 14 days.
Table Beets	0.5 - 3 lbs	Apply at the following rates: 1. Bulb enlargement 2. Beets 1½ - 2" in diameter 3. Additional applications may be applied 10 - 14 days later.
Clover, Grass Mixes	1 - 5 lbs	Apply after each cutting.
Potatoes	8 oz. - 1 lb.	Apply 3 sprays at 3 weekly intervals. Commence spraying at tuber initiation.
Sunflowers	1 - 2 lbs.	Apply as a full cover spray and repeat after formation of new leaves.
Onions	1 lb.	Apply first spray 3 weeks after plants are established and repeat 3 weeks after first spray.
Corn	1 - 2 lbs.	Commence spraying when plants reach knee height (10 - 20 inches tall) and repeat if necessary 14 days later. Use lower dosage rates on younger plants.
Grapes	1 - 1.5 lb.	Apply 2 sprays. Commence spraying prior to flowering and repeat 10 - 14 days later. Where necessary apply post harvest.
Raspberries, Blackberries, Blueberries Strawberries, and other small fruit.	0.5 - 3 lbs	Pre-bloom application. Repeat in 2-4 weeks as necessary. Late summer and fall application.
Cherry, Apricot Plum, Prune Almond, Peach, Nectarine, Walnut, Filbert (hazelnut), Pistachio, Pecan	1 - 5 lbs	1 - 5 lbs per acre pre-bloom. May repeat if necessary. Fall application: may apply 1 - 3 lbs/acre (before killing frost.) Dormant and Delayed dormant: 1 - 3 lbs/acre. Always consult Fieldman first.
Flowers & Ornamentals	15 oz. in 250 gal. Water	Apply 2 - 3 sprays, at monthly intervals, during the growing season. Start spraying as soon as plants are fully established.

Annual application at the low maintenance rate should supply sufficient boron to prevent deficiencies especially if applied before bloom. This will improve blossom quality and fruit set. Spraybor sprays can also be applied in the late full post-harvest while the leaves are green and active or in the early spring when blossom buds are developing.

**DO NOT apply high rates after May.**

**RECOMMENDATION:** The user should always prior to use seek the advice of the county agricultural representative or a professional agriculture consultant for correct rates, methods and time of application or other crop applications.

### NOTICE TO BUYER/ USER:

- Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty or any other warranty of merchantability of fitness of a particular product expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes all risks of any such use or handling of this product and accepts the product on that condition.
- There are no warranties, express or implied including any warranty of fitness for a particular purpose, which extend beyond the described uses in this label.

**KEEP AWAY FROM CHILDREN**

**NET WEIGHT: 25 LBS. (11.34 kg.)**

**MADE IN CANADA**