

# LIQUID IRON + MICRONUTRIENTS

## **GUARANTEED ANALYSIS**

**0-0-0**

Magnesium (Mg) .....0.50%

0.50% Water Soluble Magnesium (Mg)

Boron (B) .....0.02%

Copper (Cu) .....0.25%

0.25% Water Soluble Copper (Cu)

Iron (Fe) .....5.00%

5.00% Water Soluble Iron (Fe)

Manganese (Mn) .....0.25%

0.25% Water Soluble Manganese (Mn)

Zinc (Zn) .....0.50%

0.50% Water Soluble Zinc (Zn)

Derived from: Ferrous Sulfate, Manganese Sulfate, Zinc Sulfate, Copper Sulfate,  
Sodium Borate and Magnesium Sulfate. F1290

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>.

Information concerning the raw materials composing this product can be obtained by writing to the Guarantor listed on this label, and referring to the batch number found on this container.

## **Buyer's Guarantee Limited to Label Claims.**

Guaranteed by: Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

This product is most effective when plants are growing rapidly and least effective when dormant or suffering from stress. This product is compatible with most pesticides and fertilizers, with the exception of amine formulations and high phosphate fertilizers. Do not use in tank mix with either amine formulations or high phosphate fertilizers. On plants with waxy leaf surfaces use Bonide Turbo Spreader Sticker.

## **DIRECTIONS FOR USE**

**Apply Only As Directed.** Make 3 to 5 applications annually.

## **ORNAMENTALS**

## **HERBACEOUS PLANTS**

Hardy Aster, Alyssum, Canna, Carnation, Chrysanthemum, Daylily, Fern, Geranium, Gladiolus, Iris, Larkspur, Marigold, Nasturtium, Petunia, Portulaca, Verbena and similar annuals and perennials.

*Foliar:* Mix ½ pt. per 25 gal. of water and spray to point of run-off. For smaller quantities mix 2 oz. per 3 gal. of water.

*Soil:* Apply 4 oz. in 3 gal. water per 100 sq. ft. and water in well.

## SHRUBS

Azalea, Camellia, Cherry Laurel, Crepe Myrtle, Euonymous, Forsythia, Gardenia, Honeysuckle, Hydrangea, Ligustrum, Primrose, Pyracantha, Rhododendron, Rose, Spirea and smaller shrubs and vines.

*Foliar:* Mix 1 qt. per 25 gal. of water and spray to point of run-off. For smaller quantities mix approximatey 2/3 oz. per 1 gal. of water.

*Soil:* Apply 5 - 6 oz. for small shrubs and 10 - 12 oz. for large shrubs. Apply directly underneath the shrub and water in well.

## TREES

Catalpa, Chinese Arborvitae, Cypress, Dogwood, Elm, Ginko, Juniper, Magnolia, Maple, Mimosa, Pin Oak, Pine, Russian Olive, Spruce, Sycamore, Sweet Gum and other trees and very large woody shrubs.

*Foliar:* Mix 1 gal. to 100 gal. of water and spray to point of run-off. For smaller quantites use approximately 1 ¼ oz. in 1 gal. of water.

*Soil:* Apply 1 pt. of diluted mix per 1" of trunk diameter (measured at chest height) on soil. For example: If trunk's diameter is 6" at chest height, use 6 pt. on the soil. Water well after application, insure placement within drip zone.

## TURF

Bahia, Bent, Bermuda, Centipede, Fescue, St. Augustine and Zoysia grass. Apply 2 - 4 oz. per 1,000 sq. ft. with sufficient water for good coverage. Spray to the point of run-off. Three or four applications per growing season usually produces best results. Bluegrass, ryegrass and other northern grasses 2 - 6 oz. per 1,000 sq. ft. with sufficient water for good coverage. Spray to the point of run-off. Three or four applications per growing season usually produces best results.

Foliar fertilization is intended as a supplement to a regular fertilization program and may not, by itself, provide the nutrients normally required by crops or other intended plants.

**STORAGE:** Store and transport in an upright position. Store in original container, in a cool dry place out of reach of children and pets.