

**Surrender<sup>®</sup> brand**

**Bifen Lawn & Perimeter**  
Insecticide Granules

For Residential Lawn Use Only

Bifen Lawn & Perimeter is the smart solution for fast control of unwanted pest problems.

Controls a wide variety of listed insects above and below the lawn's surface:

- Ants
- Fleas
- Ticks
- Mole crickets
- Chinch bugs
- Other lawn-damaging insects

Active Ingredient	
Bifenthrin* . . . . .	0.1%
Other Ingredients . . . . .	<u>99.9%</u>
Total . . . . .	100.0%

\*Cis isomers 97% minimum, trans isomers 3% maximum.

**Net Contents** \_\_\_\_\_

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See additional precautionary statements on back of bag.

<b>FIRST AID</b>	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the Poison Control Center 800-222-1222.	
<b>NOTE TO PHYSICIAN:</b> This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.	

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**In New York, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).**

**In New York State, do make a single repeat application of Bifenthrin 0.1% Lawn Granules if there are signs of renewed insect activity, but not sooner than two weeks after the first application.**

Apply when insect activity or damage is first observed in the lawn (lawn thins and turns brown or moths fly from the grass when you mow). Don't treat just the browned area of lawn. To prevent further damage, treat entire lawn.

<b>Surface Feeding Lawn Insects</b>	
Use Bifen Lawn & Perimeter for the control of ants, including Carpenter, Red Harvester, Odorous Pyramid, Pharaoh (Sugar) Ants, Armyworms (including Fall Armyworms), Billbug (Including Bluegrass Billbug), Chiggers, Chinch Bugs, Crickets, Cutworms (including Black Cutworms), Earwigs, Grasshoppers, Mealybugs, Sod Webworms (Lawn Moth), and Weevils (including Hyperodes and Bluegrass). Uniformly apply 1.2 to 2.4 pounds over a 1,000 sq. ft. area of lawn using any hand or power operated gravity or rotary type spreader designed for the application of granular materials. A [X] pound bag will treat a [X] to [X] sq. ft. area of lawn. Water thoroughly immediately after application. Treat when insects first appear and re-treat as necessary. Repeat application is necessary only if there are signs of renewed insect activity. Repeat application should be limited to no more than once per seven days.	
Argentine Ants, Black Turf Ants, Black Turfgrass Ataenius, Fleas (including Cat Fleas), Leafhoppers, Spiders (including Brown Recluse Spiders) and Ticks (including Brown Dog Ticks)	Uniformly apply 2.4 pounds over a 1,000 sq. ft. area of lawn. Water thoroughly immediately after application.
Centipedes, Millipedes, Pavement Ants, Mole Crickets (including Tawny Mole Crickets)	Uniformly apply 4.8 pounds over a 1,000 sq. ft. area of lawn. For mole crickets, treat in late spring. Water thoroughly immediately after application.

Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

### **Storage and Disposal**

**STORAGE:** Store in original bags/containers only. Store in a cool, dry place and avoid excess heat. Carefully open bags/containers. After partial use close tightly. Do not contaminate water, food or feed by storage and disposal.

**DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEAN-UP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

Control Solutions, Inc.  
5903 Genoa-Red Bluff  
Pasadena, TX 77507-1041  
EPA Reg. No. 53883 – 121  
EPA Est. No.

(EPA appr 08-26-03)