Ramik® Blocks

RODENTICIDE

Weather resistant rodenticide for control of mice and rats indoors and outdoors. Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

GUARANTEE:

Diphacinone

(2-Diphenylacetyl-1, 3-Indandione)......0.005%

Registration No.: 26235 EPA Est. No. 61282-WI-1

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING COMMERCIAL

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS. All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product. Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS: Keep out of lakes, streams or ponds.

FIRST AID:

If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient one or two glasses of water and induce vomiting by touching back of the throat with a finger or blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Vitamin K_1 in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

DIRECTIONS FOR USE: For the control of Norway Rats, Roof Rats and House Mice indoors and against the outside walls of homes, industrial and agricultural buildings.

MICE: Place bait 2 to 3 metres apart. A minimum of 28 grams of bait should be used per location. Maintain an uninterrupted supply of bait for at least 15 days.

RATS: Place bait 6 to 9 metres apart. At least 113 grams up to 454 grams of bait should be used per location.

Food Processing, Food Manufacturing, Food Storage and Food Service Areas: For areas not directly related to food processing: Use only in non-food or non-feed areas where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served, or stored. In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

USE LIMITATIONS: Bait MUST either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in contact with food. Use only in non-food or non-feed areas where feed, food, packaging and handling equipment are never opened or exposed.

To ensure safe use of this product, tamper-resistant bait stations must have the following characteristics:

- constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children and non-target animals;
- entrance designed so that children and non-target animals cannot reach the bait;
- internal structure that prevents bait from being shaken loose;
- access panel that fastens securely and locks (e.g., metal screw or padlock);
- capable of being securely fastened to a surface (e.g., nailed down); and
- clearly labelled "WARNING POISON".

STORAGE:

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL:

Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the

SPECIMEN LABEL

provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Medical 1-800-498-5743 ? 1-800-621-8829

Manufactured By: HACCO, Inc. 110 Hopkins Drive Randolph, WI 53956

Ramik[®] is a Registered Trademark of Hacco, Inc.

Code (NE.NT.) NO.NI.

Item No.: 116335

Net Contents: 1.81 kg (64 x 28.3g)

UPC: 23626 01630 (9) Format: UPC-A

LA 220217 (English Label) LA 220219 (French Label)