



Endure 16-16-16 with **POLYON[®] INSIDE** 43

DESCRIPTION: A CONTROLLED-RELEASE FERTILIZER THAT IS IDEAL FOR PRE- AND POST-PLANT APPLICATIONS.

X-COTE™

BENEFITS: BEST ENDURE 16-16-16

- Provides up to 10 weeks of extended nitrogen release.
- Contains 6-24-24XB+ premium homogeneous pellet.
- Consists of two forms of Controlled-Release nitrogen—Polyon[®] & X-Cote™.
- 73% Controlled-Release nitrogen (43% from Polyon[®] and 30% from X-Cote™).
- Has a 1:1:1 N-P₂O₅-K₂O ratio which is excellent for turfgrass establishment.



APPLICATION RATES:

	Pounds of Actual N, P ₂ O ₅ , K ₂ O desired per 1,000 sq.ft.	Pounds of BEST ENDURE to apply per 1,000 sq.ft.	Pounds of BEST ENDURE to apply per Acre
Turfgrass:	1.00	6.7	292
	1.25	8.3	362
<i>*Recommended Rate</i>	1.50*	10.0	436

PREPLANT TURFGRASS: 10 lb. per 1,000 sq.ft. (436 lb. per acre).

TURFGRASS OVERSEEDING: Broadcast 7 lb. per 1,000 sq.ft. (305 lb. per acre).

GROUND COVER: Broadcast 5 lb. per 1,000 sq.ft. (½ lb. per 100 sq.ft.)

ANNUAL FLOWERS: Preplant 10 lb. per 1,000 sq.ft. post plant: 7 to 10 lb. per 1,000 sq.ft.

SHRUBS & EVERGREENS: Sprinkle ½ cup evenly around dripline of plant and work into top 1 inch of soil.

HYDRO SEEDING: For a 2# N-P-K rate add 13.4# ENDURE to tank mix per 1000 sq.ft.

NOTE: Liquid measuring cups are very close in estimating the weight of dry granular fertilizers.

Example: an 8 oz. (1 cup) measuring cup holds approximately 8 oz. of dry granular fertilizer.

PRODUCT COVERAGE:

Based on the Recommended
Turfgrass Rate

ONE 50-LB. BAG COVERS 5,000 - 7,600 SQ.FT.
5½ - 9 50-LB. BAGS COVER ONE ACRE.




Tech sheets, MSDS and other
information on BEST products
available at www.bestfertilizer.com

SPREADER SETTINGS:

Listed Settings Will
Approximately Apply the
Recommended Rate.

BEST [®] Pro	6½B
Spyker / BEST [®] Models 34, 44, 64	6
Earthway	22
Lesco	O
Scotts R-8A (Cone 5)	P½
Lely 1250 / Vicon	visit www.bestfertilizer.com

Rates are for spreading
one time across in one direction



SGN 250

NOTE: Spreader settings are guidelines only. Spreaders should be checked for accuracy.

APPLICATION PRECAUTIONS:

- Apply to dry turf of foliage and irrigate thoroughly immediately after application.
- Iron and other plant nutrients can cause staining of sidewalks. Sweep walkways prior to irrigation.
- Walkways should be dry at time of application.
- Keep away from pools, ponds, etc. Do not contaminate potable water.
- Do not apply with a drop-type spreader. The grinding action of these spreaders can damage the coating of X-Cote™ and Polyon[®], increasing the turf burn potential.

GUARANTEED ANALYSIS:

TOTAL NITROGEN (N)	16.00%
4.20% Ammoniacal Nitrogen	
11.80% Urea Nitrogen*	
AVAILABLE PHOSPHATE (P ₂ O ₅)	16.00%
SOLUBLE POTASH (K ₂ O)	16.00%
Sulfur (S)	5.50%
Iron (Fe)	1.00%

Derived from Polymer-Coated Urea, Polymer-Coated Sulfur-Coated Urea, Monoammonium Phosphate, Ammonium Sulfate, Sulfate of Potash, Muriate of Potash and Iron Oxsulfate.

*11.70% Slowly available urea nitrogen from polymer-coated urea and polymer-coated sulfur-coated urea.

Polyon[®] is a registered trademark owned by Agrium and used under license.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-jr.com>

PACKAGE SIZE:

50-LB. (22.68-Kg.) BAGS

74275_endure161616_R1-13-2010

HANDLING PRECAUTIONS:

MSDS: See Reverse

CAUTION: KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED — DO NOT INHALE