

Turf K[®] 24-3-10 with **COOTE**

DESCRIPTION: A SLOW RELEASE FERTILIZER FOR PROFESSIONAL USE

BENEFITS: BEST® TURF K® 24-3-10:

- Is a two-particle mixture providing the proper ratio of nitrogen, phosphate, potash, iron and manganese.
- The iron in TURF K® is part of a homogeneous pellet which virtually eliminates the possibility of staining valuable concrete walks, driveways, cart paths, mow strips, etc.
- 68% of the total nitrogen is derived from polymer-coated sulfur-coated urea to provide up to 12 weeks of nitrogen response.
- Contains sulfate of potash to aid the professional turf manager where chlorides may be a problem.



APPLICATION RATES:

	Lbs. of Actual	Lbs. of Turf K	Lbs. of Turf K	Lbs. of Actual
	Nitrogen desired	To Apply per	To Apply per	K ₂ O Applied
	per 1,000 sq. ft.	1,000 sq. ft.	Acre	per 1,000 sq. ft.
Turfgrass:	0.75	3.1	135	0.31
	1.00	4.2	193	0.42
Recommended Rate	1.50	6.3*	274*	0.63*

PREPLANT: Broadcast 7½ lbs. per 1,000 sq. ft. (325 lbs. per acre). GROUNDCOVER: Broadcast at 5 lbs. per 1,000 sq. ft. (½ lbs. per 100 sq. ft.).

SHRUBS & EVERGREENS: Sprinkle 1/4 cup evenly around dripline of plant and work into top 1 inch of soil.

TREES: Apply ½ lb. per 1 inch of trunk diameter. Distribute evenly under branches out to dripline.

NOTE: Liquid measuring cups are very close in estimating the weight of dry granular fertilizers. Example: an 8 oz. (1 cup) measuring cup holds approximately 8 oz. of dry granular fertilizer.

PRODUCT COVERAGE:

Based on the Recommended Turfgrass Rate.

ONE 50-LB. BAG COVERS 7,300 SQ. FT. 6 - 50-LB. BAGS COVERS 1 ACRE



SPREADER SETTINGS:

OI IXEADEN OF I IIIOOI			
Listed Settings Will	BEST® Pro	6¹⁄₄B 4	
Approximately Apply the	Spyker / BEST® Models 34, 44, 64	5.2	
Recommended Rate.	Earthway		
	Lesco	18	
	Scotts R-8A (Cone 6)	O½	
	Lely 1250 / Vicon	visit www.bestfertilizer.com	
SGN 250	NOTE: Spreader settings are guidelines only. Spreaders should be checked for accuracy		

APPLICATION PRECAUTIONS:

- Apply to dry turf or foliage and irrigate thoroughly immediately after application.
- Iron and other plant nutrients can cause staining of sidewalks. Sweep walkways prior to irrigation. Walkways should be dry at time of application.
- Keep away from pools, ponds, etc. Do not contaminate potable water.
- Do not apply with a drop type spreader. The grinding action of these spreaders can damage the coating of the polymer-coated sulfur-coated urea urea and will increase burn potential.

GUARANTEED ANALYSIS:

TOTAL NITROGEN (N)	24.0%
6.6% Ammoniacal Nitrogen	
17.4% Urea Nitrogen*	
AVAILABLE PHOSPHĀTE (P,O,)	3.0%
SOLUBLE POTASH (K,O)	
Sulfur (S)	11.0%
Iron (Fe)	1.6%
Manganese (Mn)	0.25%
ed from Monogammonium Phosphate, Ammonium Sulfate, Polylmer-Coated Sulfur-Coated Urea, Sulfate of Potash	

Iron Oxysulfate and Manganese Oxide.

*16.4% Slowly available urea nitrogen from polymer-coated sulfur-coated urea.

PACKAGE SIZE:

50-LB. (22.68-Kg.) BAGS

74030 turfk24310 R10-15-08

HANDLING PRECAUTIONS: MSDS - See Reverse

CAUTION: KEEP OUT OF THE REACH OF CHILDREN. HARMFUL IF SWALLOWED - DO NOT INHALE

Spread The Word

