

# FS TankMax™

## Compatibility Agent

### PRINCIPAL FUNCTIONING AGENTS

Proprietary blend of branched polyether phosphate esters, glycol esters, and dimethylpolysiloxane .....	80%
Formulation aids ineffective as adjuvants .....	20%
TOTAL .....	100%

All ingredients are exempt from the requirements of a tolerance under CFR 40, 180.1001(c).

### KEEP OUT OF REACH OF CHILDREN.

### WARNING. CORROSIVE.

**PRECAUTIONARY STATEMENTS**—Before using this product, read the entire label, including the Disclaimer of Warranties and Limitation of Liability. Ingestion may cause gastrointestinal irritation, diarrhea, nausea and vomiting. Overexposure to eyes may cause excessive watering, redness and stinging; prolonged contact causes burns. Overexposure to skin may cause itching and redness similar to a rash; prolonged contact may cause burns.

**PERSONAL PROTECTIVE EQUIPMENT**—Applicators or other handlers of this chemical must wear: splash-proof chemical safety goggles, chemical-resistant gloves, long-sleeved shirt, pants, socks and shoes to minimize skin contact. Consult the MSDS for further information.

### STATEMENT OF PRACTICAL TREATMENT

**If Swallowed:** Do not induce vomiting unless directed to do so by medical personnel. Seek immediate medical attention. If victim is conscious and able to swallow, quickly give milk or water to dilute. Do not give acidic or alkaline fluids. Never give fluids or force vomiting if the person is unconscious, is having convulsions or has no gag reflex.

**If Inhaled:** Move individual to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Seek immediate medical attention.

**If In Eyes:** Check for and remove contact lenses. Immediately flush eyes with water for at least 15 minutes, holding eyelids open. Seek medical attention.

**If On Skin:** Wash affected areas with large amounts of soap and water. If irritation persists seek medical attention.

**GENERAL INFORMATION**—FS TankMax is a concentrated, low-foaming compatibility agent formulated to eliminate incompatibility problems associated with tank mixing a wide range of crop protection products in water, suspension fertilizers, UAN or ATS solutions. FS TankMax can also demonstrate functionality as a spreader and buffering agent depending on the use rate.

FOR USE WITH PESTICIDES REGISTERED FOR AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, ORNAMENTAL, RIGHTS-OF-WAY, TURF AND OTHER APPROPRIATE USES.

**DIRECTIONS FOR USE**—FS TankMax can be used to either prevent or correct most incompatible tank mixes. SHAKE WELL BEFORE USING. It is critical that this product be used and mixed only as specified on this label. Follow directions carefully. Buyer and user assume all risks of use and/or handling. These risks include, but are not limited to damage to plants and/or crops to which the material is applied, or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use and even though label directions are followed. Timing, mixing, method of application, weather, and other conditions are influencing factors in the use of this product and are beyond the control of GROWMARK.

### APPLICATION RATES

By Volume use 1–4 pints of FS TankMax per 100 gallons of spray solution to prevent antagonistic tank mixing conditions.

By Volume use 3–6 pints of FS TankMax per 100 gallons of spray solution to correct tank mix incompatibilities.

**MIXING INSTRUCTIONS**—In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When premixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

1. Compatibility agent, if needed.
2. Dry formulations (WP, DF, WDG, SP) and dry drift retardants.
3. Liquid drift retardants and flowable formulations (F and FL).
4. Microencapsulated and suspension concentrates (ME and SC).
5. Emulsifiable concentrates (E, EL or EC).
6. Solutions (S, L and LC), micronutrients, liquid or suspension fertilizers.
7. Adjuvants (COC, HSOC, MSO, NIS) and/or water conditioning agents.
8. Finish filling to desired spray volume level and continue agitation.

**STORAGE AND DISPOSAL**—Protect product from freezing. If product freezes, warm to room temperature and agitate before use. Keep containers sealed when not in use. Store in original container only. Do not reuse empty container. Rinse container thoroughly prior to disposal. Dispose of rinsate and container in accordance with local, state and federal regulations.

**DISCLAIMER OF WARRANTIES**—THIS PRODUCT IS SOLD AS IS. EXCEPT WHERE PROHIBITED BY LAW, GROWMARK DISCLAIMS ALL STATUTORY OR IMPLIED WARRANTIES, INCLUDING MERCHANTABILITY, NON-INFRINGEMENT, FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES AGAINST HIDDEN AND LATENT DEFECTS. WHERE SUCH WARRANTIES CAN NOT BE DISCLAIMED, THEN ALL SUCH WARRANTIES SHALL BE LIMITED TO THE REMEDIES OF REPLACEMENT OR REFUND.

**LIMITATION OF LIABILITY**—Except to the extent prohibited by applicable law, GROWMARK shall not be liable for indirect, special, incidental or consequential damages arising from the sale or use of this product, including any lost revenues or profits, consequential and/or incidental damages, business interruption or damage to business reputation, regardless of the theory upon which any claim may be based. GROWMARK's entire liability to the purchaser shall not exceed the purchase price actually paid by the purchaser.

# S P E C I M E N L A B E L

© GROWMARK, INC. All rights reserved.  
GROWMARK is an ACRC member company.  
For 24-hour technical assistance when using this product in the USA, call: 1-800-323-8351  
For 24-hour emergency service when using this product in the USA, call CHEMTREC: 1-800-424-9300  
FS TankMax is a trademark of GROWMARK, INC.  
12/6/10

MANUFACTURED FOR  
**GROWMARK, INC.**  
1701 Towanda Avenue  
Bloomington, IL 61701  
[www.growmark.com](http://www.growmark.com)

BY Precision Laboratories, Inc.  
Waukegan, IL 60085