

BORDER EG™



Granular Nonionic Deposition Adjuvant/Drift Retardant

PRINCIPAL FUNCTIONING AGENTS

Proprietary blend of nonionic water-soluble polymers	75%
Dispersing agents considered ineffective as adjuvants	25%
TOTAL	100%

All ingredients are approved for use under 40 CFR 180

KEEP OUT OF REACH OF CHILDREN WARNING

PRECAUTIONARY STATEMENTS

Causes eye irritation. If medical advice is needed, have product container or label at hand. Read label before use. Wash protective equipment and work clothes thoroughly after handling. Specific treatment is given in the First Aid section on this label or on the SDS.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear protective eyewear, chemically impervious gloves, long-sleeved shirt, pants, socks and shoes to minimize skin contact.

FIRST AID

If Swallowed: Rinse mouth. Have person sip a glass of water if able to swallow. Do NOT induce vomiting, unless told to by a poison control center or doctor. Do not give anything to an unconscious person.

If In Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

If On Skin: Wash affected area with plenty of soap and water. Use tepid water if available. If skin irritation occurs: Get medical advice or attention.

If Inhaled: Remove person to fresh air and keep comfortable for breathing. If person is having difficulty breathing, give oxygen. If not breathing, give artificial respiration.

GENERAL INFORMATION

BORDER EG Granular Nonionic Deposition Adjuvant/Drift Retardant utilizes proprietary, extruded granular technology and packaging to eliminate mixing, measuring and handling problems associated with ordinary drift retardants, while maximizing pesticide performance by increasing deposition and coverage on the hardest-to-wet leaf surfaces. Additionally, BORDER EG's unique chemistry stops pump shear caused by normal sprayer recirculation, which can reduce the effectiveness of ordinary drift retardants by up to 75% in just 30 minutes.

DIRECTIONS FOR USE

Do not use BORDER EG in spray solutions where liquid fertilizers make up more than 50% of the total spray volume. The addition of adjuvants to some pesticides and/or fertilizers and their tank mixes may cause phytotoxicity to the foliage and/or fruit of desirable crops. Before using BORDER EG, the applicator or crops advisor must have experience with the pesticide combination, including BORDER EG, or must have conducted a phytotoxicity test.

FOR USE WITH PESTICIDES REGISTERED FOR AGRICULTURAL, AQUATIC, FORESTRY, INDUSTRIAL, MUNICIPAL, NONCROPLAND, RIGHTS-OF-WAY, TURF, AND OTHER APPROPRIATE USES.

USE RATES

This container treats 250 gallons of spray solution at the 10 oz./100 gallon optimum use rate.

For Ground Equipment: Use 10 ounces per 100 gallons of spray solution.

For Aerial Applications: Use 20 ounces per 100 gallons of spray solution. Start with the recommended use rates.

MIXING

BORDER EG can be added to the spray solution before or after the pesticides have been added under moderate agitation.

BORDER EG takes 1-2 minutes to dissolve and hydrate. The most efficient method for mixing BORDER EG is to add it to the spray tank first when the tank is approximately half full and continue the filling and mixing process. In the absence of specific mixing recommendations by the pesticide manufacturer, use the following mixing procedure: 1. Fill tank 1/2 full with water. 2. While agitating, add the appropriate rate of BORDER EG. 3. Continue filling the tank. 4. Begin adding pesticides once tank is 3/4 full and BORDER EG is dissolved, in the following order: a. Dry flowables and dispersible granule pesticides. b. Flowables. c. Water-soluble pesticides. d. Emulsifiable concentrate pesticides. e. Adjuvants. 5. Maintain agitation while spraying to ensure a uniform spray mixture.

STORAGE AND DISPOSAL

Normal appearance of contents is granular. Store in original package only. Prevent water from being introduced into the contents of this package. Do not reuse empty package. Dispose of the container in accordance with federal, state and local regulations.

CONDITIONS OF SALE

Note: Read the information contained herein before buying or using this product. If the stated terms are not acceptable, return the product at once, unopened. It is critical that this product be used and mixed only as specified on this label. Neither the manufacturer nor the seller makes any representation or warranty, expressed or implied, with respect to the results from the use of this material. Buyer and user assume all risks of use and/or handling. Precision Laboratories, LLC warrants that this material is reasonably fit for use as specified on this label. No agent or representative is authorized to make any other representations concerning this material. Unforeseen factors beyond Precision's control prevent elimination of risks in connection with the use of its chemicals. Such risks include, but are not limited to, damage to plants and/or crops to which the material is applied, or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use as stated herein and even though label directions are followed. Follow directions carefully. Timing, mixture, method of application, weather and other conditions are influencing factors in the use of this product and are beyond the control of the seller. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of the company or any other seller for any and all losses, personal injuries or damages resulting from the use of this product, shall be the purchase price paid by the user or buyer for the quantity of product involved.

S P E C I M E N L A B E L