

CLEVELAND, MS



PRINCIPAL FUNCTIONING AGENTS:

Methyl Esters of Fatty Acids, N,N-Bis 2-(omega-hydroxypolyoxyethylene) ethyl)alkylamine, Tall oil fatty acids.....

100.0%

PROPRIETARY PROTECTED TECHNOLOGY

KEEP OUT OF REACH OF CHILDREN **CAUTION NET CONTENTS: 1 GALLON**

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING



PRECAUTIONARY STATEMENTS

Hazards to Human and Domestic Animals:

Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Wear chemical-resistant gloves, long sleeved shirt and long pants, and shoes plus socks. Prolonged or frequently repeated skin contact may cause alleroic reaction in some individuals.

First-Aid:

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

GENERAL INFORMATION

Ag-Edge is effective with both water soluble and water insoluble agrochemicals. It is designed to increase deposition and surface activity of pesticides on the target crop, which allows for greater absorption and translocation over time under different environmental conditions. **Ag-Edge** will not foam or clog nozzles. It has been proven effective when applied by any aircraft or ground sprayer.

DIRECTIONS FOR USE

Ag-Edge may be used with all products registered for: Agricultural, Forestry, Ornamental, Industrial Vegetation and Non-Cropland uses.

GENERAL USE: Ag-Edge may be used in applications that recommend the use of non-ionic adjuvants, methylated seed oils, crop oil concentrates, esterfied seed oils and spreader stickers on all food, turf and ornamental crops.

stickers on all food, turt and ornamental crops. **GROUND:** Dosage per 100 gallons of spray solution (dilute).

AERIAL APPLICATIONS OR CONCENTRATE GROUND SPRAYS UNDER 20 GALLONS PER ACRE: For maximum effect use 4 to 16 ounces per acre. For general application rates use (1/2% to 1% V/V (2 to 4 quarts per 100 gallons of water).

TO REPLACE CROP OILS WITH HERBICIDES: Use 12 ounces to 2 pints per acre.

MIXING

Fill spray tank one-half full with water and begin agitation. Add pesticides as directed by label and continue filling. Add **Ag-Edge** last and continue agitation.

Use this product in accordance with good agronomic practices, which include utilizing proven spray equipment set for proper coverage. Do not make applications when temperatures are too hot. Applications should be made at temperature levels and when other environmental conditions in your area are such that your experience indicates the application will be compatible and will accomplish the desired result.

PHYTOTOXICITY PRECAUTION: Under some environmental conditions, some pesticides or pesticide combinations may cause phytotoxicity on growing plants. Adjuvant products such as this product may increase the chance or the intensity of phytotoxicity. Use this product in a manner consistent with individual pesticide product recommendations.

ENVIRONMENTAL HAZARDS: This product is not for aquatic use. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

PESTICIDE STORAGE: Keep in original container. Store above 32°F.

PESTICIDE DISPOSAL: Triple rinse (or equivalent) during mixing and loading.

Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

LIMITED WARRANTY: The use of this material being beyond our control and involving elements of risk to human beings, animals, and vegetation, we do not make any warranty, express or implied, as to the effects of such use, when this product is not used in accordance with the directions as stated on this label.

PA Right-to-Know: This product contains proprietary ingredient(s).



CLEVELAND, MS



PRINCIPAL FUNCTIONING AGENTS:

PROPRIETARY PROTECTED TECHNOLOGY

CAUTION

NET CONTENTS: 1 GALLON