CNITM



# **CROP KICKER**

# 12-4-6

# **GUARANTEED ANALYSIS**

Total Nitrogen (N)12	2.00%
1.20% Ammoniacal Nitrogen (N)	
1.78% Nitrate Nitrogen (N)	
9.02% Urea Nitrogen (N)	
Avaliable Phosphate (P <sub>2</sub> O <sub>5</sub> )4.	.00%
Soluble Potash (K,O)6.	
Boron (B)0.	
Copper (Cu)	05%
0.05% Chelated Copper (Cu)	
Iron (Fe)	10%
0.05% Chelated Iron (Fe)	
Manganese (Mn)	05%
0.05% Chelated Manganese (Mn)	
<b>Zinc (Zn)</b>	05%
0.05% Chelated Zinc (Zn)	

#### Derived from:

Ammonium Polyphosphate, Urea, Potassium Nitrate, Copper EDTA, Iron HEDTA, Manganese EDTA, and Zinc EDTA; Sodium Borate.

# **CAUTION:**

#### KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with eyes, skin, and clothing.

Avoid breathing spray mist.

#### READ LABEL — FOLLOW DIRECTIONS!

Refer to MSDS for health, safety and environmental information.

Information about the components of this fertilizer material may be obtained by writing to CNI Agriminerals P.O. Box 3706 Albany, GA. 31706, and giving the lot number which is found on the container.

Net Weight:

Jug: 25lb (11.34kg) Cs 2x2<sup>1</sup>/<sub>2</sub>: 50lb (22.68kg)

#### **Net Contents:**

Jug: 2<sup>1</sup>/<sub>2</sub> gals (9.46 liters) Cs 2x2<sup>1</sup>/<sub>2</sub>: 5 gals (18.92 liters)

F1252 Bulk

# **CNI** Agri*Minerals*

P.O. Box 3706 • Albany, Georgia 31706 • Phone: 229-883-5538 • Fax: 229-439-0842

# WHAT TO DO IN CASE OF CONTACT

If Ingested: Give large amounts of water or milk, if conscious. Contact a physician immediately.

Eye Contact: Flush eyes with clean water for 15 minutes. Seek medical attention immediately.

**Skin Contact:** Remove contaminated clothing and wash skin with soap and water. Seek medical attention if irritation develops or persists.

If Inhaled: Move to fresh air and seek medical attention if irritation develops or persists.

For additional information call CHEMTREC 800-424-9300

If there is contact made with spray solution containing pesticides and/or spray adjuvants, follow the "Statement of Practical Treatment" on the product labeling.

This product may be corrosive to aluminum, mild steel and brass. Store in HDPE, fiberglass or stainless steel containers. Use only stainless steel, P.V.C., or polypropylene fittings.

**Storage:** Store in cool place in original container in a locked storage area inaccessible to children, pets, domestic animals or wildlife.

**Container Disposal:** Do not reuse empty containers. Triple rinse (or equivalent) then offer for recycling or disposal by procedures approved by state or local authorities.

### GENERAL INFORMATION

**CNI CROP KICKER™** is a complete plant food containing NPK and micronutrients and is designed for foliar application on most crops. It is recommended for use as a readily available source of nutrients to supplement a conventional fertility program potentially enhancing yield and/or quality.

**CNI CROP KICKER™** applied in a spray program of multiple applications provides a supply of essential nutrients when plant food needs are highest at flowering and/or fruiting stages or under stress conditions. Adequate plant nutrition or near the time it is needed most, assures that the optimum genetic potential will be reached.

# DIRECTION FOR USE

**CNI CROP KICKER™** may be applied by ground or aerial application. Use sufficient water for thorough and uniform coverage of foliage or soil. Foliar application is recommended when fast deficiency correction is desired. For best results use a non-ionic surfactant.

Mixing Instructions: Always check compatibility before mixing.

- 1. Water
- 2. CNI CROP KICKER™
- 3. Pesticides

# RECOMMENDED RATES

**Cotton:** Apply 1 qt/acre early bloom. Increase to 2-4 qts/acre for mid and late season applications

**Peanuts:** Apply 1 qt/acre early season. Increase to 2-4 qts/acre by first bloom and repeat in 10-14 days.

**Soy Beans:** Apply 2-4 qts/acre starting at first bloom. Repeat as needed through pod development.

**Vegetables:** Apply 1-4 qts/acre depending on size of plants with first application just prior to blooming.

Continue throughout the season at 7-10 day intervals.

**Other Crops:** Apply 1-4 qts/acre beginning prior to first bloom and continuing at 10-14 day intervals.

# CONDITIONS OF SALE

CNI AgriMinerals (Company) warrants that this product conforms to the chemical description of the label and is reasonably fit for the purposes stated on the label when used in accordance with the directions under normal use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseen by the Company. THE COMPANY DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. THE COMPANY SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, AND THE COMPANY'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE. BUYER AND SELLER ACKNOWLEDGE AND ASSUME ALL RISKS AND LIABILITY RESULTING FROM HANDLING, STORAGE AND USE OF THIS PRODUCT. THE COMPANY DOES NOT AUTHORIZE ANY AGENT OR REPRESENTATIVE TO, MAKE ANY OTHER WARRANTY, GUARANTEE OR REPRESENTATION CONCERNING THIS PRODUCT.

Copyright, CNI AGRIMINERALS, 2013