## SPREADER / STICKER

CONTAINS POLYMERIC TERPENE RESINS
AND NON-IONIC SURFACTANT

## PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Causes eye irritation. Harmful if swallowed, absorbed through skin, or inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

#### **ENVIRONMENTAL HAZARDS**

 $\label{lem:contour} Do not contaminate water when cleaning equipment or disposing of equipment was hwaters.$ 

### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

**STORAGE**: Store in original container away from children, animals, foods, feeds and seeds. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

**PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.



#### READ ENTIRE LABEL BEFORE USING THIS PRODUCT

#### PRINCIPAL FUNCTIONING AGENTS:

# KEEP OUT OF REACH OF CHILDREN CAUTION

#### **FIRST AID**

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists. IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists. IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, DO NOT give anything by mouth and DO NOT induce vomiting. IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

#### **CONDITIONS OF SALE AND WARRANTY**

Creative Marketing & Research, Inc. (CMR) warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. CMR neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materials, or other influencing factors, all of which are beyond the control of CMR and Seller. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall CMR or the Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by CMR and is accepted as such by the Buyer.

Net Contents: 1 Gallon / 3.78 liters

Manufactured by: Creative Marketing & Research, Inc. P.O. Box 35000 • Fresno, CA 93745-5000 UNIFORM is a spreader/sticker designed to increase the efficiency of various agricultural chemicals. UNIFORM forms a rainfast film which resists weathering and enhances the efficacy of pesticides.

## DIRECTIONS FOR USE

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with UNIFORM. Use according to the most restrictive label directions for each product in any tank mix.

MIXING: Shake well before using. Fill spray tank ½ full of water and begin agitation. Add the recommended amount of UNIFORM. Add pesticides as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersing granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable concentrates. Continue agitation until spray solution is completely mixed. Continuous agitation of finished spray is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

**RECOMMENDATIONS:** Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, conditions of foliage, etc. Smooth, waxy, or hairy foliage will require higher rates. Also, rates of UNIFORM higher than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

#### FOR USE AS A SPREADER / STICKER:

**Dilute, Full Volume Sprays** (ground): Use 4 to 8 oz. per 100 gallons as required to wet foliage.

**Concentrate Sprays** (ground or aerial): Use 4 to 6 oz. per acre as required to wet foliage.

**FOR USE WITH SPRAYABLE PHEROMONES:** Use at a rate of up to 3% of the finished spray solution. Mix with sufficient water for adequate coverage of the crop according to the label of the insecticide, if being used as a tank mix. May be applied by aerial or ground spray equipment. Equipment producing larger droplets is preferred, thereby enhancing the effectiveness of UNIFORM.