

20-0-0

BULK LABEL GUARANTEED ANALYSIS

Total Nitrogen (N) ----- 20%

20% Ammoniacal Nitrogen

Sulfur (S) ----- 40%

0% Free Sulfur

40% Combined Sulfur

Manufacturer **Tessenderlo Kerley, Inc.**2255 N. 44th St., Ste. 300
Phoenix, AZ 85008-3279

Net Contents _____gallons.

Derived From:

Ammonium polysulfide Ammonium hydroxide

Florida Registration No. 628

Chlorine, not more than ----- 1%

Density: 9.4 pounds per gallon at 68 Degrees Fahrenheit. Maximum Annual Application Rate........60 gal/acre.



20-0-0

BULK LABEL GUARANTEED ANALYSIS

Total Nitrogen (N) ----- 20%

20% Ammoniacal Nitrogen

Sulfur (S) ----- 40%

0% Free Sulfur

40% Combined Sulfur

Manufacturer **Tessenderlo Kerley, Inc.**2255 N. 44th St., Ste. 300
Phoenix, AZ 85008-3279

Net Contents _____gallons.

Derived From:

Ammonium polysulfide Ammonium hydroxide

Chlorine, not more than ----- 1%

Density: 9.4 pounds per gallon at 68 Degrees Fahrenheit. Maximum Annual Application Rate.......60 gal/acre.



20-0-0

BULK LABEL GUARANTEED ANALYSIS

Total Nitrogen (N) ----- 20%

20% Ammoniacal Nitrogen

Sulfur (S) ----- 40%

0% Free Sulfur

40% Combined Sulfur

Derived From:

Ammonium polysulfide Ammonium hydroxide

Chlorine, not more than ----- 1%

Density: 9.4 pounds per gallon at 68 Degrees Fahrenheit.

Maximum Annual Application Rate.......60 gal/acre.

Manufacturer **Tessenderlo Kerley, Inc.**2255 N. 44th St., Ste. 300
Phoenix, AZ 85008-3279

Net Contents _____gallons.

Warning: This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.



20-0-0

BULK LABEL GUARANTEED ANALYSIS

Total Nitrogen (N) ----- 20%

20% Ammoniacal Nitrogen

Sulfur (S) ----- 40%

0% Free Sulfur

40% Combined Sulfur

Manufacturer **Tessenderlo Kerley, Inc.**2255 N. 44th St., Ste. 300
Phoenix, AZ 85008-3279

Net Contents _____gallons.

Derived From:

Ammonium polysulfide Ammonium hydroxide Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

Chlorine, not more than ----- 1%

Density: 9.4 pounds per gallon at 68 Degrees Fahrenheit. Maximum Annual Application Rate.......60 gal/acre.