

**MAIZE™**

# Weed Preventer

*Ready to Spray*

*Use in and around  
flower & vegetable gardens,  
lawns, trees, shrubs  
and ornamentals*

*Won't harm desirable plants  
when used as directed*

**Keep Out Of Reach Of Children**

**CAUTION** (See back panel for additional  
Precautionary Statements and First Aid)

**Net Contents 32 FL. OZ (946 ML)**

71030614

*Treats 1,000 sq. ft.*

TRUSTED SINCE 1926

**BONIDE®**

*The natural way  
to prevent weeds*



**corn gluten meal**

# MAIZE WEED PREVENTER

## READY TO SPRAY

- Ready to Spray Corn Gluten Meal, the natural way to prevent weeds in your lawn or garden areas.
- Organic Lawn and Garden Weed Control
- Prevents weeds from germinating and controls common annual and perennial weeds, including Dandelions, Crabgrass, Clover, Black Medic, Annual Bluegrass, Bermudagrass, Purslane and Yellow Foxtail and other common weeds

Active Ingredient:

Corn Gluten Meal .....99.81%

Inert Ingredient:

Potassium Sorbate (as a preservative) .... 0.19%

Total: ..... 100.00%

Store and transport in an upright position.  
©Bonide Products, Inc. All Rights Reserved

Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

Quart



## **READ THE LABEL FOR APPLICATION INSTRUCTIONS AND PRECAUTIONS PRIOR TO USE.**

This product is exempt from registration with the Federal EPA under section 25(b) of FIFRA, and as such, is not registered with the Environmental Protection Agency. Bonide represents that the ingredients qualify for exemption from registration under FIFRA.

### **DIRECTIONS FOR USE**

#### **SHAKE WELL BEFORE USING.**

Apply this product using the hose-end applicator provided. It will accurately dilute the concentrated weed control for convenient spray-on application. Application dates may vary for both spring and late summer/early fall applications from year to year, according to weather conditions.

This product is made from a plant-based corn byproduct through a patented production process. It works by releasing organic dipeptides into the soil, causing the roots of weeds to fail to grow properly and die out.

## **APPLICATION RATE**

**Spray the contents of bottle evenly over 1,000 sq. ft. of established lawn or garden areas.**

**SPRING:** Apply to established turf or plants in early spring before weed germination.

**FALL:** Apply after summer heat stress has passed.

**SHAKE WELL BEFORE USING**

## **INSTRUCTIONS FOR HOSE END ATTACHMENT CONTAINERS**

- 1. Shake container thoroughly**, then attach to garden hose.
2. Turn on water supply at the source. Water pressure will build in hose since the sprayer is already in the "OFF" position.
3. To apply product, bend safety tab and turn the control valve clockwise to the "ON" position.
4. For best results, hold sprayer and bottle level, and direct spray in a sweeping side-to-side movement. Spray the contents of bottle evenly over the lawn surface. Refer to the

## **INSTRUCTIONS FOR HOSE END ATTACHMENT CONTAINERS Cont.**

"Application Rate" section on this label for the application rate and treatment areas. Do not overlap areas already sprayed.

5. When spraying is complete, turn the control valve back (counterclockwise). Turn the water off. Disconnect hose from applicator and store product in original container.

## LAWNS

This product is to be applied to mature lawn areas having a well developed root mass. Do not apply the product on newly seeded areas as it may inhibit seeds from germinating. Wait until after first mowing when root systems are established. In late summer/early fall, apply after heat stress has passed. If over-seeding or re-sodding in the fall, do not apply the product in the fall.

This product may be used up to four times per growing season.

## **VEGETABLES & FLOWER GARDENS**

This product does not kill existing weeds, it prevents new weeds from germinating (sprouting), so before applying, remove any existing weeds. The first application can be safely made when your desirable vegetable or flower sprouts are 2-3 inches tall. Spray directly over and around established flowers, vegetables, herbs and fruits. Reapply every 4-6 weeks for best results.

### **STORAGE AND DISPOSAL**

**STORAGE:** Store and transport in upright position. Store only in original container, in a dry place away from children and pets. Do not reuse empty container.

**DISPOSAL:** Dispose in accordance with municipal or state regulations if applicable. If no such regulations apply, discard empty package in household garbage or by recycling.

## **FIRST AID**

Product can cause moderate skin irritation. For certain individuals, skin irritation may occur. In case of eye contact, flush with plenty of water. If swallowed, call a physician or poison control center. Seek medical attention if irritation persists.

**General:** Seek medical attention immediately if irritation or signs of toxicity occur and persist or are severe. Take container, label and product name with you when seeking medical attention.

## **PRECAUTIONARY STATEMENTS**

**CAUTION:** May cause sensitization. This product should not be applied if a member of the household has a sensitivity or allergy to corn. May irritate eyes and skin. Avoid contact with skin, eyes and clotting. May cause respiratory irritation. Avoid breathing spray mist. For good hygiene practice, wear a long-sleeved shirt, long pants, closed footwear and gloves when handling the product. Safe for children and pets to use yard when spray has dried.



## **ENVIRONMENTAL HAZARDS**

Do not apply to excessively saturated soil. Do not apply if rain is forecast within 24 hours after application. Do not irrigate for 24 hours after application. Excessive moisture at the time of application may reduce the effectiveness of the product.

Do not apply to any body of water. Do not contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.