

# Atrazine 0.76% Plus Fertilizer

**NOT FOR USE** on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

**FOR COMMERCIAL USE ONLY ON ST. AUGUSTINEGRASS AND CENTIPEDEGRASS LAWNS**

**ACTIVE INGREDIENTS:**

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine..... 0.76%  
 Related Compounds..... 0.04%

**INERT INGREDIENTS:** ..... 99.20%  
 Total ..... 100.00%

**CAUTION:** Brush off walks and painted surfaces following application to avoid discoloration.

**WHEN TO APPLY:** For broadleaf post-emergence control, apply anytime the weeds are present and actively growing. (Spring application is recommended for best control.) For preemergence control, apply before the Crabgrass, Paspalums, Sedge and Spotted Spurge germinate. The precise time of application for a specific area will vary. Consult state agricultural experiment station weed specialist or local turf authorities for any additional information regarding specific weed germination dates in your area.

**HOW TO APPLY:** Apply 4.5 To 6.0 pounds of this product uniformly over 1,000 sq ft of lawn area (equivalent to 1.5 to 2.0 pounds Atrazine per acre.) This will provide 0.76 to 1.0 pounds of actual nitrogen per 1,000 sq ft. Watering of treated area immediately after application is recommended to wash pellets off the grass blades.

**CAUTION:** Avoid application under the drip line of trees, shrubs, and ornamentals to prevent injury to plants. This product should not be applied to newly seeded Centipede until the new grass has been mowed at least once. Delay sprig planting one month and seeding 6 months after application.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling. In case of contact: for eyes, flush with water for 15 minutes; for skin, wash with plenty of soap and water. Get medical attention if irritation persists.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Atrazine can travel (seep or leach) through soil and can enter groundwater which may be used as drinking water. Atrazine has been found in groundwater. Users are advised not to apply Atrazine to sand and loamy sand soils where the water table (ground-water) is close to the surface and where the soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the following carefully before application. Use this product only for recommended purposes and at recommended dosage.

**For use** on St. Augustinegrass and Centipedegrass lawns. **Do not use** on Bluegrass, Fescue, Bentgrass, Bahiagrass, Rye, Bermudagrass, or Dichondra lawns.

**Post emergent broadleaf control** of such weeds as: Chickweed, Creeping Charlie, Dandelion, Evening Primrose, Florida Betony, Florida Pusley, Lippia, Oxalis, Pigweed, Pennywort, Plantain, Rabbit Tobacco, and Toadflax.

**Pre-emergent** control of: Crabgrass, Paspalums, Sedge, and Spotted Spurge.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**APPROXIMATE ROTARY SPREADER SETTINGS**

# Product/ 1,000 sq ft	LESCO	Cyclone	Ortho	True Temper 5000
4.5	Calibration Gauge # 14	4	2 1/2	5
6.0	Calibration Gauge # 15	4 1/2	3	5 1/2

\*IMPORTANT: These settings are only approximate. Age, condition of spreader, and operator speed can cause wide variation. Be sure to calibrate your spreader with each application.

**17-4-6**

**MINI FERTILIZER**

**GUARANTEED FERTILIZER ANALYSIS**

TOTAL NITROGEN (N) .....	17.00%
5.60% Ammoniacal Nitrogen	
11.40% Urea Nitrogen*	
AVAILABLE PHOSPHATE (P <sub>2</sub> O <sub>5</sub> ) .....	4.00%
SOLUBLE POTASH (K <sub>2</sub> O) .....	6.00%
SULFUR (S) Total .....	8.30%
4.40% Free Sulfur (S)	
3.90% Combined Sulfur (S)	
IRON (Fe) Total .....	0.50%
0.05% Soluble Iron (Fe)	
Derived from: Poly Coated Sulfur Coated Urea, Urea, Ammonium Sulfate, Ammonium Phosphate, Muriate of Potash and Iron Sulfate.	
Chlorine (Cl) Max. ....	4.50%
*7.60% Slowly Available Nitrogen from LESCO® Poly Plus® Sulfur Coated Urea.	
Made in U.S.A.	F1406

**WARRANTY**

LESCO warrants that this product conforms to the chemical description on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purposes. Since timing, method of application, weather, plant, and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn. RA Dept., 15885 Sprague Rd Strongsville, OH 44136-1799, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-a1.com>  
 LESCO is a registered trademark of LESCO Technologies, LLC.

**Net Wt. 50 lb (22.7 kg)**

EPA REG. NO. 10404-39  
EPA EST. NO. 10404-FL-1(S), 35512-FL-2(H)  
First letter of lot code indicates manufacturing site.

**#069238**

F1406  
Manufactured by: LESCO, Inc.  
15885 Sprague Rd  
Strongsville, OH 44136-1799

