#### **SPECIMEN LABEL**



### Insecticide

For Agricultural or Commercial Use Only
For Use as a Quarantine Treatment Against Imported
Fire Ants and for Balled and Containerized Nursery
Stocks

Active Ingredient: By Wt.

| Bifenthrin* | 0.2%         |
|-------------|--------------|
| _           | <u>99.8%</u> |
|             | 100.0%       |

\*Cis isomers 97% minimum, trans isomers 3% maximum. U.S. Patent No. 4,238,505 & 5,725,630

# KEEP OUT OF REACH OF CHILDREN CAUTION

### FIRST AID

If on skin or clothing

- · Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15- 20 minutes.
- Call a poison control center or doctor for treatment advice.

#### **HOTLINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact CHEMTREC at 1-(800)-424-9300 for Emergency Assistance.

#### **NOTE TO PHYSICIAN**

This product is a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

See other panels for additional precautionary information.

#### **MANUFACTURED FOR**

HELENA CHEMICAL COMPANY 225 SCHILLING BOULEVARD, SUITE 300 COLLIERVILLE, TENNESSEE 38017

### **PRECAUTIONARY STATEMENTS**

**Hazards to Humans (and Domestic Animals)** 

<u>Disclaimer:</u> Always refer to the label <u>on the product</u> before using Helena or any other product.

#### Caution

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing.

#### **Personal Protective Equipment:**

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Waterproof gloves
- Shoes and socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

## User Safety Recommendations: Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **Environmental Hazards**

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the

statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hours.

Exception: if the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes and socks

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

#### **Pesticide Storage**

Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

In case of spill, avoid contact, isolate area and keep out animals and unprotected person. Confine spills. Call CHEMTREC: (800) 424-9300.

#### **Pesticide Disposal**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### **Container Disposal**

Paper and plastic bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### **ORNAMENTAL USE**

(For soil incorporation into potting media used in containerized plantings of ornamental trees, shrubs, plants, flowers, conifers, Christmas trees, and non-bearing fruit and nut trees, and bushes.)

<u>Disclaimer:</u> Always refer to the label <u>on the product</u> before using Helena or any other product.

#### **HERB USE**

# For soil incorporation into potting media used in containerized plantings of the following herbs:

Angelica; balm; basil; borage; burnet; camomile; catnip; chervil; chive; chive, chinese; clary; coriander (leaf); costmary; culantro (leaf); curry (leaf); dillweed; horehound; hyssop; lavender; lemongrass; lovage (leaf); marigold; marloram; nasturtium; parsley; pennyroyal; rosemary; rue; sage; savory, summer and winter; sweet bay; tansy; tarragon; thyme; wintergreen; woodruff; and wormwood. Minimum preshipment interval is 70 days for herbs listed above.

Application Instructions for Potting Media: Determine bulk density of the potting media by measuring the dry weight of a unit volume of the mix. Based on the length of control required, thoroughly mix the appropriate quantity of the IMPINGE insecticide with equipment suitable to give uniform distribution in the potting media. IMPINGE insecticide may be pre-mixed with an appropriate amount of sand (1:10) to ensure adequate distribution of the product of the mix.

**IMPINGE** insecticide is approved under the USDA Plant Protection Imported Fire Ant Quarantine Certification program when used in accordance with USDA guidelines. Use the recommended application rates given in the table below to determine the length of control required for certification.

| Pest     | USDA IFA<br>Certification<br>Period (mo) | App.<br>Rate<br>(ppm) | Potting Media Bulk Density*<br>(Ibs. IMPINGE insecticide Per Cubic<br>Yard) |      |     |      |     |  |
|----------|--|-----------------------|---|------|-----|------|-----|--|
|          |  |                       | 200   | 300  | 400 | 500  | 600 |  |
| Imported | 0-6                                      | 10                    | 1.0   | 1.5  | 2.0 | 2.5  | 3.0 |  |
| Fire Ant | 7-12                                     | 12                    | 1.2   | 1.8  | 2.4 | 3.0  | 3.6 |  |
|          | 13-24                                    | 15                    | 1.5   | 2.25 | 3.0 | 3.75 | 4.5 |  |
|          | Continuous                               | 25                    | 2.5   | 3.75 | 5.0 | 6.25 | 7.5 |  |

**Comments:** Incorporate appropriate amount of **IMPINGE** insecticide in one cubic yard of potting media based on the known bulk density.

# For General Use On Ornamental Plants outside the scope of USDA guidelines

For Fungus Gnat larvae & Mealybugs use 5 to 10 ppm. For Black Vine Weevil larvae, Root Weevil larvae, White Grubs (including Japanese Beetle, oriental beetle and European chafer larvae). & Imported Fire Ants use 10 to 25 ppm. Use the higher rates for extended residual control.

| Pest              | App.<br>Rate | Potting Media Bulk Density* (lbs. IMPINGE insecticide Per Cubic Yard) |      |     |      |     |  |
|-------------------|--------------|---|------|-----|------|-----|--|
|                   | (ppm)        | 200   | 300  | 400 | 500  | 600 |  |
| Fungus Gnat       | 5            | 0.5   | 0.75 | 1.0 | 1.25 | 1.5 |  |
| larvae            | 10           | 1.0   | 1.5  | 2.0 | 2.5  | 3.0 |  |
| Mealybugs         |              |   |      |     |      |     |  |
| Black Vine Weevil | 10           | 1.0   | 1.5  | 2.0 | 2.5  | 3.0 |  |
| Root Weevil       | 15           | 1.5   | 2.25 | 3.0 | 3.75 | 4.5 |  |
| larvae            | 25           | 2.5   | 3.75 | 5.0 | 6.25 | 7.5 |  |
| White Grubs       |              |   |      |     |      |     |  |
| Imported Fire     |              |   |      |     |      |     |  |

#### **SPECIMEN LABEL**

Ants Comments: Incorporate appropriate amount of IMPINGE insecticide in one cubic yard of potting media based on the known bulk density.

\*lbs. of **IMPINGE** insecticide per cubic yard = <u>bulk density of potting media x ppm</u> 2000

(bulk density = laboratory determined dry weight of a unit volume of potting media.)

#### CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Read the Conditions of Sale - Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return the product, unopened, and the full purchase price will be refunded.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Helena Chemical Company (the "Company") or seller. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment. The Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use subject to the factors noted above which are beyond the control of the Company.

The Company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against the Company for any cause of action relating to the handling or use of this product shall be limited to, at Helena Chemical Company's election, one of the following:

- 1. Refund of the purchase price paid by buyer or user for product bought, or
- 2. Replacement of the product used
  To the extent allowed by law, the Company shall not be
  liable and any and all claims against the Company are
  waived for special, indirect, incidental, or consequential
  damages or expense of any nature, including, but not
  limited to, loss of profits or income. The Company and the
  seller offer this product and the buyer and user accept it,
  subject to the foregoing conditions of sale and limitation
  of warranty, liability and remedies.

<u>Disclaimer:</u> Always refer to the label <u>on the product</u> before using Helena or any other product.

© Copyright Helena Holding Company, 2005.