Stoller Pro-Start CA

Guaranteed Analysis

Derived from Urea and Calcium Chloride

Recommended Crops: Grapes, Almonds, Apples, Apricots, Blueberries, Cherries, Figs, Kiwi, Nectarines, Peaches, Pears, Pecans, Pistachios and Walnuts.

CAUTION:

KEEP OUT OF REACH OF CHILDREN

WARNING:

Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat, and/or skin. Avoid contact with eyes, skin and clothing. If Swallowed: Induce vomiting be sticking finger down throat. Never give anything by mouth to an unconscious person. Get medical attention. If in Eyes: Wash eyes with plenty of clear water for at least 15 minutes. Get medical attention.

For Commercial Use Only

NET WEIGHT: 11lbs/gal @ 68°F

2½ gallons (27.5Lbs) 5 gallons (55.0 Lbs) Bulk



Directions For Application:

- -Apply 5 gallons per acre in 50 -100 gallons of water acre minimum 3 weeks after all pruning activities and wounds have calloused/heeled and 30 days or more before anticipated/normal bud break occurs.
- -Avoid spray drift onto adjacent properties.
- -DO NOT APPLY IF GREEN TISSUE IS PRESENT.
- -Do not mix with other chemicals unless approved by manufacturer.
- -SHAKE PRODUCT WELL BEFORE MIXING INTO SPRAY TANK.

PROSTARTCA-0107