Contec **DG*** 18-9-18

Dispersing Granule Technlogy



FEATURES & USE TIPS:

- Patented dispersing granule formula.
- SGN 75 Ideal for greens use.
- Contains slow release nitrogen from methylene ureas.
- Contains secondary and micro plant nutrients.
- · Easy spreading formula.

PRODUCT SPECIFICATIONS:

N - (18%): 1.90% ammoniacal nitrogen

6.90% urea nitrogen

5.40% other water soluble nitrogen* 3.80% water insoluble nitrogen

* 5.40% slowly available nitrogen from meth-

ylene ureas

P - as P₂O₅ - (9%): Ammonium phosphate

K - as K₂O - (18%): Potassium sulfate

S - (6%): Combined Sulfur

Fe - (0.28%): Total Iron

Mn - (0.14%): Total Manganese

Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.

PRODUCT CODE:

AGC181WMDG4

Date: 050108 Supersedes: 000000

PRODUCT CHARACTERISTICS:

Product Type:

Dispersible granular nutrient

Nitrogen Type:

Contec **DG** Methylene Urea

Particle Size:

SGN: 75

Net Weight:

40 lbs.

Coverage:

7,100 sq. ft.

@ Medium Rate

Andersons Golf Products and Contec®DG are registered trademarks of The Andersons, Inc.; MUtech is a trademark of The Andersons, Inc.

To order, contact your local Andersons Golf Products distributor.

For more information, contact Andersons at our website: www.andersonsgolfproducts.com or call 1-800-225-2639.





Dispersing Granule Technology

18-9-18

- Premium nutrient combinaton
- Patented dispersing granules greatly reduce ball, shoe & mower pickup
- Specially designed for use on greens & tees
- Formula is a 2:1:2 ratio
- \bullet Slow release nitrogen from MUtech $\mbox{^{\intercal}}$
- Contains iron & manganese

Visit our website: AndersonsGolfProducts.com

SGN 75

Net Wt 40 Lbs (18.14 kg)

GUARANTEED ANALYSIS

OUAIMITIED AIMALION	
Total Nitrogen (N)	18.00%
1.90% Ammoniacal Nitrogen	
6.90% Urea Nitrogen	
5.40% Other Water Soluble Nitrogen*	
3.80% Water Insoluble Nitrogen	
Available Phosphate (P2O5)	9.00%
Soluble Potash (K ₂ O)	18.00%
Total Sulfur (S)	6.00%
6.00% Combined Sulfur (S)	
Total Iron (Fe)	0.28%
0.28% Water Soluble Iron (Fe)	
Total Manganese (Mn)	0.14%
0.14% Water Soluble Manganese (Mn)	
Plant nutrients derived from urea, methylene ureas, ammonium p	hosphate

potassium sulfate, ferrous sulfate and manganese sulfate. *5.40% slowly available nitrogen from methylene ureas F292

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com.

U.S. Patent No. 6,884,756

DIRECTIONS FOR USE

Apply only as directed

Use Andersons Golf Products Contec DG® Dispersing Granule Technol ogy 18-9-18 for greens and tees where a high nitrogen and potassium application is desired or when iron and manganese are needed to help correct or prevent deficiencies during the growing season

Watering in this product will disperse each granule into thousands of particles. This will facilitate the movement of the nutrients into the soil. This particle dispersion will greatly reduce ball, shoe and mower pickup - minimizing nutrient loss.

Application Rates:

2.78 lbs./1,000 sq. ft. MEDIUM: 5.56 lbs./1,000 sq. ft.

For all applications:

Immediately after application, apply a minimum of 0.2 inches of water to avoid possible staining and foot printing.

Cool Season Grasses:

- Apply at the MEDIUM RATE during the growing season.
- Use the LOW RATE during mid-summer (non-greens usage)
- Exception: On bentgrass and Poa annua, apply at the LOW RATE if temperatures are 85°F or above

Warm Season Grasses:

- Apply at the MEDIUM RATE during the growing season.
- Use the LOW RATE during summer stress.

Notice: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. **DO NOT WASH OFF** WITH WATER.

Storage and Use:

Store in a clean, dry place

Reseal opened bag by folding top down and securing.

Use only clean, dry spreaders

Do not leave unused product in spreaders.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

BACK PANEL Manufactured by:

The Andersons Lawn Fertilizer Division, Inc. P. O. Box 119 Maumee, Ohio 43537

AGC181WMDG4 AGC181WMDG4B

©2007

Andersons Golf Products and Contec®DG are registered trademarks of The Andersons, Inc.; MUtech is a trademark of The Andersons, Inc.

Visit our website: AndersonsGolfProducts.com



Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.

40 lbs. feeds 14,300 sq. ft. (0.33 acre) with 0.50 lb. N/1,000 sq. ft. at the LOW RATE (2.78 lbs./1,000 sq. ft.) 40 lbs. feeds 7,100 sq. ft. (0.16 acre) with 1.00 lb. N/1,000 sq. ft. at the MEDIUM RATE (5.56 lbs./1,000 sq. ft.)

	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
SPREADER			LOW RATE	MEDIUM RATE
Andersons Rotaries AccuPro 2000/SR-2000 (Cone 9)	3 mph	10 feet	11/2	L
Andersons SS-2 Drop	3 mph	overlap wheels	3 1/4	4 3/4
Scotts Rotaries R-8, R-8A (Cone 9)	3 mph	10 feet	I	L 1/2
Lely Models (Pattern IV) WTR, WFR, HR, 1250 (PTO at 450 rpm)	4.5 mph	18 feet	4 1/4	5 1/2
Vicon (03 Series-Standard Spout)	4.5 mph	13 feet	16	24