

# Turf Fertilizer 21-0-20

## with Poly-S<sup>®</sup> Nitrogen



### FEATURES & USE TIPS:

- 100% of the contained nitrogen is derived from Poly-S polymer-coated sulfur-coated slow release nitrogen.
- Contains sulfate of potash
- Small particle size (SGN 150) is ideal for use on close cut fairways.
- Balanced 1-0-1 formula.

### PRODUCT SPECIFICATIONS:

<b>N - (21%):</b>	Urea Nitrogen* *21.00% Slowly Available Nitrogen from Polymer Coated Sulfur Coated Urea
<b>K - as K<sub>2</sub>O - (20%):</b>	Potassium sulfate
<b>S - (8.75%):</b>	1.95% Free Sulfur 6.80% Combined Sulfur

*Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.*

### PRODUCT CODE:

**AGC8391**

Date: 102709  
Supersedes: 020503

### PRODUCT CHARACTERISTICS:

**Product Type:**  
Fertilizer

**Nitrogen Type:**  
Poly-S<sup>®</sup>

**Particle Size:**  
SGN: 150


**Net Weight:**  
50 lbs.

**Coverage:**  
10,400 sq. ft.  
@ Medium Rate

Andersons Golf Products is a registered trademark of The Andersons, Inc.; Poly-S is a registered trademark of The Scotts Company

*To order, contact your local Andersons Golf Products distributor.*

*For more information, contact Andersons at our website: [www.andersonsgolfproducts.com](http://www.andersonsgolfproducts.com) or call 1-800-225-2639.*



**Andersons**  
GOLF PRODUCTS®

# Turf Fertilizer

# 21-0-20

---

**with Poly-S® Nitrogen**

- **Contains Poly-S® Nitrogen.**
- **Contains Potassium Sulfate.**
- **Provides initial greenup with minimal surge growth.**

*Visit our website: [AndersonsGolfProducts.com](http://AndersonsGolfProducts.com)*

**SGN 150**

---

**Net Wt. 50 Lbs. (22.68 kg)**



# Turf Fertilizer 21-0-20

## with Poly-S® Nitrogen

### GUARANTEED ANALYSIS

Total Nitrogen (N) . . . . .	21.00%
21.00% Urea Nitrogen*	
Soluble Potash (K <sub>2</sub> O) . . . . .	20.00%
Sulfur (S) . . . . .	8.75%
1.95% Free Sulfur (S)	
6.80% Combined Sulfur (S)	
Plant nutrients derived from potassium sulfate and polymer coated sulfur coated urea.	
*21.00% Slowly Available Nitrogen from Polymer Coated Sulfur Coated Urea	

**F292**

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ap.com>.

### DIRECTIONS FOR USE

Apply only as directed during the growing season. Apply when a regular feeding of nitrogen and potassium along with sulfur is desired.

#### Application Rates:

- LOW: 3.6 lbs./1,000 sq. ft.
- MEDIUM: 4.8 lbs./1,000 sq. ft.

#### For all applications:

- Apply to dry foliage.
- Water in after application with a minimum of 0.2 inches to help move particles into the turf canopy.
- Do not collect clippings for at least one mowing following application to avoid particle pick-up.

#### Cool Season Grasses:

- Apply at the LOW or MEDIUM RATE.
- Exception: apply at the LOW RATE when temperatures exceed 85°F.

#### Warm Season Grasses:

- Apply at the LOW or MEDIUM RATE.
- Exception: Apply at the LOW RATE when temperatures exceed 90°F.

Recent research has shown that well-maintained turf is an effective environmental buffer that prevents pollutants from entering our natural water bodies. To help protect these natural resources, avoid applying product to sidewalks, driveways, roadways, and other impervious surfaces. Sweep any misplaced granules back onto the area you are treating immediately after application, since storm drains often empty directly to nearby waterways.

### Storage and Use:

Store in a clean, dry place.  
Reseal opened bag by folding top down and securing.  
Use only clean, dry spreaders.  
Do not leave unused product in spreaders.

### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

### WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

### LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of U.S.A.

Manufactured by:  
The Andersons Lawn Fertilizer Division, Inc.  
P. O. Box 119  
Maumee, Ohio 43537

**AGC8391**

©2008

Andersons Golf Products is a registered trademark of The Andersons, Inc.; Poly-S is a registered trademark of The Scotts Company



## Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.

**50 lbs. feeds 13,800 sq. ft. (0.27 acre) with 0.75 lbs. N/1,000 sq. ft. at the LOW RATE**  
**50 lbs. feeds 10,400 sq. ft. (0.19 acre) with 1.00 lbs. N/1,000 sq. ft. at the MEDIUM RATE**

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			LOW RATE 3.6 lbs./1000 sq. ft.	MEDIUM RATE 4.8 lbs./1000 sq. ft.
The Andersons Rotaries AccuPro/SR-2000 (Cone 8)	3 mph	13 feet	K 1/2	M
Scotts Rotaries R-8, R-8A (Cone 8)	3 mph	13 feet	J 1/4	K 1/2
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	4.5 mph	36 feet	4 3/4 I	6 1/2 I
Vicon (O3 Series-Standard Spout)	4.5 mph	28 feet	21	26