

# 27-3-11 with Fe, Mn

# **FEATURES & USE TIPS:**

- Combines two patented technologies, Extend<sup>™</sup> and Poly-S® Nitrogen.
- Contains 1% Fe and 2% Mn.
- Provides initial green-up with minimal surge growth.
- Provides excellent controlled-release nitrogen.
- Provides an excellent nitrogen feeding program with two slow release nitrogen sources.

# **PRODUCT SPECIFICATIONS:**

**N - (27%):** 1.17% ammoniacal nitrogen

25.83% urea nitrogen\*

\*25.83% slowly available nitrogen from polymer coated urea and polymer coated sulfur

coated urea

P - as P<sub>2</sub>O<sub>5</sub> - (3%): Ammonium phosphate

K - as K<sub>2</sub>O - (11%): Potassium chloride

**S - (4.76%):** Free Sulfur

Fe - (1%): Total Iron

Mn - (2%): Total Manganese

**CI - (9.30%):** Chlorine Max

Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.

PRODUCT CODE: AGC83011.1

Date: 060707 Supersedes: 000000

PRODUCT CHARACTERISTICS:

Product Type:

Fertilizer

Nitrogen Type:

Extend™ & Poly-S®

Particle Size:

SGN: 215

Net Weight:

50 lbs.

Coverage:

10,800 sq. ft.

@ Medium Rate

Andersons Golf Products is a trademark of The Andersons, Inc.; Extend and Poly-S are trademarks of The Scotts Co.

To order, contact your local Andersons Golf Products distributor.

For more information, contact Andersons at our website: www.andersonsgolfproducts.com or call 1-800-225-2639.

PRODUCT SHEET

#### **GUARANTEED ANALYSIS**

lotal Nitrogen (N)	27.00%
1.17% Ammoniacal Nitrogen	
25.83% Urea Nitrogen*	
Available Phosphate (P2O5)	3.00%
Soluble Potash (K2O)	11.00%
Total Sulfur (S)	4.76%
4.76% Free Sulfur (S)	
Iron (Fe)	1.00%
Total Manganese (Mn)	2.00%
0.29% Water Soluble Manganese (Mn)	
Plant nutrients derived from ammonium phosphate, polymer coa	ited urea,
polymer coated sulfur coated urea, potassium chloride, ferric ox	ide,
manganous oxide, and manganese sulfate.	F292
Chlorine (Cl) Max.	9.30%

\*25.83% slowly available nitrogen from polymer coated urea and polymer coated sulfur coated urea

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com.

#### **DIRECTIONS FOR USE**

Apply only as directed. Use Andersons Golf Products 27-3-11 with Fe, Mn on actively growing fairways and roughs whenever a high potassium and controlled-release nitrogen fertilization is desired along with iron and managnese

#### **Application Rates:**

LOW: 3.70 lbs./1,000 sq. ft MEDIUM: 4.63 lbs./1.000 sq. ft HIGH: 5.56 lbs./1,000 sq. ft.

#### For all applications:

- For use on fairways and roughs
- DO NOT USE ON GREENS.
- Do not apply with a drop-type spreader.
- Do not apply at rates lower than recommended to prevent mottling.
- Apply to dry foliage.
- Water in after application with a minimum of 0.2 inches to help move particles in the turf canopy and to avoid possible staining.
- Do not collect clippings for at least one mowing following application to prevent particle pick-up.

#### **Cool Season Grasses:**

- Apply at LOW or MEDIUM RATE
   Apply at HIGH RATE in spring or fall for deeper greening or when higher potassium fertilization is desired.
- Exception: Apply at LOW RATE in mid-summer when peratures are above 80°F.

#### Warm Season Grasses:

- Apply at LOW or MEDIUM RATE.
   HIGH RATE may be used in early spring to help bring grasses out of dormancy (such as bermudagrass) or when a higher potassium fertilization is desired.
- Exception: Apply at LOW RATE during mid-summer when temperatures are extreme (90°F or above).

Notice: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. DO NOT WASH OFF WITH WATER.

### Storage and Use:

Store in a clean, dry place. Reseal opened bag by folding top down and securing. Use only clean, dry spreaders.

Do not leave unused product in spreaders.

#### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

#### WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacture makes NO OTHER EXPRESS OR IMPUED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIWIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of U.S.A.

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.

P. O. Box 119 Maumee, Ohio 43537

AGC83011.1

©2006

Vist our website: AndersonsGolfProducts.com



## Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.

50 lbs. feeds 13,500 sq. ft. (0.31 acre) with 1.0 lbs. N/1,000 sq. ft. at the LOW RATE (3.70 lbs./1000 sq. ft.) 50 lbs. feeds 10,800 sq. ft. (0.25 acre) with 1.25 lbs. N/1,000 sq. ft. at the MEDIUM RATE (4.63 lbs./1000 sq. ft.) 50 lbs. feeds 8,900 sq. ft. (0.20 acre) with 1.50 lbs. N/1,000 sq. ft. at the HIGH RATE (5.56 lbs./1000 sq. ft.)

			SPREADER SETTINGS		
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LOW RATE	MEDIUM RATE	HIGH RATE
The Andersons Rotaries AccuPro/SR-2000 (Cone 4)	3 mph	12 feet	L 1/2	M 1/2	N 1/2
The Andersons AccuPro 1000	3 mph	12 feet	L 1/2	M 1/2	N 1/2
Scotts Rotaries R-8, R-8A (Cone 4)	3 mph	12 feet	L 1/2	N	0
LESCO MODEL 020093	3 mph	10 feet	G 1/4	H 3/4	13/4
Lely Models (Pattern I) WTR, WFR, HR, 1250 (PTO at 450 rpm)	4.5 mph	30 feet	5 3/4	6 1/4	6 3/4
Vicon (03 Series-Standard Spout)	4.5 mph	34 feet	27	31	34